

CHG	Marketing #	Mfg. Part #	Description	List
<b>Browser Managed Access Systems Controllers</b>				
*	eMerge50	230219	32 door max - eMerge 2 Door Bundle with Network Controller, 2 door Access Control Module (ACM), enclosure, and power supply, 3 Series	2,412.90
*	eMerge50LPS	230227	32 Door max - eMerge 2 Door Bundle with Network Controller, 2 door Access Control Module (ACM), enclosure, and power line power supply, 3 Series	2,622.90
*	eMerge5000	230220	140 door max - eMerge 2 Door Bundle with Network Controller, 2 door Access Control Module (ACM), enclosure, and power supply, 3 Series	4,567.50
*	eMerge5000LPS	230228	140 max - eMerge 2 Door Bundle with Network Controller, 2 door Access Control Module (ACM), enclosure, and power line power supply, Series 3	4,777.50
<b>Add on Expansion cans and Application cards</b>				
*	eMergeEXN	0-587004	Network Expansion Node, Enclosure, and Power Supply	1,963.50
*	eMergeEXNLPS	0-589004	Network Expansion Node, Enclosure, and Power Line Power Supply	2,173.50
	eMerge MicroNode	230222	*** Only works with 3 Series*** eMerge Compact Network Node with 2 Reader ports, 4 Inputs, 4 Output relays, 1 Temp Input and optional POE	2,012.00
*	eMergeACM	0-580100-L	eMerge Access Control Blade: 2 reader, 4 inputs, 4 outputs	1,323.00
*	eMergeINP	0-580110	eMerge Input Blade: 8 inputs	630.00
*	eMergeOUT	0-580120	eMerge Output Blade: 8 outputs	682.50
*	eMergeTMP	0-580130	eMerge Temperature Monitoring Blade: 8 Inputs	735.00
*	eMergeTMPPB	0-580131	eMerge Temperature Monitoring Probe	252.00
<b>Add-on Software Licenses and Upgrades</b>				
*	eMergeU5000	eMergeU500	eMerge upgrade from eMerge50 to eMerge5000	3,348.45
<b>Video Management Licenses for eMerge 440 and eMerge 5000</b>				
*	eMergeVMS8B	eMergeVMS8	Base VMS license -includes license for integration to 8 cameras	745.50
*	eMergeVMS8E	eMergeVMS8	Expansion VMS license -includes license for integration for additional 8 cameras	971.25
*	eMergeVMS1E	eMergeVMS1	Individual camera expansion VMS license -includes license for 1 camera	194.25
<b>Badge Printing</b>				
	eMergeBD2	2-067006	Badge Designer & 1 Printing Station License	4,364.48
	eMergeCF2G	eMergeCF2C	Compact Flash Card - 2 Gigabyte	150.00
*	eMergeBDK	eMergeBDK	Badge printing kit - includes Logitech Orbit Camera, Pebble printer and 1 5 panel ribbon (200 cards)	5,163.00
*	Orbits AF	2060210	Logitech Orbits AF Web Camera - High and low camera height adjustment (Face Finding)	351.00

CHG	Marketing #	Mfg. Part #	Description	List
<b>Parts and Supplies</b>				
*	eMergeNCB, v3.3	230338	eMerge Network Controller spare board kit - no license or features	1,848.00
*	eMergeNCB, v2.5	0-587008	eMerge Network Controller spare board kit - no license or features	1,848.00
*	eMergeNNB	0-587009	eMerge Network Node spare board kit	1,470.00
<b>Visitor Management Systems</b>				
*	eMergeSVM	eMergeSVM	SVM Secure Visitor Management Software with Badge generation capability and eMerge integration software. Include SVM database, SVM workstation license, Administrator application and eMerge integration software.	9,978.32
*	eMergeSVM-SA	eMergeSVM-	Stand-alone SVM Secure Visitor Management Software with Badge generation capability NO eMerge integration software. Include SVM database, SVM workstation license, Administrator application and eMerge integration software.	4,540.90
*	eMergeSVMK	eMergeSVM	SVM Kit includes eMergeSVM plus thermal adhesive label badge printer, license/card scanner and Logitech Orbit PTZ Web Camera	12,448.80
*	eMergeSVMAD	eMergeSVM/	SVM Administration (additional license)	900.90
*	eMergeSVM EA	eMergeSVM	SVM eAdvance web preregistration software	5,450.90
	eMergeSVM MM	eMergeSVM	SVM Annual Software Maintenance Contract for upgrades and updates	Call
	eMergeSVM EA MM	eMergeSVM	SVM eAdvance Annual Software Maintenance Contract for upgrades and updates	Call
<b>Card/Badge Printers</b>				
<i>NOTE: Printers do NOT come with ribbons. Select appropriate ribbon below.</i>				
	EA-EV-E2001U	EA-EV-E2001U	Tattoo Monochrome single side card printer	3,460.67
	EA-EV-E5001RU	EA-EV-E5001RU	Pebble Color single side card printer	4,696.63
	EA-EV-E3001U	EA-EV-E3001U	Dualys Color dual-side card printer	7,640.45
	EA-EV-E4001U	EA-EV-E4001U	Quantum Industrial Color dual-side card printer	16,179.78

CHG	Marketing #	Mfg. Part #	Description	List
<b>Card/Badge Printing Supplies - Monochrome Ribbons for: Quantum, dualys, Pebble Printers</b>				
	EA-EV-R2011	EA-EV-R2011	Black Monochrome Ribbon 1000 cards per roll	22.47
	EA-EV-R2012	EA-EV-R2012	Blue Monochrome Ribbon 1000 cards per roll	56.18
	EA-EV-R2013	EA-EV-R2013	Red Monochrome Ribbon 1000 cards per roll	56.18
	EA-EV-R2014	EA-EV-R2014	Green Monochrome Ribbon 1000 cards per roll	56.18
	EA-EV-R2015	EA-EV-R2015	White Monochrome Ribbon 1000 cards per roll	78.65
	EA-EV-R2016	EA-EV-R2016	Gold Monochrome Ribbon 1000 cards per roll	107.87
	EA-EV-R2017	EA-EV-R2017	Silver Monochrome Ribbon 1000 cards per roll	107.87
	EA-EV-R2018	EA-EV-R2018	Scratch Off Monochrome Ribbon 1000 cards per roll	89.89
	EA-EV-R2019	EA-EV-R2019	BlackWAX Monochrome Ribbon (for ABS and special varnished cards)	22.47
	EA-EV-R2121	EA-EV-R2121	Black Monochrome Ribbon 5000 cards per roll ( <i>QUANTUM PRINTER ONLY</i> )	98.88
			Monochrome Ribbons for: Tattoo Printer	
	EA-EV-R2211	EA-EV-R2211	Black Monochrome Ribbon 600 cards per roll	19.33
	EA-EV-R2212	EA-EV-R2212	Blue Monochrome Ribbon 600 cards per roll	47.19
	EA-EV-R2213	EA-EV-R2213	Red Monochrome Ribbon 600 cards per roll	47.19
	EA-EV-R2214	EA-EV-R2214	Green Monochrome Ribbon 600 cards per roll	47.19
	EA-EV-R2215	EA-EV-R2215	White Monochrome Ribbon 500 cards per roll	51.69
	EA-EV-R2216	EA-EV-R2216	Gold Monochrome Ribbon 500 cards per roll	83.15
	EA-EV-R2217	EA-EV-R2217	Silver Monochrome Ribbon 500 cards per roll	83.15
	EA-EV-R2218	EA-EV-R2218	Scratch Off Monochrome Ribbon 500 cards per roll	58.43
	EA-EV-R2219	EA-EV-R2219	BlackWAX Monochrome Ribbon (for ABS and special varnished cards or cardboard) 600 cards per roll	19.33
<b>Multi Panel Ribbons for: Quantum, dualys, Pebble Printers &amp; Hologram Ribbons for: Quantum, dualys, Pebble Printers</b>				
	EA-EV-R3011	EA-EV-R3011	5 Panel Color Ribbon YMCKO 200 cards per roll ( <i>DUALYS &amp; PEBBLE PRINTERS ONLY</i> )	146.07
	EA-EV-R3012	EA-EV-R3012	2 Panel Monochrome – Black TT + Varnish 500 cards per roll	130.34
	EA-EV-R3013	EA-EV-R3013	Half-Panel Color Ribbon – YMCKO 400 cards per roll	168.54
	EA-EV-R3111	EA-EV-R3111	5 Panel Color Ribbon YMCKO 1000 cards per roll ( <i>QUANTUM PRINTER ONLY</i> )	629.21
	EA-EV-R3114	EA-EV-R3114	6 Panel Color Ribbon YMCKOK 800 cards per roll ( <i>QUANTUM PRINTER ONLY</i> )	629.21
	EA-EV-R4001	EA-EV-R4001	Optoseal® Hologram Ribbon 350 cards per roll	195.51

CHG	Marketing #	Mfg. Part #	Description	List
<b>Paper Cards</b>				
	EA-EV-C1001	EA-EV-C1001	Premium Blank White Cards - 30 mil (Pack of 100 cards)	179.78
	EA-EV-C1003	EA-EV-C1003	Premium Blank White Cards with a HICO Magnetic stripe - 30 mil Pack of 100 cards)	307.86
	EA-EV-C2001	EA-EV-C2001	Blank White Paper Cards – 10 mil (Pack of 100 cards)	78.65
	EA-EV-C4001	EA-EV-C4001	Blank White Cards -30 mil (Pack of 100 cards)	125.84
	EA-EV-C4003	EA-EV-C4003	Blank White Cards with a HICO Magnetic Stripe -30 mil (Pack of 100 cards)	224.72

CHG	Marketing #	Mfg. Part #	Description	List
<b>PC Software Managed Access Systems</b>				
<b>Max 3 Access Control System Kits</b>				
<b>Max3 single door access control system kits include a reader capable of reading the following card formats [HID; AWID; xCeedID, Casi ProxLite Compatible]</b>				
	Max 3 SYS	0-205600	Max3 single door access control system kit. Contains Max 3 Door Control Module and connectivity to support 3 additional Max 3 control modules in oversized metal cabinet with cam lock. Includes XF 1050 proximity reader that is AWID, HID, xCeedID, and Casi/ProxLite compatible; Hub Manager Professional access control software, 12/24 VDC board power supply for locks; AC Transformer for system and AC transformer for lock power supply.	1,346.36
	MiniMax 3 SYS	0-205601	MiniMax3 single door access control system kit. Includes metal cabinet, cam lock, AC transformer, built-in 12 VDC 1 Amp power supply, Max3 Door Control Module (DCM). Includes Hub Manager Professional access control software, programming keypad. Includes XF 1050 proximity reader that is AWID, HID, xCeedID, and Casi/ProxLite compatible.	1,000.00
<b>Max3 single door access control expansion kit [HID; AWID; xCeedID; Casi ProxLite Compatible]</b>				
	Max3Mod EX	0-205603	Max3 Module single door access control kit for system expansion. Plugs into Max3 backplane to expand system capacity one door at a time. Contains Max 3 Door Control Module and Includes XF 1050 proximity reader that is AWID, HID, xCeedID; Casi/ProxLite compatible.	655.56
<b>Max3 panel options [Reader purchased separately]</b>				
	Max3	0-205673	Max3 single door access control panel. Contains Max 3 Door Control Module and connectivity to support 3 additional Max 3 control modules in oversized metal cabinet with cam lock, Hub Manager Professional access control software, and AC Transformer for system.	1,219.16
	MiniMax3	0-205672	MiniMax3 single door access control panel. Includes metal cabinet, cam lock, AC transformer, built-in 12 VDC 1 Amp power supply, Max3 Door Control Module (DCM). Includes Hub Manager Professional software, programming keypad.	861.11
	Max3Mod	0-205671	Max3 Module single door access control module. Plugs into Max3 backplane to expand system capacity one door at a time.	541.78
<b>Access System Lock / Auxiliary Power Supply</b>				
	PG 1224-3	0-291303	12/24 VDC 2.5A Access Control power supply mounts inside HubMax- Transformer required (24VAC 40VA)	74.15

CHG	Marketing #	Mfg. Part #	Description	List
<b>Max 3 Communication Accessories</b>				
	SEG-M	0-296006	Secured Ethernet Gateway [Plug-in] Module Converts TCP/IP to serial data enabling IEI access systems to use a network to securely send and receive data; and to be programmed and managed from any network PC running Hub Manager Professional [v5.0 or higher]. Requires network connection. Easily plugs into backplane which provides module power and communication with access panel.	544.46
	M3M	0-230556	Max3 modem module for dial up remote site management applications. Easy plug on installation to Max 3 Module in Max 3 and MiniMax 3 systems. System requirements: Software must be Hub Manager Professional v7.X or higher. Packaging includes software, power and RS-485 harnesses, phone jack, and phone cord.	513.89
	IEI232-485	0-295093	RS 232 to RS 485 interface for prox.pad Plus and Max3 systems.	107.80
	USB-serial	0-295097	USB to serial converter on a single gang electrical plate. Color white. Converts either or both RS232 or RS485 for use with Max3, MiniMax3, Hub Max II, Hub MiniMax II and prox.pad plus. Includes converter, USB cable, wire harness for serial connection. Powered by PC USB port.	164.46
<b>Max 3 Output Expansion</b>				
*	M3-OM	0-205661	Max3 Output Module. Adds 8 form C control relay outputs to Max3 module for applications such as elevator control. Installs onto and is powered from Max3 module. Includes power LED and individual relay status LEDs. System requirements: Software must be Hub Manager Professional v8.0 or higher. Package includes software, wire harnesses, and mounting hardware. New product - contact IEI for availability.	388.90
<b>Max 3 Programming Accessories</b>				
	en-Stat	0-205680	Prox enrollment station kit with USB port for enrolling HID credentials 26 bit format for Secured Series systems and up to 40 bits for Max 3 systems, prox.pad plus systems, and LS2P systems] directly into Hub Manager Professional access control software. Includes 12 VDC transformer for power, includes 6' USB cable. Requires Hub Manager Professional v6.0 or higher.	388.90

CHG	Marketing #	Mfg. Part #	Description	List
	<b>Marketing #</b>	<b>Mfg. Part #</b>	<b>Description</b>	<b>List</b>
<b>Farpointe Proximity Readers 125 kHz</b>				
*	P-300H	0-299100	HID Compatible, Mullion Mount Reader	\$ 156.00
*	P-500H	0-299101	HID Compatible, Single Gang Mount Reader	\$ 180.00
*	P-640H	0-299102	HID Compatible, Keypad Reader	\$ 476.00
<b>Farpointe Proximity Credentials 125 kHz</b>				
*	PSC-1H	0-299106	HID Compatible, Proximity Clamshell Card. (lots of 25 only), Wiegand 26 bit format, Facility Code 11	\$ 108.00
*	PSM-2PH	0-299107	HID Compatible, Proximity ISO,PVC Card. (lots of 25 only), Wiegand 26 bit format, Facility Code 11	\$ 200.00
*	PSK-3H	0-299108	HID Compatible, Proximity Keyfob. (lots of 25 only), Wiegand 26 bit format, Facility Code 11	\$ 236.00
<b>Farpointe Smart Card Readers 125 kHz and 13.56 MHz</b>				
*	Delta 3H	0-299103	Smart Card Reader, Mullion Mount Reader	\$ 260.00
*	Delta 5H	0-299104	Smart Card Reader, Single Gang Mount	\$ 300.00
*	Delta 6.4H	0-299105	Smart Card Keypad Reader	\$ 496.00
<b>Farpointe Smart Credentials 13.56 MHz</b>				
*	DC1-1	0-299109	13.56 MHz ISO 1443 Type A, Calmshell Contactless Smart Card, 1K byte, (lots of 25 only), Facility Code 11	\$ 130.00
*	DC4-1	0-299110	13.56 MHz ISO 1443 Type A, Calmshell Contactless Smart Card, 4K byte, (lots of 25 only), Facility Code 11	\$ 195.00
*	DM1-3	0-299111	13.56 MHz ISO 1443 Type A, Printable, Contactless Smart Card, 1K byte, (lots of 25 only), Facility Code 11	\$ 140.00
*	DM4-3	0-299112	13.56 MHz ISO 1443 Type A, Printable Contactless Smart Card, 4K byte, (lots of 25 only), Facility Code 11	\$ 212.00
*	DM1-3S	0-299113	13.56 MHz ISO 1443 Type A, Printable Contactless Smart Card with Mag Stripe, 1K byte, (lots fo 25 only), Facility Code 11	\$ 310.00
*	DM-4-3S	0-299114	13.56 MHz ISO 1443 Type A Calmshell Contactless Smart Card with Mag Atripe, 4K byte, (lots fo 25 only), Facility Code 11	\$ 335.00
*	DK1-3	0-299115	13.56 MHz ISO 1443 Type A Key Tag , 1K byte, (lots of 25 only), Facility Code 11	\$ 335.00
*	DK4-3	0-299116	13.56 MHz ISO 1443 Type A Key Tag, 4K byte, (lots of 25 only), Facility Code 11	\$ 510.00

CHG	Marketing #	Mfg. Part #	Description	List
<b>Xceedid -Wiegand - 125 kHz proximity readers [AWID, HID, GE/CASI ProxLite, Lenel Prox compatible] for eMerge &amp; Max 3</b>				
	XF1050	0-299038	Mini-Mullion 125 kHz Proximity Reader. AWID, HID, xCeedID, Casi/ProxLite compatible. Black.	191.67
	MP1000	0-299025	Mullion/MiniMullion reader mounting plate - single gang adapter for XF1050 and other Mullion readers.	100.00
	XF1550	0-299041	Wallmount 125 kHz Proximity Reader. AWID, HID, xCeedID, Casi/ProxLite compatible. Black.	361.11
<b>Xceedid - ISO -X Multi-Frequency Series [13.56MHz and 125 kHz] for eMerge &amp; Max 3</b>				
	XF1100D	0-299031	Multi-Frequency Mullion Reader	380.56
	XF1500D	0-299032	Multi-Frequency Wallmount Reader	486.11
	XF2100D	0-299033	Multi-Frequency Mid-Range Reader	494.84
	XF2110D	0-299034	Multi-Frequency Mid-Range Keypad Reader	683.33
<b>Xceedid - FIPS 201/PIV II Compliant Readers - ISO-X Multi-Frequency for eMerge &amp; Max 3</b>				
	XF1100D-PIV	0-299035	Multi-Frequency Mullion Reader	466.67
	XF2100D-PIV	0-299036	Multi-Frequency Mid-Range Reader	572.22
	XF2110D-PIV	0-299037	Multi-Frequency Mid-Range Keypad Reader	763.89
<b>Wiegand - Smart Card 13.56 MHz Series from xCeedid for eMerge &amp; Max 3</b>				
	XF1060MF	0-299039	Mini-Mullion 13.56 MHz MIFARE Reader	197.22
	XF1060XX	0-299040	Mini-Mullion 13.56 MHz ISO-X Reader	197.22

CHG	Marketing #	Mfg. Part #	Description	List
<b>AWID - Wiegand 125 kHz proximity readers for eMerge &amp; Max 3</b>				
	SR2400	0-299000	AWID compatible, Wiegand Output, 4 to 5.5 inch Read Range, Metal Compensated, Mullion Width, Indoor/Outdoor, Dark Gray UL294 Listed	155.57
	MM6800	0-299001	AWID compatible, Wiegand and RS232 (simultaneous), 6 to 8 inch Read Range, Metal Compensated, Mullion Width, Indoor/Outdoor, Dark Gray, UL294 Listed	238.00
	SP6820	0-299002	AWID compatible, Wiegand and RS232 (simultaneous), 6 to 8 inch Read Range, Metal Compensated, Single Gang Box Mount, Indoor/Outdoor, Dark Gray, UL294 Listed	238.00
	KP6840	0-299003	AWID compatible, SP6820 w/integrated keypad, Wiegand and RS232 (prox only), 6 to 8 inch Read Range, Multiple Formats, Indoor/Outdoor, Dark Gray, UL294 Listed	380.80
	MR1824	0-299004	AWID compatible, Wiegand and RS232 (simultaneous), 18 to 24 inch Read Range, Dimensions only 8"x8"x1", Indoor/Outdoor, Dark Gray UL294 Listed	495.60
	SR2400GRHP	0-299027	HID compatible low cost proximity reader from AWID, reads standard 26 bit cards only, Wiegand Output, 4 to 5.5 inch Read Range, Metal Compensated, Mullion Width, Indoor/Outdoor, Dark Gray	155.56
<b>Wiegand 125 kHz proximity credentials [AWID compatible] for eMerge &amp; Max 3</b>				
	CS36S-L	0-299007	AWID compatible, Clam Shell style Prox Badge, Pre-punched in Portrait Orientation. [lots of 25 only]; with logo. IEI 36 bit format.	108.50
	CS36S	0-299016	AWID compatible, Clam Shell style Prox Badge, Pre-punched in Portrait Orientation. [lots of 25 only]; without logo. IEI 36 bit format.	95.90
	GR36S	0-299008	AWID compatible, Prox Card, Graphics Quality both sides, ISO Compliant. [lots of 50 only]. IEI 36 bit format.	294.00
	GRMAG36S	0-299009	AWID compatible, Graphics Quality ISO with 3 track High-Co ABA Magnetic Stripe. [lots of 50 only] IEI 36 bit format.	308.10
*	KT36S	0-299010	AWID compatible, Proximity Key Tag (Key Fob). [lots of 25 only] IEI 36 bit format.	159.72
	PW36S	0-299011	AWID compatible, Proximity Wafer, 1 inch Diameter, Adhesive backing. [lots of 50] IEI 36 bit format.	308.00
	CS26S	0299017	AWID compatible, Clam Shell style Prox Badge, Pre-punched in Portrait Orientation. [lots of 25 only]; without logo. Standard 26 bit format.	95.90
	GR26S	0-299018	AWID compatible, Prox Card, Graphics Quality both sides, ISO Compliant. [lots of 50 only] Standard 26 bit format.	294.00
	GRMAG26S	0-299019	AWID compatible, Graphics Quality ISO with 3 track High-Co ABA Magnetic Stripe. [lots of 50 only] Standard 26 bit format.	329.00
*	KT26S	0-299020	AWID compatible, Proximity Key Tag (Key Fob). [lots of 25 only] Standard 26 bit format.	159.72
	PW26S	0-299021	AWID compatible, Proximity Wafer, 1 inch Diameter, Adhesive backing. [lots of 50] Standard 26 bit format.	308.00

CHG	Marketing #	Mfg. Part #	Description	List
<b>Wiegand - 125 kHz proximity readers [HID compatible] for eMerge &amp; Max 3</b>				
*	ProxPoint Plus-GY	0-298064	HID, PROXPOINT PLUS, WIEGAND, CLASSIC GRAY, CABLE	203.84
*	ProxPoint Plus-BK	0-298065	HID, PROXPOINT PLUS, WIEGAND, CLASSIC BLACK, CABLE	203.84
*	MiniProx-GY	0-298000	HID, MINIPROX WIEGAND, CLASSIC GRAY, CABLE	402.69
*	MiniProx-BK	0-298066	HID, MINIPROX WIEGAND, CLASSIC BLACK, CABLE	402.69
*	ThinLine II-GY	0-298053	HID, THINLINE II WIEGAND, CLASSIC GRAY, CABLE	411.26
*	ThinLine II-BK	0-298054	HID, THINLINE II WIEGAND, CLASSIC BLACK, CABLE	411.26
*	ProxPro-GY	0-298067	HID, PROXPRO WIEG, GRAY, NO KEYPAD, CABLE	465.53
	ProxPro II-GY	0-298068	HID, PROXPRO II WIEG, GRAY, NO KEYPAD, CABLE	416.97
	ProxPro II-BK	0-298069	HID, PROXPRO II WIEG, BLACK, NO KEYPAD, CABLE	416.97
*	MaxiProx	0-298070	HID, MAXIPROX WIEG, GRAY, CABLE	1,342.32
<b>Wiegand - 125 kHz proximity credentials [HID compatible]</b>				
	ProxCard II	0-297401	HID, ProxCard II (lots of 25 only) Cards	129.06
*	ISOProx	0-297101	HID, ISOProx Card (lots of 25 only)Cards	216.30
*	DuoProx	0-297201	HID, DuoProx Card (lots of 25 only)Cards for ProxPoint Readers	230.72
*	ProxKey	0-297301	HID, ProxKey Key Fob (lots of 25 only)Key Fobs	241.55
	ProxPass	0-297806	HID, Long range proximity tag for vehicle access. Standard 26 bit format (lots of 25 only)	63.55
<b>Wiegand - Magnetic Stripe Reader for eMerge &amp; Max 3</b>				
	WP644	0-298079	Dorado weatherproof pass-through reader accepts magnetic stripe credential; Wiegand or Clock-and-Data output; 4.75 - 5.25 VD@ 35mA	308.00
<b>Wiegand - IEI Keypads for eMerge &amp; Max 3</b>				
	prox.pad	0-205676	Proximity Reader and Keypad. 12 VDC	372.00
	2000e	0-294021	2000 series e style access control keypad. Indoor/outdoor flush mount design. Single gang. Features illuminated backlit keys and sounder. Weigand 26 - 37 bit programmable 5 year warranty.	242.55
	2000eM	0-294022	2000 series eM style access control keypad. Indoor/outdoor flush mount design. Single gang. Durable metal trim. Features heavy duty metal keys with Braille and sounder. Weigand 26 - 37 bit programmable 5 year warranty.	338.80
	SSW-iLM-AL	0-235161	Mullion, indoor/outdoor, backlit keypad,Aluminum, 26-bit wiegand. 5 - 12 VDC operation.	288.40
	SSW-iLM-BZ	0-235162	Mullion, indoor/outdoor, backlit keypad, Bronze, 26-bit wiegand. 5 - 12 VDC operation.	317.24
	SSW-FX	0-230770	Flush Mnt, Vandal Resistant 26 Bit & IEI Compatible Keypad. 5 - 12 VDC operation.	447.62
<b>Small Proximity Access Systems</b>				
	prox.pad plus	0-205679	prox.pad plus - Fully integrated single door access control system combining key pad and proximity technology. Up to 2000 users per door with network capacity up to 32 doors per site via RS485 communications using Hub Manager™ Professional software (included). 2000 event buffers, real-time clock, 12-15 VDC operating power.	692.16
	prox.pad plus IR	0-205681	prox.pad plus - with IR communication - Fully integrated single door access control system combining key pad and proximity technology. Up to 2000 users per door with network capacity up to 32 doors per site via IR communications using PDA for data transport and Hub Manager™ Professional software (included). 2000 event buffers, real-time clock, 12-15 VDC operating power.	770.10

CHG	Marketing #	Mfg. Part #	Description	List
<b>Small Proximity Access Systems Communication Accessories</b>				
	SEG-1	0-296005	Linear's Secured Ethernet Gateway. Converts TCP/IP to serial data enabling IEI access systems to use a network to securely send and receive data; and to be programmed and managed from any network PC running Hub Manager Professional [v5.0 or higher]. Requires network connection. Wall mounts using separately provided hardware; requires separate 12VDC power [150 mA max], provided with modular cord for communication with access panel.	649.60
	USB-Serial	0-295097	USB to serial convertor on a single gang electrical plate. Color white. Converts either or both RS232 or RS485 for use with Max3, MiniMax3, Hub Max II, Hub MiniMax II and prox.pad plus. Includes converter, USB cable, wire harness for serial connection. Powered by PC USB port.	164.46
	IEI232-485	0-295093	RS 232 to RS 485 interface for prox.pad Plus and Max3	107.80
	DTD	0-297011	Hand-held DATA TRANSFER DEVICE for wireless infrared (IR) transfer of data and retrieval of stored events from the software managed prox.pad plus IR and LS2/P Series wireless access control locksets. Data is saved to an internal memory for transfer to a PC via USB connection. Powered by 4 "AA" batteries (included). Includes Hub Manager Professional software, USB cable & 4 "AA" batteries.	458.33
<b>Secured Series HubMax II &amp; Hub MiniMax II</b>				
*	Hub Max II	0-295134	Secured Series Hub Max II access control system supports 2000 users per door and 1500 transactions. Includes one Door Control Module (DCM) and backplane to support an additional 3 DCM's in an oversized metal cabinet with cam lock. Hub Max II includes Hub Manager Professional software, PC connectors, AC transformer, programming keypad, and installation instructions. Network capacity up to 32 doors per site.	1,235.85
*	Hub Max II Module	0-295144	Secured Series II Door Control Module (DCM) supports 2000 users per door and 1500 transactions. Plugs into Hub Max backplane to expand system capacity one door at a time.	516.15
*	Hub MiniMax II	0-295137	Secured Series MiniMax II single door control standard version. Supports 2000 users per door and 1500 transactions. Includes metal cabinet, cam lock, plug-in transformer, 12 volt 1 Amp power supply, Door Control Module (DCM) Includes Hub Manager Professional software, PC connectors, AC transformer, programming keypad, and installation instructions. Network capacity up to 32 doors per site.	943.41
*	HC500P	0-295033	Secured Series Hub Plus Control Module Standard access control functions. All control electronics secured. 500 users, buffers transactions, real-time clock, RS232 networkable, infrared output to wireless printer.	561.74
<b>Access System Lock / Auxiliary Power Supply</b>				
	PG 1224-3	0-291303	12/24 VDC 2.5A Access Control power supply mounts inside HubMax II- Transformer required (24VAC 40VA)	74.15

CHG	Marketing #	Mfg. Part #	Description	List
<b>HubMax II &amp; Hub MiniMax II Programming Accessories</b>				
	en-stat	0-205680	Prox enrollment station kit with USB port for enrolling HID credentials 26 bit format for Secured Series systems and up to 40 bits for Max 3 systems, prox.pad plus systems, and LS2P systems] directly into Hub Manager Professional access control software. Includes 12 VDC transformer for power, includes 6' USB cable. Requires Hub Manager Professional v6.0 or higher.	388.90
<b>HubMax II &amp; Hub MiniMax II Communication Accessories</b>				
*	SS-Modem	0-230551	Plug-on modem for use with Secured Series HubMax II & Hub MiniMax II ONLY.	436.80
	SEG-1	0-296005	Secured Ethernet Gateway Converts TCP/IP to serial data enabling IEI access systems to use a network to securely send and receive data; and to be programmed and managed from any network PC running Hub Manager Professional [v5.0 or higher]. Requires network connection. Wall mounts using separately provided hardware; requires separate 12VDC power [150 mA max], provided with modular cord for communication with access panel.	649.60
	SEG-M	0-296006	Secured Ethernet Gateway [Plug-in] Module Converts TCP/IP to serial data enabling IEI access systems to use a network to securely send and receive data; and to be programmed and managed from any network PC running Hub Manager Professional [v5.0 or higher]. Requires network connection. Easily plugs into Max 3, MiniMax 3 & HubMax II, Hub MiniMax II backplanes which provides module power and communication with access panel.	544.46
	USB-Serial	0-295097	USB to serial convertor on a single gang electrical plate. Color white. Converts either or both RS232 or RS485 for use with Max3, MiniMax3, Hub Max II, Hub MiniMax II and prox.pad plus. Includes converter, USB cable, wire harness for serial connection. Powered by PC USB port.	164.46
	BACKPLANE	2-095034	Replacement backplane for HubMax II and MAX-3 access system	243.50
<b>Access System Software - Only for HC500P</b>				
	HUBSWR	0-295011	Hub Manager Professional software is used to manage IEI access systems including, Max3, MiniMax3, prox.pad plus and LS2 & LS2P systems. Easy to use "Tasklist Clipboard" and in-depth reports are just some of the advantages Hub Manager Professional software brings. Hub Manager Professional comes with most of IEI's access systems, but can be purchased separately to expand existing IEI access systems.	280.00

CHG	Marketing #	Mfg. Part #	Description	List
<b>Secured Series HubMax II &amp; Hub MiniMax II - Keypads and Readers</b>				
*	SS-IM	0-295701	Secured Series interface module can be used to connect any 26 bit wiegand readers to HubMax II & MiniMax II panels.	120.00
	2000e	0-294021	2000 series e style access control keypad. Indoor/outdoor flush mount design. Single gang. Features illuminated backlit keys and sounder. 5 year warranty.	242.55
	2000eM	0-294022	2000 series eM style access control keypad. Indoor/outdoor flush mount design. Single gang. Durable metal trim. Features heavy duty metal keys with Braille and sounder. 5 year warranty.	338.80
	SSW-iLM-AL	0-235161	Mullion style, backlit keypad, also 26-bit wiegand, aluminum finish. 5-12 VDC	288.40
	SSW-iLM-BZ	0-235162	Mullion style, backlit keypad, also 26-bit wiegand, bronze finish. 5-12 VDC	317.24
	SS-KP500WP	0-295140	Durable, Weatherproof Keypad	466.46
	CR500W	0-295340	Weatherproof Magnetic Card Reader	419.31
	prox.pad	0-205676	Proximity Reader and Keypad. 12 VDC	372.00
	SS-PROXPOINT-GY	0-295743	Weatherproof ProxPoint Reader-Grey - HID	259.56
	SS-PROXPOINT-BK	0-295745	Weatherproof ProxPoint Reader-Black - HID	259.56
	SS-PRX500W-BK	0-295645	ASP Indala Weatherproof Proximity Card Reader-Black	895.80
	SSW-FX	0-230770	Flush Mnt, Vandal Resistant 26 Bit & IEI Compatible Keypad. 5-12 VDC	447.66
<b>Secured Series Access System Components- Cards &amp; Tokens</b>				
	ProxCrd II	0-297401	HID compatible ProxCrd II (lots of 25 only) Cards	129.06
	ISOProx	0-297101	HID compatible, ISOProx Card (lots of 25 only)Cards	216.30
	ProxKey	0-297301	HID compatible, ProxKey Key Fob (lots of 25 only)Key Fobs	241.55
	PrxCrd-25	0-290025	ASP Indalla Compatible - Secured Series Proximity Reader Card - (Lots of 25 only)	234.00
	PrxCrd-100	0-290100	ASP Indalla Compatible - Secured Series Proximity Reader Card - (Lots of 100 only)	749.00
*	MagCrd-25	0-200025	Magnetic Striped Cards - (Lots of 25 only)	105.25
*	MagCrd-100	0-200100	Magnetic Striped Cards - (Lots of 100 only)	312.00
	MagHico-25	0-202525	High Coercivity Magnetic Striped Cards - (Lots of 25 only)	137.00
	MagHico-100	0-201000	High Coercivity Magnetic Striped Cards - (Lots of 100 only)	406.00
	Microprox	0-295244	HID MicroProx Tag 125 kHz proximity tag with adhesive back. - (Lots of 20 only)	151.80
	BINCATCH	0-202526	Bin Catch cards for MAGCRD to enable individual digit identification on a ABA Trac II card	70.00

CHG	Marketing #	Mfg. Part #	Description	List
<b>Stand Alone Keypads &amp; Card Access Systems</b>				
<b>2000 Series Access Control Keypads</b>				
The 2000 Series keypads combine all our functionality groups into one powerful platform. The 2000 Series keypads manage up to 500 users, monitoring door position; controlling locking hardware; propped, forced door alert, alarm shunt. Outputs can be expanded [p/n 2000-8EX] providing 8 additional Form C outputs for a system total of 10 Form C outputs. Can operate as front ends to IEI systems, most Wiegand systems controllers, and or as stand alone				
	2000e	0-294021	2000 series e style access control keypad. Indoor/outdoor flush mount design. Single gang. 500 users. Features illuminated backlit keys and sounder. Two on-board output relays – programmable. Door monitor input and REX input. Keypad program. Stand alone mode Wiegand output mode and IEI Secured Series output mode selectable. 10-30 VDC; 12-25VAC. 5 year warranty.	242.55
	2000eM	0-294022	2000 series eM style access control keypad. Indoor/outdoor flush mount design. Single gang. 500 users. Durable metal trim. Features heavy duty metal keys with Braille and sounder. Two on-board output relays – programmable. Door monitor input and REX input. Keypad program. Stand alone mode Wiegand output mode and IEI Secured Series output mode selectable. 10-30 VDC; 12-24VAC. 5 year warranty.	338.80
	2000-8EX	0-294088	Output expansion module for 2000 series keypads-adds 8 control relay outputs to 2000 series access control keypads. Receives power from and installs remotely from the keypad in double gang box or attaches to double gang plate. Requires 6 conductor shielded cable for interconnect. Includes power LED and individual LEDs indicating status of each of the 8 relay outputs.	93.06
<b>242 Programmable Function Access Control Systems</b>				
242 Series Access Control keypads perform access control functions utilizing the door position monitoring input. Also their four relay outputs can be assigned independently for timed operation or to latch. 242 Series keypads can provide individual control of up to 4 devices and are perfect for controlling electronic locking devices, security systems, CCTV systems, automatic operators, or machinery. Two inputs, 4 Outputs. 120 users. 10 - 30 VDC; 12 - 24				
	242ILW	0-230727	Outdoor surface mount keypad. Architectural look, backlit keys, sounder, single relay output. 10 - 30 VDC; 12 - 24 VAC operation.	324.70
<b>232 Electronic Access Control Keypads</b>				
232 Electronic Access Control (EAC) functionality keypads are designed for access control applications and feature output relays to release the door lock, shunt an alarm zone, trigger a forced door alert, trigger a propped door alert; and inputs for door position monitoring and REX. Two Inputs, 4 Outputs,				
	232i	0-213111	Flushmount indoor keypad; single gang design. Stainless face plate.	211.25
	232w	0-213222	Weather-Resistant, Membrane Keypad, Flush Mount. Stainless face plate.	269.04
*	232cvs	0-213119	Flushmount indoor keypad; single gang design, delay on the DPS contact. Stainless face plate.	221.81
	232iLM-AL	0-230800	Mullion style, back lighted hard plastic keys, weather resistant; indoor/outdoor, aluminum finish, doorbell key and relay, secured installation	417.72
	232iLM-BZ	0-230801	Mullion style, back lighted hard plastic keys, weather resistant; indoor/outdoor, bronze finish, doorbell key and relay, secured installation	434.10
	232R	0-213466	Rugged, Heavy Duty, Weatherproof keypad. White	489.33
	232SE	0-232140	Sealed Environmental, Weatherproof, Surface Mount, Aluminum.	448.26
	232FX	0-230760	Design Series, Xtreme, Flush Mnt, rated 5 million strokes	529.94

CHG	Marketing #	Mfg. Part #	Description	List
<b>212 Command and Control Keypads</b>				
212 Command and Control keypads are designed for convenience and all feature a single relay output to control any device requiring an on/off switch and a remote input trigger. Models 212se, 212r and 212mp contain a total of 4 relay outputs. 120 user codes. 12 - 24 VDC; 12 - 24 VAC operation				
	212i	0-211111	Flushmount indoor keypad; single gang design. Stainless face plate.	136.01
	212R	0-211466	Rugged, Heavy Duty, Weatherproof keypad. White	415.72
	212SE	0-212140	Sealed Environmental, Weatherproof, Surface Mount, Aluminum	421.90
	212w	0-211222	Weather-Resistant, Membrane Keypad, Flush Mount	199.69
	212ILW	0-230722	Outdoor surface mount keypad. Architectural look, backlit keys, sounder, single relay output. 10 - 30 VDC; 12 - 24 VAC operation.	281.49
	212ILM-AL	0-231344	Mullion style, back lighted hard plastic keys, weather resistant; indoor/outdoor, aluminum finish, doorbell key and relay.	369.15
	212ILM-BZ	0-231345	Mullion style, back lighted hard plastic keys, weather resistant; indoor/outdoor, bronze finish, doorbell key and relay.	391.30
<b>Stand Alone Card Reader Systems with Door Position Monitoring (DPM)</b>				
*	233	0-233340*	Magnetic Stripe Access Control Card Readers use any ABA format, track II, magnetic stripe cards. A StandAlone Mag Stripe Reader with ATM Mode. Mullion mount. Weatherproof. Two piece secure design. 12 - 24 VDC; 12 - 24 VAC operation.	563.40
	prox.pad	0-205676	Standalone Proximity Reader and Keypad, reads any HID Card format. 2000 users; 1000 event audit trail; 12 - 15 VDC operation. Includes glass mount kit. Also, programs to be a reader in a Secured Series or Wiegand controller system.	372.00

CHG	Marketing #	Mfg. Part #	Description	List
<b>LS Series Battery Powered Electronic Access Control Locksets</b>				
<b>LS-1 Stand Alone Keypad Access Control Locksets feature standard IEI keypad programming and 120 user codes</b>				
<b>LS-1 Standard Models - US26D Finish; Cylindrical lockset</b>				
	LS1C26DCR	0-222100	LS-1 Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	746.10
	LS1C26DAM	0-222101	LS-1 Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	746.10
	LS1C26DCR-ICB	0-222120	LS-1 Stand Alone Keypad Access Control Lockset - Crescent handle; SFIC Best	746.10
	LS1C26DAM-ICB	0-222121	LS-1 Stand Alone Keypad Access Control Lockset - American handle; SFIC Best	746.10
<b>LS-1 Standard Models - US26D Finish; Mortise lockset</b>				
	LS1M26DCR	0-242100	LS-1 Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	946.10
	LS1M26DAM	0-242101	LS-1 Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	946.10
<b>LS-1 Standard Models - US26D Finish; Exit Trim Models</b>				
	LS1E26DCR	0-272100	LS-1 Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	692.16
	LS1E26DAM	0-272101	LS-1 Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	692.16
<b>LS-1 Standard Models - US26D Finish; Deadbolt lockset</b>				
	LS1D26DCR	0-252100	LS-1 Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	980.43
	LS1D26DAM	0-252101	LS-1 Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	980.43

CHG	Marketing #	Mfg. Part #	Description	List
<b>LS-2 Standard Models - US26D Finish; Cylindrical lockset</b>				
<b>(Contact Customer Service for availability of all models)</b>				
LS-2 Software Managed Keypad Access Control Locksets - Wireless Infrared [IR] Communication enabled. Hub Mgr Professional access control				
	LS2C26DCR	0-223100	LS2- Software Managed Keypad Access Control Lockset - Wireless IR Communications Enabled. Crescent handle; Schlage C key in lever	956.42
	LS2C26DAM	0-223101	LS2-Software Managed Keypad Access Control Lockset - Wireless IR Communications Enabled. American handle; Schlage C key in lever	956.42
	LS2C26DCR-ICB	0-223120	LS2- Software Managed Keypad Access Control Lockset - Wireless IR Communications Enabled. Crescent handle; SFIC Best	956.42
	LS2C26DAM-ICB	0-223121	LS2- Software Managed Keypad Access Control Lockset - Wireless IR Communications Enabled. American handle; SFIC Best	956.42
<b>LS-2 Standard Models - US26D Finish; Mortise lockset</b>				
	LS2M26DCR	0-243100	LS-2 Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	1,080.18
	LS2M26DAM	0-243101	LS-2 Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	1,080.18
<b>LS-2 Standard Models - US26D Finish; Exit Trim Models</b>				
	LS2E26DCR	0-273100	LS-2 Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	873.37
	LS2E26DAM	0-273101	LS-2 Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	873.37
<b>LS-2 Standard Models - US26D Finish; Deadbolt lockset</b>				
	LS2D26DCR	0-253100	LS-2 Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	1,099.98
	LS2D26DAM	0-253101	LS-2 Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	1,099.98
<b>LS-2P Standard Models - US26D Finish; Cylindrical lockset</b>				
<b>(Contact Customer Service for availability of all models)</b>				
LS-2P Software Managed Keypad Access Control Locksets with integrated proximity reader - Wireless Infrared [IR] communication enabled.				
	LS2PC26DCR, CR	0-224100	LS2P- Software Managed Keypad and proximity Access Control Lockset - Wireless IR Communications Enabled. Crescent handle; Schlage C key in lever	1,201.28
	LS2PC26DAM, AM	0-224101	LS2P- Software Managed Keypad and proximity Access Control Lockset - Wireless IR Communications Enabled. American handle; Schlage C key in lever	1,201.28
*	LS2PC26DCR-ICB	0-224120	LS2P- Software Managed Keypad and proximity Access Control Lockset - Wireless IR Communications Enabled. Crescent handle; SFIC Best	1,201.28
	LS2PC26DAM-ICB	0-224121	LS2P- Software Managed Keypad and proximity Access Control Lockset - Wireless IR Communications Enabled. American handle; SFIC Best	1,201.28

CHG	Marketing #	Mfg. Part #	Description	List
<b>LS-2P Standard Models - US26D Finish; Mortise lockset</b>				
	LS2PM26DCR	0-244100	LS-2P Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	1,332.82
	LS2PM26DAM	0-244101	LS-2P Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	1,332.82
<b>LS-2P Standard Models - US26D Finish; Exit Trim Models</b>				
<b>Note: Each exit unit requires an adaptor plate - See Exit Trim plate options</b>				
	LS2PE26DCR	0-274100	LS-2P Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	1,139.66
	LS2PE26DAM	0-274101	LS-2P Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	1,139.66
<b>LS-2P Standard Models - US26D Finish; Deadbolt lockset</b>				
*	LS2PD26DCR	0-254100	LS-2P Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	1,346.87
	LS2PD26DAM	0-254101	LS-2P Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	1,346.87
<b>LS Series Special Order Hardware Options</b>				
<b>(Contact customer service for delivery information)</b>				
	<b>Option suffix</b>	<b>Finishes</b>	<b>Sample part number = Model (LS1) - Chassie type (M) - Finish (26D) - Handle type (CR)</b>	
*	US3	N/A	US3 - Polished Brass	265.00
*	US10	N/A	US10B - Dark Bronze	265.00
	<b>Option suffix (if applicable)</b>	<b>Other Options</b>		
		4-569023	Lever-Crescent Exterior (Solid)	44.00
		4-569001	Lever-Crescent Interior (Solid)	44.00
		4-569021	Lever-American Exterior (Solid)	44.00
		4-569002	Lever-American Interior (Solid)	44.00
	ICB	4-569024	Lever-Crescent Exterior IC Core- Best Type	44.00
	ICY	4-569000	Lever-Crescent Exterior IC Core- Yale	55.00
*		4-569004	Lever-Crescent Exterior IC Core- Schlage	55.00
	ICC	4-569006	Lever-Crescent Exterior IC Core- Corbin	55.00
	ICS	4-569008	Lever-Crescent Interior IC Core- Sargent	55.00
	ICB	4-569022	Lever-American Exterior IC Core- Best Type	44.00
	ICY	4-569003	Lever-American Exterior IC Core- Yale	55.00

CHG	Marketing #	Mfg. Part #	Description	List
<b>LS Series Special Order Hardware Options - cont'd</b>				
(Contact customer service for delivery information)				
	<b>Option suffix</b>	<b>Finishes</b>	<b>Sample part number = Model (LS1) - Chassie type (M) - Finish (26D) - Handle type (CR)</b>	
			<b>LS1C26DCR</b>	
		4-569005	Lever-American Exterior IC Core- Schlage	55.00
	ICC	4-569007	Lever-American Exterior IC Core- Corbin	55.00
	ICS	4-569009	Lever-American Exterior IC Core- Sargent	55.00
<b>LS Series - Exit trim plate options</b>				
	LSEVD	0-270001	Von Duprin 99	61.71
	LSEP	0-270002	Precision 1100	61.71
	LSEYC	0-270003	Yale 7100 and Corbin ED5200	61.71
	LSED	0-270004	Dorma 9300	61.71
	LSESA	0-270005	Sargent 8800 and Arrow 3800	61.71
<b>LS Accessories</b>				
	-B2	4-569010	2 3/8" Backset Latch	24.64
	-B3	4-569011	3 3/4" Backset Latch extender	49.28
	-B5	4-569012	5" Backset Latch extender	49.28
	-S2	4-569013	2 3/4" T Strike	30.00
	KA	4-569030	Lockset Keyed Alike	55.00
	LS1P-SP1	4-569019	1 3/8" Door Spacer Kit	50.00
	*	4-569057	Latch-2 3/4" Backset	44.00
		4-569010	Latch- 2 3/8" Backset	24.64
		4-569011	Backset Extender-3 3/4"	49.28
		4-569012	Backset Extender-5"	49.28
		4-569013	Strike- 2 3/4" T	30.00
		4-569032	Cylinder-Standard w/2 Keys	17.60
			Cylinder-IC Core, 6 Pin (Best type), Combinated, No Keys	29.15
		4-569014	Cylinder-IC Core, 7 Pin (Best type), Combinated, No Keys	37.50
		4-569015	Tailpiece-Marks Conventional "C"	1.22
		4-569016	Tailpiece-Ilco Conventional	1.22
		4-569017	Tailpiece-Schlage Conventional	2.46
		4-569018	Tailpiece-IC Core, 7 Pin	1.22
		2-811003	Battery Pack Holder	22.00

CHG	Marketing #	Mfg. Part #	Description	List
<b>LS Series Communications &amp; Upgrades</b>				
	LS Comm V2	2-088009	LS2 & LS2P Field Upgrade Kit - current firmware 2.0	211.97
	DTD	0-297011	Hand-held DATA TRANSFER DEVICE for wireless infrared (IR) transfer of data and retrieval of stored events from the software managed prox.pad plus IR and LS2/P Series wireless access control locksets. Data is saved to an internal memory for transfer to a PC via USB connection. Powered by 4 "AA" batteries (included). Includes Hub Manager Professional software, USB cable & 4 "AA" batteries.	458.33
<b>Access Control Power Supplies</b>				
Plug-In Power Supplies (PIPS)				
*	PIP 12VDC Regulated	0-291312RU	PIP: Switch Mode Plug-in-Power Supply 12VDC - Regulated Auto Resetting Fuse	35.50
*	PIP 24VDC Regulated	0-291324RU	PIP: Switch Mode Plug-in-Power Supply 24VDC - Auto Resetting Fuse	43.96
	PIP24VDC	0-291324	(While supplies last) PIP: Plug-in-Power Supply 24VDC - Auto Resetting Poly Fuse	43.96
	PIP12VAC	0-291212	PIP: Plug-in-Power Supply 12VAC - Auto Resetting Poly Fuse	31.03
	PIP16VAC	0-291216	PIP: Plug-in-Power Supply 16.5VAC - Auto Resetting Poly Fuse	31.03
	PIP24VAC	0-291224	PIP: Plug-in-Power Supply 24VAC - Auto Resetting Poly Fuse	35.28
<b>Provides filtered and regulated 1 amp, 12 volt power. Switch selectable AC/DC.</b>				
	PWR/TMPR12	0-291100	Access Control Power Supply with Tamper Module - board level	100.80
	PWR/TMPR12P	0-291200	Access system power supply with tamper circuit - in cabinet. 1 amp, 12 volt AC/DC. Includes tamper switches and transformer.	165.20
	PG 1224-3	0-291303	12/24 VDC 2.5A Access Control power supply - board only	74.15
	PG 1224-3-C	0-291304	12/24 VDC 2.5A Access Control power supply - in cabinet	118.08
<b>Tamper [Special Order - contact Linear for min order qty and lead time]</b>				
	270	0-200270	Tamper Socket (1/4" Drive) for 289 Tamper Screws	32.79
<b>Installation [Special Order - contact Linear for min order qty and lead time]</b>				
	280	0-200280	Weatherproof Surface-Mount Backbox for 212w and 232w	32.09
	281	0-200281	Flush Mount Single-Gang Backbox for 232/232i and w	14.08
	284	0-200284	Leaded Accessory Relay. (5) Amp.	53.80
	285	0-200250-B	Surface Mount, Single Gang backbox - Black - for i & e style keypads. Single lot	27.92
	286	0-200250-C	Surface Mount, Single Gang backbox; Chrome plated for i & e style keypads. Single lot	36.82
*	293	0-219000	Three relay plug-on board for i,w, style keypads	75.24

CHG	Marketing #	Mfg. Part #	Description	List
<b>Request to Exit Devices</b>				
*	EZ-Rex	0-291400	Easy Touch Request to Exit (Heavy Duty)	179.34
<b>Vibration Detection</b>				
The Viper plus 24-Hour Frame-mount Glassbreak Detector, works on virtually any size glass, even multi-pane. Also protects forced entry through wood.				
*	834L	0-834000	VIPER PLUS white	64.00
*	834LBR	0-834001	VIPER PLUS brown	64.00
*	834LWC	0-834010	VIPER PLUS with CONTACT white	76.65
<b>Control Panel Interface Series</b>				
*	262B	0-262130	PARTITIONER. 2 ZONE CONTROL SYSTEM: 1-Amp Form C Relay, 16 User Codes, Entry/Exit Delay, Siren Driver Keypad Programmable, PreAlarm, Panic, Backlit keys, Surface mount box. 10.5 - 16 VDC operation.	115.00
<b>Industrial Machinery Control</b>				
	PKAC-110	0-290110	AC PowerKey 110 (110 volt operation with circuit monitoring)	744.80
	PKAC-220	0-290220	AC PowerKey 220 (220 volt operation with circuit monitoring)	744.80
<b>TERMS AND CONDITIONS - DOMESTIC SHIPMENTS</b>				
<b>Prices:</b> All prices are quoted in US Dollars. Prices are subject to change without notice.				
<b>Minimum Order Value:</b> \$25				
<b>Payment Terms:</b> 1% ten, net 30 days, on approved credit. 1.5% will be added to all past due balances.				
<b>Freight:</b> Prepaid and charged.				
<b>Free Freight:</b> Surface freight will be paid for individual or combined shipments of Linear products exceeding \$2,500.00 to a single				
<b>Drop Ship Service Fee:</b> Linear will charge a service fee of \$25.00 for all drop shipped orders.				
<b>Returns:</b> A Return Product Authorization number (RPA #) assigned by a Linear representative must accompany all returned parts or product. Contact Linear Technical Services department at 800-421-1587 to get your RPA # and other important information. Parts or product returned without an RPA # will not be accepted. All returns may be subject to a twenty-five percent (25%) restocking charge.				
<b>Restocking:</b> Rotated stock returns must be approved by your District Sales Manager and must be accompanied by a new order that is in excess of 150% of the value of the returned product.				