

# TUBULAR DOOR PULLS

## DT600 – DT1600 • tech brief

**Tubular** door pulls offer a clean, cost-efficient solution for a broad range of applications. Pulls of Bronze, Brass and Stainless Steel are beautifully finished and grouped by diameter size into five distinct series. Each series includes a range of sizes, shapes and styles for maximum versatility.

### Series Descriptions

*DT600—DT1600 Tubular door pulls are grouped by diameter size into the following five series.*

DT600:	.625" (16mm) dia. solid Brass, Bronze and Stainless Steel
DT1000:	1" (25mm) dia. tubular Brass, Bronze and Stainless Steel
DT1200:	1.25" (32mm) dia. tubular Brass, Bronze and Stainless Steel
DT1500:	1.5" (38mm) dia. tubular Brass, Bronze and Stainless Steel
DT1600:	1.625" (41mm) diameter tubular Brass and Stainless Steel

### Metals and Finishes

*Some door pulls are not available in all metals and finishes. Refer to the pricing information shown on pages 3-6 for specifics.*

*Nylon Coating in Black, White, Red and Gray Gloss, and Tech Black, a slightly textured matte finish, is available at an additional charge for many pulls. Please contact Inside Sales for details.*

<b>Brass</b>	US3	Polished Brass
	US4	Satin Brass
<b>Bronze</b>	US9	Polished Bronze
	US10	Satin Bronze
	US10B	Oil-Rubbed Bronze
<b>Stainless Steel</b>	US32	Polished Stainless Steel
	US32D	Satin Stainless Steel
	SSS	Stippled Stainless Steel

### Engraving

Engraved lettering with Black infill is available for all Tubular door pulls *except* the DT600 Series.


### Installation

**DT600** Series door pulls may be single mounted or mounted back-to-back on wood, metal or glass doors. *DT600 door pulls are installed using Mounting System "A". Refer to Mounting Options A1, A2, A3, A4, A5 and A6 on the following page for additional information.*

**DT1000 – DT1600** Series door pulls may be single mounted or mounted back-to-back on wood, metal or glass doors. *DT1000 – DT1600 door pulls are installed using Mounting System "B". Refer to Mounting Options B1, B2, B3, B4, B5, B6 and B7 on the following page for additional information.*


### Maintenance

Tubular door pulls are designed for interior or exterior use. Regular maintenance will help ensure the lasting beauty of each pull.




## MOUNTING OPTIONS


### Mounting system "A" for DT600 Series Door Pulls




**A1** - Back-to-back mount on wood or metal door with Rota-Lok.




**A2** - Single mount on wood or metal door with through bolt.




**A3** - Concealed single mount on aluminum frame door with Rota-Lok and customer's reinforcement.



**A4** - Single mount on glass door with end cap purchased separately.




**A5** - Back-to-back mount on glass door with Rota-Lok.




**\*A6** - Concealed mount on wood door with threaded insert and Rota-Lok.


### Mounting system "B" for DT1000 – DT1600 Series Door Pulls




**B1** - Back-to-back mount on wood or metal door with Rota-Lok.




**B2** - Single mount on glass door with end cap purchased separately.




**B3** - Back-to-back mount on glass door with Rota-Lok.




**B4** - Single mount on wood or metal door with through bolt.



**\*B5** - Concealed single mount on wood door with threaded insert and Rota-Lok.



**B6** - "L" Configuration: Adapt one end of each pull for back-to-back mounting with Rota-Lok. Specify different "B" mounting for other end of each pull.



**B7** - Concealed single mount on aluminum frame door with Rota-Lok and customer's reinforcement.

\*Forms+Surfaces® offers, but does not recommend, concealed mounting on wood doors. With frequent or heavy use, it can pull out of doors.

# TUBULAR DOOR PULLS

## DT600 – DT1600 • tech brief

### DESIGN OPTIONS and LIST PRICING

No additional charge for mounting hardware. All pricing is for single units, not pairs.

#### DT600 SERIES

DT600 Series door pulls are .625" (16mm) diameter solid metal

model	stainless steel	list price	brass & bronze	list price
DT1001 end cap 1" (25mm) dia.	US32, US32D, SSS	\$40	US3, US4, US9, US10, US10B	\$56
DT0611 straight 6" (152mm) c.c.	US32, US32D, SSS	\$162	US3, US4, US9, US10, US10B	\$227
DT0611 straight 12" (305mm) c.c.	US32, US32D, SSS	\$176	US3, US4, US9, US10, US10B	\$246
DT0611 straight 18" (457mm) c.c.	US32, US32D, SSS	\$187	US3, US4, US9, US10, US10B	\$262
DT0611 straight 24" (610mm) c.c.	US32, US32D, SSS	\$195	US3, US4, US9, US10, US10B	\$273
DT0621 offset 12" (305mm) c.c.	US32, US32D, SSS	\$187	US3, US4, US9, US10, US10B	\$262
DT0621 offset 18" (457mm) c.c.	US32, US32D, SSS	\$195	US3, US4, US9, US10, US10B	\$273
DT0621 offset 24" (610mm) c.c.	US32, US32D, SSS	\$203	US3, US4, US9, US10, US10B	\$284
DT0631 c-shape 12" (305mm) c.c.	US32, US32D, SSS	\$203	US3, US4, US9, US10, US10B	\$284

#### DT1000 SERIES

DT1000 Series door pulls are 1" (25mm) diameter tubular metal

model	stainless steel	list price	brass & bronze	list price
DT1001 end cap 1" (25mm) dia.	US32, US32D, SSS	\$40	US3, US4, US9, US10, US10B	\$56
DT1011 straight 12" (305mm) c.c.	US32, US32D, SSS	\$171	US3, US4, US9, US10, US10B	\$239
DT1011 straight 18" (457mm) c.c.	US32, US32D, SSS	\$180	US3, US4, US9, US10, US10B	\$252
DT1011 straight 24" (610mm) c.c.	US32, US32D, SSS	\$188	US3, US4, US9, US10, US10B	\$263
DT1011 straight 30" (762mm) c.c.	US32, US32D, SSS	\$195	US3, US4, US9, US10, US10B	\$273
DT1011 straight 36" (914mm) c.c.	US32, US32D, SSS	\$201	US3, US4, US9, US10, US10B	\$281
DT1014 straight 12" (305mm) c.c.	US32, US32D, SSS	\$219	US3, US4, US9, US10, US10B	\$307
DT1014 straight 18" (457mm) c.c.	US32, US32D, SSS	\$228	US3, US4, US9, US10, US10B	\$319
DT1014 straight 24" (610mm) c.c.	US32, US32D, SSS	\$235	US3, US4, US9, US10, US10B	\$329
DT1014 straight 30" (762mm) c.c.	US32, US32D, SSS	\$241	US3, US4, US9, US10, US10B	\$337
DT1014 straight 36" (914mm) c.c.	US32, US32D, SSS	\$247	US3, US4, US9, US10, US10B	\$346
DT1021 offset 9" (229mm) c.c.	US32, US32D, SSS	\$180	US3, US4, US9, US10, US10B	\$252
DT1021 offset 12" (305mm) c.c.	US32, US32D, SSS	\$188	US3, US4, US9, US10, US10B	\$263
DT1021 offset 18" (457mm) c.c.	US32, US32D, SSS	\$201	US3, US4, US9, US10, US10B	\$281
DT1021 offset 24" (610mm) c.c.	US32, US32D, SSS	\$235	US3, US4, US9, US10, US10B	\$329
DT1031 c-shape 8" (203mm) c.c.	US32, US32D, SSS	\$188	US3, US4, US9, US10, US10B	\$263
DT1031 c-shape 12" (305mm) c.c.	US32, US32D, SSS	\$201	US3, US4, US9, US10, US10B	\$281

# TUBULAR DOOR PULLS

toll free 800.451.0410 • www.forms-surfaces.com






DT600 – DT1600 • tech brief

## DESIGN OPTIONS and LIST PRICING

No additional charge for mounting hardware. All pricing is for single units, not pairs.

### DT1200 SERIES

DT1200 Series door pulls are 1.25" (32mm) diameter tubular metal

 <p>C.C.</p>	<table border="1"> <tr><th>c.c.</th><th>oal</th></tr> <tr><td>9"</td><td>10.25"</td></tr> <tr><td>(229mm)</td><td>(260mm)</td></tr> <tr><td>12"</td><td>13.25"</td></tr> <tr><td>(305mm)</td><td>(337mm)</td></tr> <tr><td>18"</td><td>19".25</td></tr> <tr><td>(457mm)</td><td>(489mm)</td></tr> <tr><td>24"</td><td>25.25"</td></tr> <tr><td>(610mm)</td><td>(641mm)</td></tr> <tr><td>30"</td><td>31.25"</td></tr> <tr><td>(762mm)</td><td>(794mm)</td></tr> <tr><td>36"</td><td>37.25"</td></tr> <tr><td>(914mm)</td><td>(946mm)</td></tr> <tr><td>48"</td><td>49.25"</td></tr> <tr><td>(1219mm)</td><td>(1251mm)</td></tr> <tr><td>79"</td><td>80.25"</td></tr> <tr><td>(2007mm)</td><td>(2038mm)</td></tr> <tr><td>91"</td><td>92.25"</td></tr> <tr><td>(2311mm)</td><td>(2343mm)</td></tr> </table>	c.c.	oal	9"	10.25"	(229mm)	(260mm)	12"	13.25"	(305mm)	(337mm)	18"	19".25	(457mm)	(489mm)	24"	25.25"	(610mm)	(641mm)	30"	31.25"	(762mm)	(794mm)	36"	37.25"	(914mm)	(946mm)	48"	49.25"	(1219mm)	(1251mm)	79"	80.25"	(2007mm)	(2038mm)	91"	92.25"	(2311mm)	(2343mm)	 <p>3" (76mm)</p> <p>C.C.</p>	<table border="1"> <tr><th>c.c.</th><th>oal</th></tr> <tr><td>12"</td><td>18"</td></tr> <tr><td>(305mm)</td><td>(457mm)</td></tr> <tr><td>18"</td><td>24"</td></tr> <tr><td>(457mm)</td><td>(610mm)</td></tr> <tr><td>24"</td><td>30"</td></tr> <tr><td>(610mm)</td><td>(762mm)</td></tr> <tr><td>30"</td><td>36"</td></tr> <tr><td>(762mm)</td><td>(914mm)</td></tr> <tr><td>36"</td><td>42"</td></tr> <tr><td>(914mm)</td><td>(1067mm)</td></tr> <tr><td>48"</td><td>54"</td></tr> <tr><td>(1219mm)</td><td>(1372mm)</td></tr> <tr><td>74"</td><td>80"</td></tr> <tr><td>(1880mm)</td><td>(2032mm)</td></tr> <tr><td>86"</td><td>92"</td></tr> <tr><td>(2184mm)</td><td>(2337mm)</td></tr> </table>	c.c.	oal	12"	18"	(305mm)	(457mm)	18"	24"	(457mm)	(610mm)	24"	30"	(610mm)	(762mm)	30"	36"	(762mm)	(914mm)	36"	42"	(914mm)	(1067mm)	48"	54"	(1219mm)	(1372mm)	74"	80"	(1880mm)	(2032mm)	86"	92"	(2184mm)	(2337mm)	 <p>C.C.</p>	<table border="1"> <tr><th>c.c.</th><th>oal</th></tr> <tr><td>9"</td><td>10.25"</td></tr> <tr><td>(229mm)</td><td>(260mm)</td></tr> <tr><td>12"</td><td>13.25"</td></tr> <tr><td>(305mm)</td><td>(337mm)</td></tr> <tr><td>18"</td><td>19".25</td></tr> <tr><td>(457mm)</td><td>(489mm)</td></tr> <tr><td>24"</td><td>25.25"</td></tr> <tr><td>(610mm)</td><td>(641mm)</td></tr> </table>	c.c.	oal	9"	10.25"	(229mm)	(260mm)	12"	13.25"	(305mm)	(337mm)	18"	19".25	(457mm)	(489mm)	24"	25.25"	(610mm)	(641mm)	 <p>C.C.</p>	 <p>C.C.</p>
	c.c.	oal																																																																																															
9"	10.25"																																																																																																
(229mm)	(260mm)																																																																																																
12"	13.25"																																																																																																
(305mm)	(337mm)																																																																																																
18"	19".25																																																																																																
(457mm)	(489mm)																																																																																																
24"	25.25"																																																																																																
(610mm)	(641mm)																																																																																																
30"	31.25"																																																																																																
(762mm)	(794mm)																																																																																																
36"	37.25"																																																																																																
(914mm)	(946mm)																																																																																																
48"	49.25"																																																																																																
(1219mm)	(1251mm)																																																																																																
79"	80.25"																																																																																																
(2007mm)	(2038mm)																																																																																																
91"	92.25"																																																																																																
(2311mm)	(2343mm)																																																																																																
c.c.	oal																																																																																																
12"	18"																																																																																																
(305mm)	(457mm)																																																																																																
18"	24"																																																																																																
(457mm)	(610mm)																																																																																																
24"	30"																																																																																																
(610mm)	(762mm)																																																																																																
30"	36"																																																																																																
(762mm)	(914mm)																																																																																																
36"	42"																																																																																																
(914mm)	(1067mm)																																																																																																
48"	54"																																																																																																
(1219mm)	(1372mm)																																																																																																
74"	80"																																																																																																
(1880mm)	(2032mm)																																																																																																
86"	92"																																																																																																
(2184mm)	(2337mm)																																																																																																
c.c.	oal																																																																																																
9"	10.25"																																																																																																
(229mm)	(260mm)																																																																																																
12"	13.25"																																																																																																
(305mm)	(337mm)																																																																																																
18"	19".25																																																																																																
(457mm)	(489mm)																																																																																																
24"	25.25"																																																																																																
(610mm)	(641mm)																																																																																																
<table border="1"> <tr><th>c.c.</th><th>oal</th></tr> <tr><td>12"</td><td>13.25"</td></tr> <tr><td>(305mm)</td><td>(337mm)</td></tr> <tr><td>16"</td><td>17.25"</td></tr> <tr><td>(406mm)</td><td>(438mm)</td></tr> </table>	c.c.	oal	12"	13.25"	(305mm)	(337mm)	16"	17.25"	(406mm)	(438mm)	<table border="1"> <tr><th>c.c.</th><th>oal</th></tr> <tr><td>12"</td><td>13.25"</td></tr> <tr><td>(305mm)</td><td>(337mm)</td></tr> <tr><td>16"</td><td>17.25"</td></tr> <tr><td>(406mm)</td><td>(438mm)</td></tr> </table>	c.c.	oal	12"	13.25"	(305mm)	(337mm)	16"	17.25"	(406mm)	(438mm)																																																																												
c.c.	oal																																																																																																
12"	13.25"																																																																																																
(305mm)	(337mm)																																																																																																
16"	17.25"																																																																																																
(406mm)	(438mm)																																																																																																
c.c.	oal																																																																																																
12"	13.25"																																																																																																
(305mm)	(337mm)																																																																																																
16"	17.25"																																																																																																
(406mm)	(438mm)																																																																																																

model	stainless steel	list price	brass & bronze	list price
DT1201 end cap 1.25" (32mm) dia.	US32, US32D, SSS	\$74	US3, US4, US9, US10, US10B	\$100
DT1211 straight 9" (229mm) c.c.	US32, US32D, SSS	\$191	US3, US4, US9, US10, US10B	\$267
DT1211 straight 12" (305mm) c.c.	US32, US32D, SSS	\$202	US3, US4, US9, US10, US10B	\$283
DT1211 straight 18" (457mm) c.c.	US32, US32D, SSS	\$212	US3, US4, US9, US10, US10B	\$297
DT1211 straight 24" (610mm) c.c.	US32, US32D, SSS	\$221	US3, US4, US9, US10, US10B	\$309
DT1211 straight 30" (762mm) c.c.	US32, US32D, SSS	\$238	US3, US4, US9, US10, US10B	\$333
DT1211 straight 36" (914mm) c.c.	US32, US32D, SSS	\$255	US3, US4, US9, US10, US10B	\$357
DT1211 straight 48" (1219mm) c.c.	US32, US32D, SSS	\$291	US3, US4, US9, US10, US10B	\$407
DT1211 straight 79" (2007mm) c.c.	US32, US32D, SSS	\$378	US3, US4, US9, US10, US10B	\$529
DT1211 straight 91" (2311mm) c.c.	US32, US32D, SSS	\$413	US3, US4, US9, US10, US10B	\$578
DT1214 straight 12" (305mm) c.c.	US32, US32D, SSS	\$242	US3, US4, US9, US10, US10B	\$339
DT1214 straight 18" (457mm) c.c.	US32, US32D, SSS	\$252	US3, US4, US9, US10, US10B	\$353
DT1214 straight 24" (610mm) c.c.	US32, US32D, SSS	\$261	US3, US4, US9, US10, US10B	\$365
DT1214 straight 30" (762mm) c.c.	US32, US32D, SSS	\$278	US3, US4, US9, US10, US10B	\$389
DT1214 straight 36" (914mm) c.c.	US32, US32D, SSS	\$295	US3, US4, US9, US10, US10B	\$413
DT1214 straight 48" (1219mm) c.c.	US32, US32D, SSS	\$331	US3, US4, US9, US10, US10B	\$463
DT1214 straight 74" (1880mm) c.c.	US32, US32D, SSS	\$418	US3, US4, US9, US10, US10B	\$585
DT1214 straight 86" (2184mm) c.c.	US32, US32D, SSS	\$453	US3, US4, US9, US10, US10B	\$634
DT1221 offset 9" (229mm) c.c.	US32, US32D, SSS	\$215	US3, US4, US9, US10, US10B	\$301
DT1221 offset 12" (305mm) c.c.	US32, US32D, SSS	\$226	US3, US4, US9, US10, US10B	\$316
DT1221 offset 18" (457mm) c.c.	US32, US32D, SSS	\$236	US3, US4, US9, US10, US10B	\$330
DT1221 offset 24" (610mm) c.c.	US32, US32D, SSS	\$245	US3, US4, US9, US10, US10B	\$343
DT1231 c-shape 12" (305mm) c.c.	US32, US32D, SSS	\$236	US3, US4, US9, US10, US10B	\$330
DT1231 c-shape 16" (406mm) c.c.	US32, US32D, SSS	\$245	US3, US4, US9, US10, US10B	\$343
DT1241 boomerang 12" (305mm) c.c.	US32, US32D, SSS	\$226	US3, US4, US9, US10, US10B	\$316
DT1241 boomerang 16" (406mm) c.c.	US32, US32D, SSS	\$236	US3, US4, US9, US10, US10B	\$330

# TUBULAR DOOR PULLS

toll free 800.451.0410 • www.forms-surfaces.com

DT600 – DT1600 • tech brief

## DESIGN OPTIONS and LIST PRICING

No additional charge for mounting hardware. All pricing is for single units, not pairs.

### DT1500 SERIES

DT1500 Series door pulls are 1.5" (38mm) diameter tubular metal

<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr><td>12" (305mm)</td><td>13.5" (343mm)</td></tr> <tr><td>18" (457mm)</td><td>19.5" (495mm)</td></tr> <tr><td>24" (610mm)</td><td>25.5" (648mm)</td></tr> <tr><td>30" (762mm)</td><td>31.5" (800mm)</td></tr> <tr><td>36" (914mm)</td><td>37.5" (952mm)</td></tr> <tr><td>48" (1219mm)</td><td>49.5" (1257mm)</td></tr> <tr><td>78.5" (1994mm)</td><td>80" (2032mm)</td></tr> <tr><td>90.5" (2299mm)</td><td>92" (2337mm)</td></tr> </tbody> </table> <p><b>DT1511</b></p>	c.c.	oal	12" (305mm)	13.5" (343mm)	18" (457mm)	19.5" (495mm)	24" (610mm)	25.5" (648mm)	30" (762mm)	31.5" (800mm)	36" (914mm)	37.5" (952mm)	48" (1219mm)	49.5" (1257mm)	78.5" (1994mm)	80" (2032mm)	90.5" (2299mm)	92" (2337mm)	<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr><td>9" (229mm)</td><td>10.5" (267mm)</td></tr> <tr><td>12" (305mm)</td><td>13.5" (343mm)</td></tr> <tr><td>18" (457mm)</td><td>19.5" (495mm)</td></tr> <tr><td>24" (610mm)</td><td>25.5" (648mm)</td></tr> </tbody> </table> <p><b>DT1512</b></p>	c.c.	oal	9" (229mm)	10.5" (267mm)	12" (305mm)	13.5" (343mm)	18" (457mm)	19.5" (495mm)	24" (610mm)	25.5" (648mm)	<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr><td>12" (305mm)</td><td>18" (457mm)</td></tr> <tr><td>18" (457mm)</td><td>24" (610mm)</td></tr> <tr><td>24" (610mm)</td><td>30" (762mm)</td></tr> <tr><td>30" (762mm)</td><td>36" (914mm)</td></tr> <tr><td>36" (914mm)</td><td>42" (1067mm)</td></tr> <tr><td>48" (1219mm)</td><td>54" (1372mm)</td></tr> <tr><td>74" (1880mm)</td><td>80" (2032mm)</td></tr> <tr><td>86" (2184mm)</td><td>92" (2337mm)</td></tr> </tbody> </table> <p><b>DT1514</b></p>	c.c.	oal	12" (305mm)	18" (457mm)	18" (457mm)	24" (610mm)	24" (610mm)	30" (762mm)	30" (762mm)	36" (914mm)	36" (914mm)	42" (1067mm)	48" (1219mm)	54" (1372mm)	74" (1880mm)	80" (2032mm)	86" (2184mm)	92" (2337mm)	<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr><td>12" (305mm)</td><td>13.5" (343mm)</td></tr> <tr><td>18" (457mm)</td><td>19.5" (495mm)</td></tr> <tr><td>24" (610mm)</td><td>25.5" (648mm)</td></tr> </tbody> </table> <p><b>DT1521</b></p>	c.c.	oal	12" (305mm)	13.5" (343mm)	18" (457mm)	19.5" (495mm)	24" (610mm)	25.5" (648mm)
c.c.	oal																																																								
12" (305mm)	13.5" (343mm)																																																								
18" (457mm)	19.5" (495mm)																																																								
24" (610mm)	25.5" (648mm)																																																								
30" (762mm)	31.5" (800mm)																																																								
36" (914mm)	37.5" (952mm)																																																								
48" (1219mm)	49.5" (1257mm)																																																								
78.5" (1994mm)	80" (2032mm)																																																								
90.5" (2299mm)	92" (2337mm)																																																								
c.c.	oal																																																								
9" (229mm)	10.5" (267mm)																																																								
12" (305mm)	13.5" (343mm)																																																								
18" (457mm)	19.5" (495mm)																																																								
24" (610mm)	25.5" (648mm)																																																								
c.c.	oal																																																								
12" (305mm)	18" (457mm)																																																								
18" (457mm)	24" (610mm)																																																								
24" (610mm)	30" (762mm)																																																								
30" (762mm)	36" (914mm)																																																								
36" (914mm)	42" (1067mm)																																																								
48" (1219mm)	54" (1372mm)																																																								
74" (1880mm)	80" (2032mm)																																																								
86" (2184mm)	92" (2337mm)																																																								
c.c.	oal																																																								
12" (305mm)	13.5" (343mm)																																																								
18" (457mm)	19.5" (495mm)																																																								
24" (610mm)	25.5" (648mm)																																																								
<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr><td>12" (305mm)</td><td>13.5" (343mm)</td></tr> <tr><td>16" (406mm)</td><td>17.5" (444mm)</td></tr> </tbody> </table> <p><b>DT1531</b></p>	c.c.	oal	12" (305mm)	13.5" (343mm)	16" (406mm)	17.5" (444mm)	<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr><td>12" (305mm)</td><td>13.5" (343mm)</td></tr> <tr><td>16" (406mm)</td><td>17.5" (444mm)</td></tr> </tbody> </table> <p><b>DT1541</b></p>	c.c.	oal	12" (305mm)	13.5" (343mm)	16" (406mm)	17.5" (444mm)	<table border="1"> <thead> <tr> <th>c.c.</th> <th>oal</th> </tr> </thead> <tbody> <tr><td>12" (305mm)</td><td>17.125" (435mm)</td></tr> <tr><td>16" (406mm)</td><td>21.125" (537mm)</td></tr> </tbody> </table> <p><b>DT1542</b></p>	c.c.	oal	12" (305mm)	17.125" (435mm)	16" (406mm)	21.125" (537mm)	<p><b>DT1552 (left) / DT1562 (right)</b></p>																																				
c.c.	oal																																																								
12" (305mm)	13.5" (343mm)																																																								
16" (406mm)	17.5" (444mm)																																																								
c.c.	oal																																																								
12" (305mm)	13.5" (343mm)																																																								
16" (406mm)	17.5" (444mm)																																																								
c.c.	oal																																																								
12" (305mm)	17.125" (435mm)																																																								
16" (406mm)	21.125" (537mm)																																																								

model	stainless steel	list price	brass & bronze	list price
DT1501 end cap 1.5" (38mm) dia.	US32, US32D, SSS	\$74	US3, US4, US9, US10, US10B	\$100
DT1511 straight 12" (305mm) c.c.	US32, US32D, SSS	\$243	US3, US4, US9, US10, US10B	\$340
DT1511 straight 18" (457mm) c.c.	US32, US32D, SSS	\$258	US3, US4, US9, US10, US10B	\$361
DT1511 straight 24" (610mm) c.c.	US32, US32D, SSS	\$272	US3, US4, US9, US10, US10B	\$381
DT1511 straight 30" (762mm) c.c.	US32, US32D, SSS	\$285	US3, US4, US9, US10, US10B	\$399
DT1511 straight 36" (914mm) c.c.	US32, US32D, SSS	\$297	US3, US4, US9, US10, US10B	\$416
DT1511 straight 48" (1219mm) c.c.	US32, US32D, SSS	\$337	US3, US4, US9, US10, US10B	\$472
DT1511 straight 78.5" (1994mm) c.c.	US32, US32D, SSS	\$417	US3, US4, US9, US10, US10B	\$584
DT1511 straight 90.5" (2299mm) c.c.	US32, US32D, SSS	\$457	US3, US4, US9, US10, US10B	\$640
DT1512 straight 9" (229mm) c.c.	US32, US32D, SSS	\$276	US3, US4, US9, US10, US10B	\$386
DT1512 straight 12" (305mm) c.c.	US32, US32D, SSS	\$292	US3, US4, US9, US10, US10B	\$409
DT1512 straight 18" (457mm) c.c.	US32, US32D, SSS	\$308	US3, US4, US9, US10, US10B	\$431
DT1512 straight 24" (610mm) c.c.	US32, US32D, SSS	\$322	US3, US4, US9, US10, US10B	\$451
DT1514 straight 12" (229mm) c.c.	US32, US32D, SSS	\$293	US3, US4, US9, US10, US10B	\$410
DT1514 straight 18" (457mm) c.c.	US32, US32D, SSS	\$308	US3, US4, US9, US10, US10B	\$431
DT1514 straight 24" (610mm) c.c.	US32, US32D, SSS	\$322	US3, US4, US9, US10, US10B	\$451
DT1514 straight 30" (762mm) c.c.	US32, US32D, SSS	\$335	US3, US4, US9, US10, US10B	\$469
DT1514 straight 36" (914mm) c.c.	US32, US32D, SSS	\$347	US3, US4, US9, US10, US10B	\$486
DT1514 straight 48" (1219mm) c.c.	US32, US32D, SSS	\$382	US3, US4, US9, US10, US10B	\$535
DT1514 straight 74" (1880mm) c.c.	US32, US32D, SSS	\$462	US3, US4, US9, US10, US10B	\$647
DT1514 straight 86" (2184mm) c.c.	US32, US32D, SSS	\$502	US3, US4, US9, US10, US10B	\$703
DT1521 offset 12" (305mm) c.c.	US32, US32D, SSS	\$268	US3, US4, US9, US10, US10B	\$375
DT1521 offset 18" (457mm) c.c.	US32, US32D, SSS	\$283	US3, US4, US9, US10, US10B	\$396
DT1521 offset 24" (610mm) c.c.	US32, US32D, SSS	\$297	US3, US4, US9, US10, US10B	\$416

tel 800.451.0410 fax 412.781.7840

**FORMS+SURFACES®**

SANTA BARBARA • PITTSBURGH • SINGAPORE • DUBAI

www.forms-surfaces.com

# TUBULAR DOOR PULLS

toll free 800.451.0410 • www.forms-surfaces.com

DT600 – DT1600 • tech brief

DT1541 boomerang 12" (305mm) c.c.	US32, US32D, SSS	\$268	US3, US4, US9, US10, US10B	\$375
DT1541 boomerang 16" (406mm) c.c.	US32, US32D, SSS	\$283	US3, US4, US9, US10, US10B	\$396
DT1542 boomerang 12" (305mm) c.c.	US32, US32D, SSS	\$298	US3, US4, US9, US10, US10B	\$417
DT1542 boomerang 16" (406mm) c.c.	US32, US32D, SSS	\$313	US3, US4, US9, US10, US10B	\$438
DT1552 left 36" (914mm) c.c. nom.	US32, US32D, SSS	\$337	US3, US4, US9, US10, US10B	\$472
DT1562 right 36" (914mm) c.c. nom.	US32, US32D, SSS	\$337	US3, US4, US9, US10, US10B	\$472

## DESIGN OPTIONS and LIST PRICING

No additional charge for mounting hardware. All pricing is for single units, not pairs.

### DT1600 SERIES

DT1600 Series door pulls are 1.625" (41mm) diameter tubular metal

<p>3.5" (89mm)</p> <p>c.c.</p>	<table border="1"> <tr> <th>c.c.</th> <th>oal</th> </tr> <tr> <td>18" (457mm)</td> <td>24" (610mm)</td> </tr> <tr> <td>24" (610mm)</td> <td>30" (762mm)</td> </tr> <tr> <td>30" (762mm)</td> <td>36" (914mm)</td> </tr> <tr> <td>36" (914mm)</td> <td>42" (1067mm)</td> </tr> <tr> <td>48" (1219mm)</td> <td>54" (1372mm)</td> </tr> <tr> <td>74" (1880mm)</td> <td>80" (2032mm)</td> </tr> <tr> <td>86" (2184mm)</td> <td>92" (2337mm)</td> </tr> </table>	c.c.	oal	18" (457mm)	24" (610mm)	24" (610mm)	30" (762mm)	30" (762mm)	36" (914mm)	36" (914mm)	42" (1067mm)	48" (1219mm)	54" (1372mm)	74" (1880mm)	80" (2032mm)	86" (2184mm)	92" (2337mm)	<p>3.5" (89mm)</p> <p>8" (203mm)</p> <p>c.c.</p>	<table border="1"> <tr> <th>c.c.</th> <th>oal</th> </tr> <tr> <td>12" (305mm)</td> <td>13.5" (343mm)</td> </tr> <tr> <td>16" (406mm)</td> <td>17.5" (444mm)</td> </tr> </table>	c.c.	oal	12" (305mm)	13.5" (343mm)	16" (406mm)	17.5" (444mm)	<p>c.c.</p>	<table border="1"> <tr> <th>c.c.</th> <th>oal</th> </tr> <tr> <td>12" (305mm)</td> <td>14.5" (368mm)</td> </tr> <tr> <td>16" (406mm)</td> <td>18.5" (470mm)</td> </tr> </table>	c.c.	oal	12" (305mm)	14.5" (368mm)	16" (406mm)	18.5" (470mm)
c.c.	oal																																
18" (457mm)	24" (610mm)																																
24" (610mm)	30" (762mm)																																
30" (762mm)	36" (914mm)																																
36" (914mm)	42" (1067mm)																																
48" (1219mm)	54" (1372mm)																																
74" (1880mm)	80" (2032mm)																																
86" (2184mm)	92" (2337mm)																																
c.c.	oal																																
12" (305mm)	13.5" (343mm)																																
16" (406mm)	17.5" (444mm)																																
c.c.	oal																																
12" (305mm)	14.5" (368mm)																																
16" (406mm)	18.5" (470mm)																																
<b>DT1614</b>		<b>DT1632</b>		<b>DT1641</b>																													


model	stainless steel	list price	brass	list price
DT1614 straight 18" (457mm) c.c.	US32, US32D, SSS	\$367	US3, US4	\$514
DT1614 straight 24" (610mm) c.c.	US32, US32D, SSS	\$391	US3, US4	\$547
DT1614 straight 30" (762mm) c.c.	US32, US32D, SSS	\$415	US3, US4	\$581
DT1614 straight 36" (914mm) c.c.	US32, US32D, SSS	\$439	US3, US4	\$615
DT1614 straight 48" (1219mm) c.c.	US32, US32D, SSS	\$489	US3, US4	\$685
DT1614 straight 74" (1880mm) c.c.	US32, US32D, SSS	\$589	US3, US4	\$825
DT1614 straight 86" (2184mm) c.c.	US32, US32D, SSS	\$639	US3, US4	\$895
DT1632 c-shape 12" (305mm) c.c.	US32, US32D, SSS	\$391	US3, US4	\$547
DT1632 c-shape 16" (406mm) c.c.	US32, US32D, SSS	\$415	US3, US4	\$581
DT1641 boomerang 12" (305mm) c.c.	US32, US32D, SSS	\$391	US3, US4	\$547
DT1641 boomerang 16" (406mm) c.c.	US32, US32D, SSS	\$415	US3, US4	\$581

## ORDERING INFORMATION

### Engraving

Engraved lettering with black infill is available for all Tubular door pulls *except* the DT600 Series. Please contact Inside Sales for details.

### End Caps



### Diameter

- DT1001: 1" (25mm)
- DT1201: 1.25" (32mm)
- DT1501: 1.5" (38mm)

### To Order Specify:

1. Model number
2. Quantity
3. Metal and finish
4. Center-to-center dimension
5. Mounting option
6. Door material
7. Door thickness
8. Nylon coating color (if applicable)
9. Engraving (if applicable)

Pricing does not include freight.

© 2009 Forms+Surfaces® All dimensions are nominal. Pricing and specifications subject to change without notice. Different computers, monitors and printers will render colors differently; actual finishes may vary slightly from colors shown here. For the most current version of this tech brief please refer to our web site at www.forms-surfaces.com.