


Table of Contents

| | | | |
|--|-------|------------------|--|
| A | | | |
| Architectural Finish Symbols | | 2-3 | |
| B | | | |
| Back Plate | | 10 | |
| E | | | |
| ECCO | | 69-71 | |
| Emergency Stop Release | | 13 | |
| D | | | |
| Detention Food Pass Through Hinge | | 29 | |
| Detention Hinge (IHT) | | 19, 26, 29 | |
| Detention Utility Hinge | | 29 | |
| H | | | |
| Hinge Additions/Modifications | | 3-9 | |
| Hinges - Air | | 3 | |
| Hinges - Electric | | 4-5 | |
| HINGES – Brass or Stainless Steel | | | |
| BALL BEARING FIVE KNUCKLE | | | |
| Anchor | | 35, 42 | |
| Full Mortise | | 38-45, 60-61 | |
| Full Surface | | 63 | |
| Half Mortise | | 29, 62 | |
| Half Surface | | 63 | |
| Swing Clear | | 60 | |
| Wide Throw | | 40-41, 44-45 | |
| CONCEALED BEARING THREE KNUCKLE | | | |
| Anchor | | 67-68 | |
| Full Mortise | | 21-26 | |
| Full Surface | | 24, 26 | |
| Half Mortise | | 23, 26 | |
| Half Surface | | 24, 27 | |
| Wide Throw | | 22-23, 25-26 | |
| PLAIN BEARING FIVE KNUCKLE | | | |
| Full Mortise | | 35-36 | |
| Wide Throw | | 36-37 | |
| PLAIN BEARING THREE KNUCKLE | | | |
| Full Mortise | | 20-21 | |
| CONCEALED BEARING FIVE KNUCKLE | | | |
| Full Mortise | | 39 | |
| CONCEALED BEARING TWO KNUCKLE | | | |
| Full Mortise | | 28-29 | |
| HINGES – Steel | | | |
| BALL BEARING FIVE KNUCKLE | | | |
| Anchor | | 30-32 | |
| Full Mortise | | 32-33, 51, 54-56 | |
| Full Surface | | 64 | |
| Half Mortise | | 30 | |
| Half Surface | | 31, 34 | |
| Swing Clear | | 49-50 | |
| Wide Throw | | 33-34, 56-59 | |
| CONCEALED BEARING THREE KNUCKLE | | | |
| Anchor | | 65-66 | |
| Full Mortise | | 15-19 | |
| Full Surface | | 17, 20 | |
| Half Mortise | | 17, 20 | |
| Half Surface | | 17, 20 | |
| Swing Clear | | 64-67 | |
| Wide Throw | | 16-19 | |
| PLAIN BEARING FIVE KNUCKLE | | | |
| Full Mortise | | 51-58 | |
| Half Mortise | | 30 | |
| Half Surface | | 34 | |
| Swing Clear | | 48-49 | |
| Welding | | 62 | |
| Wide Throw | | 56-58 | |
| PLAIN BEARING THREE KNUCKLE | | | |
| Full Mortise | | 14-15 | |
| CONCEALED BEARING TWO KNUCKLE | | | |
| Full Mortise | | 27 | |
| PLAIN BEARING TWO KNUCKLE | | | |
| Full Mortise | | 27 | |
| HINGES – Spring | | | |
| Double Acting | | 59 | |
| Full Mortise | | 30, 45-46 | |
| Full Mortise - Stainless Steel | | 30 | |
| Half Surface | | 47 | |
| Reverse Action | | 47-48 | |
| Spring Hinge Sets | | 47 | |
| M | | | |
| Molly Jack Nut | | 10 | |
| Mortar Box | | 11 | |
| P | | | |
| Pivots | | 12-13 | |
| Pivots Rack & Pinion | | 12-13 | |
| Pivot Reinforcing | | 10 | |
| R | | | |
| Reinforcement Plate | | 10 | |
| S | | | |
| Set Screws (Set) | | 10 | |
| Sleeve Bolt | | 10 | |
| Strike - Combination Rescue | | 11-12 | |
| Strike - Double Lip | | 11 | |
| T | | | |
| Tip Kits | | 61-62 | |



Architectural Hinges

Architectural Finish Symbols*

* These additions apply to the **BASE HINGE LIST PRICE** as listed in the book. Not all products are available in all finishes. **Contact Hager Companies Sales and Service (1-800-325-9995) for more specific information.**

B.H.M.A. Symbol Base Material

| US & HAGER | DESCRIPTION | PRICING INSTRUCTIONS | STEEL | BRASS & BRONZE | 300 SERIES STAINLESS STEEL |
|------------|--|-------------------------------------|-------|----------------|----------------------------|
| 2C | Plain Zinc Plate | 20% Above US10A or US10B Price* | 603 | N/A | N/A |
| H2H | Mechanical Galvanized; Steel Only | 25% Above US10A Price | N/A | N/A | N/A |
| 3 | Bright Brass | Use Price of 10B* | 632 | 605 | N/A |
| 3A | Bright Brass - Unlaquered | Use US3 Price | N/A | N/A | N/A |
| 3SC | Brass SecureCoat® Lifetime Bright Brass Finish | As Listed | N/A | N/A | N/A |
| 4 | Satin Brass | Use Price of US10 Finish* | 633 | 606 | N/A |
| 5 | Satin Brass, Oxidized | Use Price of US26D Finish | 638 | 609 | N/A |
| 9 | Bright Bronze | 20% Above US10A or US10B Price* | 637 | 611 | N/A |
| 9A | Bright Bronze, No Lacquer | 20% Above US10A or US10B Price* | N/A | N/A | N/A |
| 10 | Satin Bronze | As Listed | 639 | 612 | N/A |
| 10A | Antique Bronze, Lacquered | As Listed (Steel Only) | 641 | N/A | N/A |
| 10B | Antique Bronze, Oiled | Use Price of US10A Finish | 640 | 613 | N/A |
| 10D | Black Nickel, Oiled | Use Price of US10B Finish | N/A | N/A | N/A |
| 14 | Bright Nickel | 20% Above US10A or US10B Price* | 645 | 618 | N/A |
| 14A | Bright Nickel, Oxidized & Highlighted | 20% Above US10A or US10B Price* | N/A | N/A | N/A |
| 14B | Black Nickel, Bright | 20% Above US10A or US10B Price* | N/A | N/A | N/A |
| 15 | Satin Nickel | 20% Above US10A or US10B Price* | 646 | 619 | N/A |
| 15A | Satin Nickel, Nickel Oxidized & Highlighted | 20% Above US10A or US10B Price* | 647 | 620 | N/A |
| 17A | Black Nickel, Dull | 20% Above US10A or US10B Price* | 648 | 621 | N/A |
| 26 | Bright Chromium Plated | Use Price of US10A or US10B Finish* | 651 | 625 | N/A |
| 26D | Satin Chromium Plated | As Listed | 652 | 626 | N/A |
| 32 | Stainless Steel Metal, Bright | Use Price of US32D Finish* | N/A | N/A | 629 |
| 32D | Stainless Steel Metal, Satin | As Listed | N/A | N/A | 630 |
| 32D/CLR | Satin Stainless Steel with Clear Powder Coat | Price on Application | N/A | N/A | 630 |
| P | Prime Coat | Use Price of US10 Finish* | 600 | 600 | N/A |
| PS | Plain Steel | Use Price of US4 or USP Finish | N/A | N/A | N/A |
| L1 | Flat Black | Use Price of US10 Finish* | 693 | 693 | N/A |
| L2 | Dark Bronze | Use Price of US10 Finish* | 695 | 695 | N/A |
| L3 | Medium Bronze | Use Price of US10 Finish* | 694 | 694 | N/A |
| P | Prime Coat | Use Price of US10 Finish* | 600 | 600 | N/A |
| LS | "Luma Sheen"® | Use Price of US10 Finish* | 689 | 689 | N/A |


Colors by Hager

| US & HAGER | DESCRIPTION | PRICING INSTRUCTIONS * | HEWI # |
|------------|-------------|---------------------------------------|--------|
| 13P | White | 20% above US10 Price NON-DISCOUNTABLE | 1 |
| 14P | Off White | 20% above US10 Price NON-DISCOUNTABLE | 5A |
| 15P | Grey | 20% above US10 Price NON-DISCOUNTABLE | 5 |
| 33P | Yellow | 20% above US10 Price NON-DISCOUNTABLE | 14 |
| 34P | Red | 20% above US10 Price NON-DISCOUNTABLE | 33 |
| 35P | Green | 20% above US10 Price NON-DISCOUNTABLE | 6 |
| 36P | Blue | 20% above US10 Price NON-DISCOUNTABLE | 52 |
| 83P | Black | 20% above US10 Price NON-DISCOUNTABLE | 8 |
| 84P | Olive | 20% above US10 Price NON-DISCOUNTABLE | 62 |
| 85P | Brown | 20% above US10 Price NON-DISCOUNTABLE | 9 |
| 86P | Burgundy | 20% above US10 Price NON-DISCOUNTABLE | 30 |
| 87P | Dark Green | 20% above US10 Price NON-DISCOUNTABLE | 60 |
| 88P | Dark Blue | 20% above US10 Price NON-DISCOUNTABLE | 50 |

Note: Colors by Hager are available ONLY on ARCHITECTURAL GRADE full mortise plain bearing hinges, full mortise ball bearing hinges, both standard and heavy weight, in both steel and brass material.

Note: For any finish not listed in this price book, or explained above, price and availability on request.





Architectural Finish Symbols *[continued]*

Whenever possible, the Hager Companies employ the latest technologies in metal finishing to provide the best long term performance for our customers. These finishes may not comply completely with BHMA (Builders Hardware Manufacturing Association) Standard A156.18 specifications with regard to plating process. However, they match BHMA color standards and exceed all BHMA performance criteria with regards to such tests as salt spray corrosion resistance, ultraviolet light deterioration resistance, solvent resistance, perspiration resistance, and finish hardness. For the convenience of our customers, we refer to the most appropriate finish symbols to indicate similarity of appearance using BHMA standard nomenclature including the "US" and numerical designation. Dissimilar metals are plated to match or be compatible to the finishes indicated. Finish numbers indicated on each product are the most equivalent to the old "US" symbol numbers and carry the BHMA finish symbol in parenthesis adjacent to the finish: Example — US3 (605) - Bright Brass or US26D (626) - Satin Chrome.

Hager's finishes are durable, high quality finishes obtained by careful processing of steel, brass, and stainless steel materials. It is important to consider usage and climatic conditions when selecting finishes. This is especially true in areas subjected to strong corrosive chemical conditions, humid climate or salt air which may have a damaging effect on metal finishes in a very short period of time. The longevity and preservation of the finish appearance are determined by base metal and finish process.

Care and maintenance of clear protective coatings or other organic finishing applications may require different methods of cleaning and care. As an example, all hardware finishes should not be cleaned with solvents or abrasives; surfaces should periodically be cleaned with a mild, non-abrasive soap and dried lightly with a soft, clean cloth. The type of base material and finishing techniques must be considered when applying any cleaning or preservative method. Contact Hager's Sales and Service Department for further information on the care of hardware finishes.

Note: Hager only warrants US10B finish over brass or bronze base material. If steel base material is necessary, Hager recommends US10A lacquer finish.

Hinge Additions/Modifications*

* These additions apply to the **BASE HINGE LIST PRICE** as listed in the book. They do not apply to the price of any hinges listed with additions in this book. If the hinge to be priced has additions, **START WITH THE PRICE OF THE BASE HINGE, THEN ADD "FOR ADDITIONS WHERE NOT LISTED."**

AgION™ antimicrobial powder coat protection

| Symbol (use as suffix) | List |
|------------------------|---------|
| MV5 | \$19.15 |

BEARINGS


Ball bearings and anti-friction bearings regularly furnished.

| Symbol (respectively) |
|-----------------------|
| BB |
| AB |


Oilite bearings available at same price as ball bearings.

| Symbol |
|--------|
| OB |

Concealed Air Hinge Modification

| CONCEALED AIR HINGE | | |
|---|--|--|
|  | Description | List |
| | Continuous air tubing with quick connect fittings capable of 80-100 PSI. Available in 4 1/2" x 4", 4 1/2" x 4 1/2", 5" x 4", 5" x 4 1/2", 5" x 5" full mortise ball bearing, standard weight and heavy weight in steel, stainless steel and brass material. NRP NOT NECESSARY. To order use symbol AIR as suffix. | Extra charge \$282.25 <u>per hinge for steel and brass.</u> Extra charge \$288.90 <u>per hinge for stainless steel.</u> |

Discount Code C (290)



Architectural Hinges

Hinge Additions/Modifications *[continued]*

Exposed Electric Hinge Modification

| | EXPOSED ELECTRIC CONTACTS | |
|--|--|--|
| | Description | List |
| | 4" hinge — 2 or 3 contacts 4 1/2" & 5" hinge — 2, 3, or 4 contacts Only one hinge per door requires electric contact. To order use symbol E as suffix and the number of contacts desired. | Extra charge \$98.15 <u>per each contact.</u> |

Note: All exposed contact hinges must be ordered with NRP feature.
Patent No. 3,650,063

Discount Code C (290)

| | EXPOSED ELECTRIC SWITCH | |
|--|---|--|
| | Description | List |
| | Miniature push button switch that is incorporated in the hinge leaves. Available on 4", 4 1/2" & 5" hinges. Only one hinge per door requires electric switch. To order use symbol E1S as suffix. | Extra charge \$98.15 <u>per each contact.</u> |

Note: All exposed contact hinges must be ordered with NRP feature.
Patent No. 3,715,537

Discount Code C (290)


Concealed Electric Hinge Modification

Available in Tri-Con and Five Knuckle

(For Swing Clear, Wide Throw, Half Surface, Half Mortise, Raised Barrel and Jamb Surface Mount, contact Hager Sales and Service for pricing and availability.)


| | CONCEALED ELECTRIC MONITOR | | Steel/Brass | Stainless Steel |
|---|--|-------------|--------------------|------------------------|
| | Description | List | List | |
| | Miniature snap action switch is incorporated into the frame leaf. Available in 4" through 8". Full mortise ball bearing hinges. Concealed Electric Monitor; per hinge | \$284.45 | \$371.55 | |
| NRP NOT NECESSARY AS HINGES ARE CROSS PINNED AND ARE NOT FIELD REMOVABLE. To order use symbol EMN as suffix. | | | | |

Discount Code C (290)




Hinge Additions/Modifications *[continued]*

Concealed Electric Hinge Modification

|  | CONCEALED ELECTRIC THROUGH-WIRE | Steel/Brass | Stainless Steel |
|---|--|--------------------|--|
| | Description | List | List |
| | Four continuous electric conductors (28 gauge wire) Available in 4" through 8". Full mortise ball bearing, standard weight and heavy weight in steel and brass material. NRP NOT NECESSARY AS HINGES ARE CROSS PINNED AND ARE NOT FIELD REMOVABLE. To order use symbol ETW as suffix. Extra charges ETW-4 (4 wire) \$253.60 ea. ETW-6 (6 wire) \$281.15 ea. ETW-8 (8 wire) \$310.95 ea. ETW-10 (10 wire) \$393.60 ea. ETW-12 (12 wire) \$465.30 ea. | | \$364.95 ea. \$393.60 ea. \$422.30 ea. \$491.75 ea. \$575.55 ea. |

Discount Code C (290)

|  | CONCEALED ELECTRIC THROUGH-WIRE & MONITOR | Steel/Brass | Stainless Steel |
|---|---|--------------------|--|
| | Description | List | List |
| | This combines the four continuous electrical conductors and the miniature snap action switch to provide continuous circuit and monitor capabilities. Available in 4" through 8". Full mortise ball bearing, standard weight and heavy weight in steel and brass material. NRP NOT NECESSARY AS HINGES ARE CROSS PINNED AND ARE NOT FIELD REMOVABLE. To order use symbol ETM as suffix. Extra charges ETM-4 (4 wire) \$538.05 ea. ETM-6 (6 wire) \$563.40 ea. ETM-8 (8 wire) \$589.85 ea. ETM-10 (10 wire) \$617.40 ea. ETM-12 (12 wire) \$646.10 ea. | | \$632.85 ea. \$661.50 ea. \$688.00 ea. \$745.30 ea. \$745.30 ea. |

The Hospital Tip feature is available on concealed electric hinges.

Discount Code C (290)

STANDARD WIRE LEAD - 8" per side: 28 gauge wire
 Additional Wire Leads—must be bought in 4, 8, & 12 foot lengths.

| | List |
|---|-------------|
| 4 - Wire Hinge; per foot per side | \$6.00 |
| 6 - Wire Hinge; per foot per side | \$6.00 |
| 8, 10, 12 - Wire Hinge; per foot per side | \$6.00 |

Discount Code C (290)

Quick Connect

Extra charge \$35.00 per hinge.

Electric Hinge Repair


Extra charge \$155.50 List per hinge — contact Hager Companies Sales and Service for instructions.

Discount Code F (471)

FIVE KNUCKLE CONCEALED BEARING HINGES:

Available on standard weight, heavy weight full mortise 3 1/2", 4", 4 1/2" and 5". Price on application. CB1191 US3SC Finish ONLY.





Architectural Hinges

Hinge Additions/Modifications *[continued]*

Prices and Part Numbers For Hinge Pins (Boxes of 10 Each)

Contract Grade Pins Size 4 1/2"

| Standard Weight | | |
|-----------------|-------------|-----------------|
| STEEL – FINISH | PART NUMBER | LIST (10/BOX) |
| US3 | 1-890-7550 | \$29.80 per box |
| US4 | 1-890-7619 | \$29.80 per box |
| US10 | 1-890-7695 | \$29.80 per box |
| US10A/10B | 1-890-7733 | \$29.80 per box |
| US26 | 1-890-7625 | \$29.80 per box |
| US26D | 1-890-7657 | \$29.80 per box |
| USP | 1-890-7771 | \$29.80 per box |
| L1 | 1-890-7772 | \$29.80 per box |

Discount Code F (471)

| Heavy Weight | | |
|----------------|-------------|-----------------|
| STEEL – FINISH | PART NUMBER | LIST (10/BOX) |
| US3 | 1-890-8269 | \$36.40 per box |
| US10 | 1-890-8270 | \$36.40 per box |
| US10A/10B | 1-890-8267 | \$36.40 per box |
| US26D | 1-890-8305 | \$36.40 per box |
| USP | 1-890-8268 | \$36.40 per box |

Discount Code F (471)

NON-REMOVABLE PINS (MEDIUM SECURITY)

| Symbol | Description | List |
|--------|--|-------------|
| NRP* | Set screw in barrel | \$6.05 ea. |
| FRP* | Pin spun or riveted at both ends | \$23.20 ea. |

* This modification is intended as a deterrent only. It is not to be considered suitable for high-security applications or abusive environments.

PINS NOT REGULARLY FURNISHED IN COMPLETE HINGE

| Symbol | Description | 3" & UNDER List | 3 1/2" - 4" List | 4 1/2" - 5" List | 6" List |
|--------|---------------------|--------------------|---------------------|---------------------|------------|
| BP | Brass Pin | \$7.30 | \$10.65 | \$14.35 | \$19.85 |
| SP | Stainless Steel Pin | \$7.30 | \$10.65 | \$14.35 | \$19.85 |

RAISED BARREL HINGES

- Specify handing and door thickness
- Not available on 8" x 6" or 8" x 8" hinges
- Prices listed for 1 3/8" and 1 3/4" doors only
- For 2" or greater doors, price on application
- Prices apply to both standard and heavyweight hinges


| Symbol | Description | List |
|--------|--|-------------|
| RBB | Raised Barrel for Mortised Jamb leaf Beveled Edge Door Leaves Equal | \$40.80 ea. |
| RBS | Raised Barrel for Mortised Jamb leaf Square Edge Door Leaves Equal | \$40.80 ea. |
| JSM | Raised Barrel for Jamb Surface Mount Leaves Equal | \$40.80 ea. |

REVERSE SAFETY STUD

Reverse Safety Studs extend into reinforcing plate of door & frame to help prevent screw shearing.

| Symbol | List |
|---------------|-------------|
| RSS | \$27.60 ea. |

Note: Available on steel, stainless steel detention or institutional tip hinges only. Not available on solid brass hinges.



Hinge Additions/Modifications *[continued]*

ROUND CORNERS

Round corners (1/4" and 5/8" radius). Specify radius desired; standard radius 1/4"

| Symbol | List |
|----------|-----------|
| RC | \$.79 ea. |

RUST RESISTANT UNDERCOAT UNDER PAINTED FINISHES

| Symbol | Description | List |
|--------|--------------------------------|-------------|
| CP | Plain bearing, all sizes | \$13.25 ea. |
| | Ball bearing, all sizes | \$15.45 ea. |

SAFETY DOOR SET

For two knuckle hinges only. Includes two right-handed hinges and one left-handed hinge for non-removable doors.

| Symbol | Description | List |
|--------|---|------|
| SDS | 920, AB920, AB923, AB930 or AB933 | .N/C |

SAFETY STUD

Security offered to prevent slipping leaves past one another when hinge is closed. Stud attached to one leaf projects into hole in matching leaf.

| Symbol | Description | List |
|--------|---|-------------|
| SH* | This feature not necessary on anchor hinges | \$17.85 ea. |

** This modification is intended as a deterrent only. It is not to be considered suitable for high-security applications or abusive environments.*

SLIP-IN HINGES

| | List |
|--|-------------|
| 1277/1278 & BB1277/BB1278 - Add to 1279/BB1279 | \$46.95 ea. |
| 1577/1578 & BB1577/BB1578 - Add to 1191/BB1191 | \$46.95 ea. |

Discount Code A (100)

SPECIAL APPLICATIONS

In the event you do not find the particular hinge which will meet your requirements, we recommend that you contact Hager Companies Sales and Service and provide us with your specification.

SPECIAL SCREWS

All butt hinges are regularly packed with flat phillips head wood or machine screws or bolts. All other types are special.

Extra for spanner head screws

| Description | List |
|-----------------------|------------------|
| Steel | \$1.45 per screw |
| Brass | \$2.35 per screw |
| Stainless steel | \$5.10 per screw |

Extra for tamper proof torx screws

| Description | List |
|-----------------------|------------------|
| Steel | \$1.45 per screw |
| Stainless steel | \$1.85 per screw |


1/2" x 12-24 Torx machine screw

| | |
|--|------------------|
| 26D (Steel) 1-354-3212 | \$1.45 per screw |
| 32D (Stainless steel) 1-353-3205 | \$1.85 per screw |

1 1/4" x 12 Torx wood screw

| | |
|--|------------------|
| 26D (Steel) 1-360-9920 | \$1.45 per screw |
| 32D (Stainless steel) 1-363-9910 | \$1.85 per screw |

Discount Code F (471)



Architectural Hinges

Hinge Additions/Modifications *[continued]*

Standard Screw Packs For Full Mortise Architectural Hinges

| PART NUMBER | SIZE | FINISH | SCREWS |
|--|--------|---|--------------|
| 700, AB700, 1279, BB1279, EC1100, EC1105, 1250 (With or without NRP) | 4 1/2" | US3, US4, US5, US10, US10A, US10B, US26, US26D, USP | AMS & AWS |
| 1279, BB1279, 1250 (With or without NRP) | 4 1/2" | US15, US15A | AMS & AWS |
| Other than listed above | 4 1/2" | Other than listed above | AMS & 1/2 WS |
| All | 3 1/2" | All | AWS & 1/2 MS |
| All | 4" | All | AWS & 1/2 MS |
| All | 5" | All | AMS & 1/2 WS |
| All hinges with decorative tips | All | All | AWS |

*HINGE ADDITIONS LISTED ON PAGES 3-5 WILL AFFECT STANDARD SCREW PACKAGING.

Prices and Part Numbers For Bulk Packed Screws

Contract Grade Hinges Size 4", 4 1/2" and 5"

| Wood Screws 1 1/4" X 12 FPHW — STEEL | | | Machine Screws 12-24 x 1/2" FPHM — STEEL | | |
|--------------------------------------|-----------|-----------------|--|-----------|-----------------|
| PART NUMBER | FINISH | LIST (100/BOX) | PART NUMBER | FINISH | LIST (100/BOX) |
| 1-810-5824 | US3 | \$50.75 per box | 1-800-7225 | US3 | \$25.40 per box |
| 1-810-5952 | US4 | \$50.75 per box | 1-800-7275 | US4 | \$25.40 per box |
| 1-810-6208 | US10 | \$50.75 per box | 1-800-7375 | US10 | \$25.40 per box |
| 1-810-6336 | US10A/10B | \$50.75 per box | 1-800-7425 | US10A/10B | \$25.40 per box |
| 1-810-6848 | US26 | \$50.75 per box | 1-800-7575 | US26 | \$25.40 per box |
| 1-810-5696 | US26D | \$50.75 per box | 1-800-7175 | US26D | \$25.40 per box |
| 1-810-6976 | USP | \$50.75 per box | 1-800-7625 | USP | \$25.40 per box |
| 1-810-7232 | L1 | \$50.75 per box | 1-800-7725 | L1 | \$25.40 per box |

Discount Code F (471)

| Wood Screws 1 1/4" X 12 FPHW — BRASS | | | Machine Screws 12-24 x 1/2" FPHM — BRASS | | |
|--------------------------------------|-----------|------------------|--|-----------|-----------------|
| PART NUMBER | FINISH | LIST (100/BOX) | PART NUMBER | FINISH | LIST (100/BOX) |
| 1-811-5824 | US3 | \$101.45 per box | 1-801-7225 | US3 | \$50.75 per box |
| 1-811-5952 | US4 | \$101.45 per box | 1-801-7275 | US4 | \$50.75 per box |
| 1-811-6208 | US10 | \$101.45 per box | 1-801-7375 | US10 | \$50.75 per box |
| 1-811-6336 | US10A/10B | \$101.45 per box | 1-801-7425 | US10A/10B | \$50.75 per box |
| 1-811-6848 | US26 | \$101.45 per box | 1-801-7575 | US26 | \$50.75 per box |
| 1-811-5696 | US26D | \$101.45 per box | 1-801-7175 | US26D | \$50.75 per box |
| 1-811-6976 | USP | \$101.45 per box | 1-801-7625 | USP | \$50.75 per box |
| 1-811-7232 | L1 | \$101.45 per box | 1-801-7725 | L1 | \$50.75 per box |

Discount Code F (471)

| Wood Screws 1 1/4" X 12 FPHW — STAINLESS STEEL | | | Machine Screws 12-24 x 1/2" FPHM — STAINLESS STEEL | | |
|--|--------|------------------|--|--------|-----------------|
| PART NUMBER | FINISH | LIST (100/BOX) | PART NUMBER | FINISH | LIST (100/BOX) |
| 1-813-2500 | US32 | \$101.45 per box | 1-803-2500 | US32 | \$50.75 per box |
| 1-813-2499 | US32D | \$101.45 per box | 1-803-2499 | US32D | \$50.75 per box |

Discount Code F (471)


STAINLESS STEEL BALLS AND RACEWAYS

(Furnished if desired on steel or brass ball bearing hinges)

| | |
|--|-------------|
| | List |
| Standard weight two ball bearing hinge | \$20.95 ea. |
| Heavy weight four ball bearing hinge | \$26.50 ea. |

SWAGING

If special Swaging is required — *Price on application.*



Hinge Additions/Modifications *[continued]*

TIPS – EXPOSED

| Symbol | Description | List |
|--------|--|------|
| ET* | Button tip for three knuckle hinges only | N/C |

*Exposed Tip

TIPS – HOSPITAL

| Symbol | Description | List |
|--------|---|---------|
| HT* | Standard Weight and Heavy Weight Hinges | \$29.40 |





*Hospital Tip

TIPS – DECORATOR

Regular decorator tips are available on brass or steel hinges, three and five knuckle, for the type and size shown below. To order hinges with regular decorator tips, give the catalog number of the hinge, the size, the finish and the tip style.

Regular Decorator Tips:

- For example: BB1199 – 5" x 5" US3 Ball Tip
 BB1279 – 4 1/2" x 4 1/2" US10A Steeple Tip
 AB700 – 4 1/2" x 4 1/2" US3 Ball Tip

| Regular Decorator Tips | | | List |
|------------------------|---|---|--------------------|
| Acorn Tip |  | Standard Weight – 3 1/2", 4", 4 1/2", 5" & 6" Heavy Weight – 4 1/2", 5", 6" & 8" | \$44.10 \$44.10 |
| Ball Tip |  | Standard Weight – 3", 3 1/2", 4", 4 1/2", 5" & 6" Heavy Weight – 4 1/2", 5", 6" & 8" | \$27.60 \$27.60 |
| Steeple Tip |  | Standard Weight – 3", 3 1/2", 4", 4 1/2", 5" & 6" Heavy Weight – 4 1/2", 5", 6" & 8" | \$27.60 \$27.60 |
| Urn Tip |  | Standard Weight – 3 1/2", 4", 4 1/2", 5" & 6" Heavy Weight – 4 1/2", 5", 6" & 8" | \$44.10 \$44.10 |

Note: Certain hinge additions/modifications may not be applicable. Please contact Hager Companies customer service before ordering.



Architectural Hinges




100

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|--------|--------|----------|-----------|------------|
| 100 Set Screw Set | PS | 205.55 | — | 10 | 471 |




251

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|--------------------|----------------|----------|-----------|------------|
| 251 Full Surface Reinforcing Pivot for 3½" (89mm) Wide Hinges Specify Handing | LH US2C RH US2C | 87.80 87.80 | — — | 10 10 | 410 410 |




252

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|--------------------|----------------|----------|-----------|------------|
| 252 Full Surface Reinforcing Pivot for 4" (102mm) Wide Hinges Specify Handing | LH US2C RH US2C | 87.80 87.80 | — — | 10 10 | 410 410 |



253

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|--------------------|----------------|----------|-----------|------------|
| 253 Full Surface - Reinforcing Pivot for 4½" (114mm) Wide Hinges Specify Handing | LH US2C RH US2C | 87.80 87.80 | 1 1 | 10 10 | 410 410 |



254

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|--------------------|----------------|----------|-----------|------------|
| 254 Full Surface - Reinforcing Pivot for 5" (127mm) Wide Hinges Specify Handing | LH US2C RH US2C | 87.80 87.80 | 1 1 | 10 10 | 410 410 |




263

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|--------|--------|----------|-----------|------------|
| 263 Thru Bolts For Reinforcing Pivot 1¾" (45mm) Doors U/M — Bag of 100 Each | US2C | 159.10 | 100 | — | 471 |




265

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|--------|-------|----------|-----------|------------|
| 265 Molly Jack Nuts 8S JN For Reinforcing Pivot U/M — Bag of 100 Each | US2C | 70.75 | 100 | — | 471 |



305

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------------|-------------|--------|------|----------|-----------|------------|
| 305 Hinge Reinforcement | 4½" (114mm) | PS | 3.90 | — | 50 | 471 |



417


| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|-------------|--------|-------|----------|-----------|------------|
| 417 Back Plate for Wood Doors Half Surface Hinges or Full Surface Hinges | 4½" (114mm) | USP | 14.30 | 10 | 100 | 471 |
| | | US10 | 14.30 | 10 | 100 | 471 |
| | | US26D | 14.05 | 10 | 100 | 471 |
| | 5" (127mm) | USP | 15.20 | 10 | 100 | 471 |
| | | US10 | 15.20 | 10 | 100 | 471 |
| | | US26D | 14.75 | 10 | 100 | 471 |

U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com




Architectural Hinges



430


| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-------------------|--------|-------|----------|-----------|------------|
| 430 Mortar Box | H2H | 35.90 | 1 | — | 471 |



451

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|-------------|--------|-------|----------|-----------|------------|
| 451 Double Lipped Strike Center Hung | 5¾" (146mm) | US26D | 84.00 | 1 | — | 471 |

Special sizes and finishes available per request



452

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|-------------|--------|-------|----------|-----------|------------|
| 452 Double Lipped Strike Center Hung | 6¾" (172mm) | US26D | 84.00 | 1 | — | 471 |


Special sizes and finishes available per request



453

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|-------------|--------|-------|----------|-----------|------------|
| 453 Double Lipped Strike ½" Inset | 5¾" (146mm) | US26D | 84.00 | 1 | — | 471 |

Special sizes and finishes available per request



454

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|-------------|--------|-------|----------|-----------|------------|
| 454 Double Lipped Strike ½" Inset | 6¾" (172mm) | US26D | 84.00 | 1 | — | 471 |

Special sizes and finishes available per request



455

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|-------------|----------|--------|----------|-----------|------------|
| 455 Center Hung Combination Rescue Door Stop and Two Way Strike Plates Specify Handing | 5¾" (146mm) | LH US26D | 240.20 | 1 | — | 471 |
| | | RH US26D | 240.20 | 1 | — | 471 |


Special sizes and finishes available per request



456

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|-------------|----------|--------|----------|-----------|------------|
| 456 Center Hung Combination Rescue Door Stop and Two Way Strike Plates Specify Handing | 6¾" (172mm) | LH US26D | 252.20 | 1 | — | 471 |
| | | RH US26D | 252.20 | 1 | — | 471 |

Special sizes and finishes available per request



457

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|-------------|----------|--------|----------|-----------|------------|
| 457 ½" Inset Combination Rescue Door Stop and Two Way Strike Plates Specify Handing | 5¾" (146mm) | LH US26D | 240.20 | 1 | — | 471 |
| | | RH US26D | 240.20 | 1 | — | 471 |

Special sizes and finishes available per request



U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges



458

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|-------------|----------|--------|----------|-----------|------------|
| 458 | 6¾" (172mm) | LH US26D | 252.20 | 1 | — | 471 |
| ½" Inset Combination Rescue Door Stop and Two Way Strike Plates Specify Handing | | RH US26D | 252.20 | 1 | — | 471 |

Special sizes and finishes available per request




495

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|--------|--------|----------|-----------|------------|
| 495 | US10 | 114.95 | 1 | — | 410 |
| Forged Bronze - Full Mortise | US10B | 114.95 | 1 | — | 410 |
| Ball Bearing Adjustable Top Pivot Hinge | US26D | 114.95 | 1 | — | 410 |



496

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|------------------------------|----------|--------|----------|-----------|------------|
| 496 | LH US10 | 165.35 | 1 | — | 410 |
| Forged Bronze - Full Mortise | RH US10 | 165.35 | 1 | — | 410 |
| Ball Bearing Adjustable | LH US10B | 165.35 | 1 | — | 410 |
| Intermediate Pivot Hinge | RH US10B | 165.35 | 1 | — | 410 |
| Specify Handing | LH US26D | 165.35 | 1 | — | 410 |
| | RH US26D | 165.35 | 1 | — | 410 |



497

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------|--------|----------|-----------|------------|
| 497 | LH US10 | 265.50 | 1 | — | 410 |
| Forged Bronze - Full Mortise | RH US10 | 265.50 | 1 | — | 410 |
| Ball Bearing Adjustable Bottom Pivot Hinge | LH US10B | 265.50 | 1 | — | 410 |
| Specify Handing | RH US10B | 265.50 | 1 | — | 410 |
| | LH US26D | 265.50 | 1 | — | 410 |
| | RH US26D | 265.50 | 1 | — | 410 |



500

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|--------|--------|----------|-----------|------------|
| 500 | US4 | 244.65 | 1 | 16 | 410 |
| Brass - Full Mortise - Standard Weight Rack and Pinion Pivot | US26D | 251.70 | 1 | 16 | 410 |

U/M — Set



510

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|--------|--------|----------|-----------|------------|
| 510 | US10 | 158.80 | 1 | 10 | 410 |
| Mortise Application - Hospital Set Wood Floor - Less Release | US26D | 163.20 | 1 | 10 | 410 |

U/M — Set



511

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|--------|--------|----------|-----------|------------|
| 511 | US10 | 184.45 | 1 | 10 | 410 |
| Mortise Application - Hospital Set Masonry Floor - Less Release | US26D | 194.60 | 1 | 10 | 410 |

U/M — Set



512


| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|--------|--------|----------|-----------|------------|
| 512 | US10 | 184.45 | 1 | 10 | 410 |
| Surface Application - Hospital Set Masonry Floor - Less Release | US26D | 194.60 | 1 | 10 | 410 |

U/M — Set

U/M is each unless otherwise noted.



Architectural Hinges



550

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|--------------|------------------|----------|-----------|------------|
| 550 Brass - Full Mortise - Heavy Weight Rack and Pinion Pivot | US4 US26D | 292.85 302.05 | 1 1 | 16 16 | 410 410 |

U/M — Set



0551

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|--------------|------------------|----------|-----------|------------|
| 0551 Brass - Full Mortise - Extra Heavy Weight Rack and Pinion Pivot | US4 US26D | 368.50 399.45 | 1 1 | 10 10 | 410 410 |

U/M - Set



600

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|---------------|------------------|----------|-----------|------------|
| 600 Mortise Application - Hospital Set Wood Floor | US10 US26D | 283.75 291.30 | 1 1 | 10 10 | 410 410 |



610

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-------------------------------|---------------|------------------|----------|-----------|------------|
| 610 Emergency Stop Release | US10 US26D | 124.80 127.85 | 1 1 | 10 10 | 410 410 |



611

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|---------------|------------------|----------|-----------|------------|
| 611 Mortise Application - Hospital Set Masonry Floor | US10 US26D | 309.15 322.70 | 1 1 | 10 10 | 410 410 |


U/M — Set



612

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|---------------|------------------|----------|-----------|------------|
| 612 Surface Application - Hospital Set Masonry Floor | US10 US26D | 309.15 322.70 | 1 1 | 10 10 | 410 410 |

U/M — Set



615

| DESCRIPTION | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------------------|--------|-------|----------|-----------|------------|
| 615 Steel - Heavy Weight Pivot | US26D | 69.30 | 1 | 10 | 410 |

U/M — Set



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging



Architectural Hinges



700


| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|----------------------|--------|-------|----------|-----------|------------|
| 700 Steel Full Mortise Standard Weight Plain Bearing Three Knuckle | 3½"x3½" (89x89mm) | LS | 10.95 | 2 | 100 | 471 |
| | | USP | 8.80 | 2 | 100 | 471 |
| | | US3 | 19.95 | 2 | 100 | 471 |
| | | US4 | 8.80 | 2 | 100 | 471 |
| | | US10 | 10.95 | 2 | 100 | 471 |
| | | US10A | 19.95 | 2 | 100 | 471 |
| | | US26 | 19.95 | 2 | 100 | 471 |
| | US26D | 16.60 | 2 | 100 | 471 | |
| | 4"x3½" (102x89mm) | LS | 14.80 | 3 | 48 | 471 |
| | | USP | 12.65 | 3 | 48 | 471 |
| US3 | | 23.95 | 3 | 48 | 471 | |
| US4 | | 12.65 | 3 | 48 | 471 | |
| US10 | | 14.80 | 3 | 48 | 471 | |
| US10A | | 23.95 | 3 | 48 | 471 | |
| US26 | | 23.95 | 3 | 48 | 471 | |
| US26D | 20.15 | 3 | 48 | 471 | | |
| 4"x4" (102x102mm) | LS | 14.80 | 3 | 48 | 471 | |
| | USP | 11.20 | 3 | 48 | 471 | |
| | US3 | 21.35 | 3 | 48 | 471 | |
| | US4 | 11.20 | 3 | 48 | 471 | |
| | US10 | 13.55 | 3 | 48 | 471 | |
| | US10A | 21.35 | 3 | 48 | 471 | |
| | US26 | 21.35 | 3 | 48 | 471 | |
| US26D | 18.35 | 3 | 48 | 471 | | |
| 4½"x4" (114x102mm) | LS | 17.50 | 3 | 48 | 103 | |
| | USP | 13.60 | 3 | 48 | 103 | |
| | US3 | 24.80 | 3 | 48 | 103 | |
| | US4 | 13.60 | 3 | 48 | 103 | |
| | US10 | 15.80 | 3 | 48 | 103 | |
| | US10A | 24.80 | 3 | 48 | 103 | |
| | US26 | 24.80 | 3 | 48 | 103 | |
| US26D | 20.45 | 3 | 48 | 103 | | |
| 4½"x4½" (114x114mm) | LS | 15.80 | 3 | 48 | 103 | |
| | USP | 13.60 | 3 | 48 | 103 | |
| | US3 | 24.80 | 3 | 48 | 103 | |
| | US4 | 13.60 | 3 | 48 | 103 | |
| | US10 | 15.80 | 3 | 48 | 103 | |
| | US10A | 24.80 | 3 | 48 | 103 | |
| | US26 | 24.80 | 3 | 48 | 103 | |
| US26D | 20.45 | 3 | 48 | 103 | | |
| 5"x4" (127x102mm) | LS | 43.25 | 3 | 24 | 471 | |
| | USP | 39.75 | 3 | 24 | 471 | |
| | US3 | 59.60 | 3 | 24 | 471 | |
| | US4 | 39.75 | 3 | 24 | 471 | |
| | US10 | 43.25 | 3 | 24 | 471 | |
| | US10A | 59.60 | 3 | 24 | 471 | |
| | US26 | 59.60 | 3 | 24 | 471 | |
| US26D | 50.70 | 3 | 24 | 471 | | |

U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com




Architectural Hinges



700

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------|-----------------------|--------|-------|----------|-----------|------------|
| 700 (continued) | 5"x4½" (127x114mm) | LS | 43.25 | 3 | 24 | 471 |
| | | USP | 35.85 | 3 | 24 | 471 |
| | | US3 | 59.60 | 3 | 24 | 471 |
| | | US4 | 35.85 | 3 | 24 | 471 |
| | | US10 | 43.25 | 3 | 24 | 471 |
| | | US10A | 59.60 | 3 | 24 | 471 |
| | | US26 | 59.60 | 3 | 24 | 471 |
| | | US26D | 45.70 | 3 | 24 | 471 |
| | 5"x5" (127x127mm) | LS | 43.25 | 3 | 24 | 471 |
| | | USP | 35.85 | 3 | 24 | 471 |
| | | US3 | 53.70 | 3 | 24 | 471 |
| | | US4 | 35.85 | 3 | 24 | 471 |
| | | US10 | 43.25 | 3 | 24 | 471 |
| | | US10A | 59.60 | 3 | 24 | 471 |
| US26 | | 59.60 | 3 | 24 | 471 | |
| US26D | | 45.70 | 3 | 24 | 471 | |



AB700

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|-----------------------|--------|-------|----------|-----------|------------|
| AB700 Steel Full Mortise Standard Weight Concealed Anti-Friction Bearing Three Knuckle | 3½"x3½" (89x89mm) | LS | 38.70 | 2 | 100 | 471 |
| | | USP | 30.90 | 2 | 100 | 471 |
| | | US3 | 45.40 | 2 | 100 | 471 |
| | | US4 | 30.90 | 2 | 100 | 471 |
| | | US10 | 34.65 | 2 | 100 | 471 |
| | | US10A | 45.40 | 2 | 100 | 471 |
| | | US26 | 50.35 | 2 | 100 | 471 |
| | | US26D | 39.45 | 2 | 100 | 471 |
| | 4"x4" (102x102mm) | LS | 40.85 | 3 | 48 | 471 |
| | | USP | 34.55 | 3 | 48 | 471 |
| | | US3 | 50.05 | 3 | 48 | 471 |
| | | US4 | 34.55 | 3 | 48 | 471 |
| | | US10 | 36.70 | 3 | 48 | 471 |
| | | US10A | 50.05 | 3 | 48 | 471 |
| | | US26 | 50.05 | 3 | 48 | 471 |
| | | US26D | 42.35 | 3 | 48 | 471 |
| | 4½"x4" (114x102mm) | LS | 37.10 | 3 | 48 | 100 |
| | | USP | 31.00 | 3 | 48 | 100 |
| | | US3 | 45.90 | 3 | 48 | 100 |
| | | US4 | 31.00 | 3 | 48 | 100 |
| | | US10 | 33.30 | 3 | 48 | 100 |
| | | US10A | 45.90 | 3 | 48 | 100 |
| | | US26 | 45.90 | 3 | 48 | 100 |
| | | US26D | 38.80 | 3 | 48 | 100 |
| 4½"x4½" (114x114mm) | LS | 33.30 | 3 | 48 | 100 | |
| | USP | 31.00 | 3 | 48 | 100 | |
| | US3 | 45.90 | 3 | 48 | 100 | |
| | US4 | 31.00 | 3 | 48 | 100 | |
| | US10 | 33.30 | 3 | 48 | 100 | |
| | US10A | 45.90 | 3 | 48 | 100 | |
| | US26 | 45.90 | 3 | 48 | 100 | |
| | US26D | 38.80 | 3 | 48 | 100 | |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges



AB700

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-------------------|-----------------------|--------|-------|----------|-----------|------------|
| AB700 (continued) | 5"x4" (127x102mm) | LS | 60.70 | 3 | 24 | 471 |
| | | USP | 51.00 | 3 | 24 | 471 |
| | | US3 | 81.00 | 3 | 24 | 471 |
| | | US4 | 51.00 | 3 | 24 | 471 |
| | | US10 | 60.70 | 3 | 24 | 471 |
| | | US10A | 81.00 | 3 | 24 | 471 |
| | | US26 | 81.00 | 3 | 24 | 471 |
| | | US26D | 61.50 | 3 | 24 | 471 |
| | 5"x4½" (127x114mm) | LS | 60.70 | 3 | 24 | 100 |
| | | USP | 51.00 | 3 | 24 | 100 |
| | | US3 | 72.90 | 3 | 24 | 100 |
| | | US4 | 51.00 | 3 | 24 | 100 |
| | | US10 | 60.70 | 3 | 24 | 100 |
| | | US10A | 81.00 | 3 | 24 | 100 |
| | | US26 | 72.90 | 3 | 24 | 100 |
| | | US26D | 61.50 | 3 | 24 | 100 |
| | 5"x5" (127x127mm) | LS | 60.70 | 3 | 24 | 471 |
| | | USP | 51.00 | 3 | 24 | 471 |
| | | US3 | 72.90 | 3 | 24 | 471 |
| | | US4 | 51.00 | 3 | 24 | 471 |
| | | US10 | 60.70 | 3 | 24 | 471 |
| US10A | | 81.00 | 3 | 24 | 471 | |
| US26 | | 81.00 | 3 | 24 | 471 | |
| US26D | | 61.50 | 3 | 24 | 471 | |



WTAB700


| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|-----------------------|-----------------------|--------|----------|-----------|------------|
| WTAB700 Wide Throw Hinge Full Mortise Standard Weight Concealed Anti-Friction Bearing Three Knuckle | 4½"x5" (114x127mm) | LS | 117.95 | 3 | 24 | 471 |
| | | USP | 109.75 | 3 | 24 | 471 |
| | | US3 | 149.20 | 3 | 24 | 471 |
| | | US10 | 117.95 | 3 | 24 | 471 |
| | | US10A | 149.20 | 3 | 24 | 471 |
| | | US26 | 149.20 | 3 | 24 | 471 |
| | | US26D | 131.20 | 3 | 24 | 471 |
| | | 4½"x6" (114x152mm) | LS | 127.50 | 3 | 24 |
| | USP | | 121.15 | 3 | 24 | 471 |
| | US3 | | 158.70 | 3 | 24 | 471 |
| | US10 | | 127.50 | 3 | 24 | 471 |
| | US10A | | 158.70 | 3 | 24 | 471 |
| | US26 | | 158.70 | 3 | 24 | 471 |
| | US26D | | 140.00 | 3 | 24 | 471 |
| | 4½"x7" (114x178mm) | | LS | 134.85 | 3 | 24 |
| | | USP | 128.25 | 3 | 24 | 471 |
| | | US3 | 166.25 | 3 | 24 | 471 |
| | | US10 | 134.85 | 3 | 24 | 471 |
| | | US10A | 166.25 | 3 | 24 | 471 |
| | | US26 | 166.25 | 3 | 24 | 471 |
| | | US26D | 144.75 | 3 | 24 | 471 |

U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com




Architectural Hinges




| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|-----------------------|--------|--------|----------|-----------|------------|
| WTAB700 (continued) | 4½"x8" (114x203mm) | LS | 146.30 | 3 | 24 | 471 |
| | | USP | 139.40 | 3 | 24 | 471 |
| | | US3 | 181.60 | 3 | 24 | 471 |
| | | US10 | 146.30 | 3 | 24 | 471 |
| | | US10A | 181.60 | 3 | 24 | 471 |
| | | US26 | 181.60 | 3 | 24 | 471 |
| | | US26D | 165.90 | 3 | 24 | 471 |
| | 5"x6" (127x152mm) | LS | 152.25 | 3 | 24 | 471 |
| | | USP | 145.40 | 3 | 24 | 471 |
| | | US3 | 190.10 | 3 | 24 | 471 |
| | | US10 | 152.25 | 3 | 24 | 471 |
| | | US10A | 190.10 | 3 | 24 | 471 |
| | | US26 | 190.10 | 3 | 24 | 471 |
| | | US26D | 162.40 | 3 | 24 | 471 |
| | 5"x7" (127x178mm) | LS | 154.40 | 3 | 24 | 471 |
| | | USP | 147.60 | 3 | 24 | 471 |
| | | US3 | 192.20 | 3 | 24 | 471 |
| | | US10 | 154.40 | 3 | 24 | 471 |
| | | US10A | 192.20 | 3 | 24 | 471 |
| | | US26 | 192.20 | 3 | 24 | 471 |
| | | US26D | 164.75 | 3 | 24 | 471 |
| 5"x8" (127x203mm) | LS | 181.15 | 3 | 24 | 471 | |
| | USP | 175.95 | 3 | 24 | 471 | |
| | US3 | 218.45 | 3 | 24 | 471 | |
| | US10 | 181.15 | 3 | 24 | 471 | |
| | US10A | 218.45 | 3 | 24 | 471 | |
| | US26 | 218.45 | 3 | 24 | 471 | |
| | US26D | 192.20 | 3 | 24 | 471 | |



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------|--------|--------|----------|-----------|------------|
| AB701 Half Mortise - Standard Weight Concealed Anti-Friction Bearing Three Knuckle | 4½" (114mm) | USP | 85.60 | 3 | 48 | 471 |
| | | US10 | 93.20 | 3 | 48 | 471 |
| | | US10A | 133.75 | 3 | 48 | 471 |
| | | US26D | 103.60 | 3 | 48 | 471 |



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------|--------|--------|----------|-----------|------------|
| AB702 Full Surface - Standard Weight Concealed Anti-Friction Bearing Three Knuckle | 4½" (114mm) | USP | 85.60 | 3 | 48 | 471 |
| | | US10 | 103.50 | 3 | 48 | 471 |
| | | US10A | 133.75 | 3 | 48 | 471 |
| | | US26D | 115.10 | 3 | 48 | 471 |



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------|--------|--------|----------|-----------|------------|
| AB703 Half Surface - Standard Weight Concealed Anti-Friction Bearing Three Knuckle | 4½" (114mm) | USP | 85.60 | 3 | 48 | 471 |
| | | US10 | 93.20 | 3 | 48 | 471 |
| | | US10A | 133.75 | 3 | 48 | 471 |
| | | US26D | 103.60 | 3 | 48 | 471 |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges



AB750

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-------------------------|-------------|--------|--------|----------|-----------|------------|
| AB750 | 4½"x4" | LS | 98.60 | 3 | 24 | 100 |
| Full Mortise | (114x102mm) | USP | 82.95 | 3 | 24 | 100 |
| Heavy Weight | | US3 | 108.10 | 3 | 24 | 100 |
| Concealed Anti-Friction | | US4 | 82.95 | 3 | 24 | 100 |
| Bearing | | US10 | 88.80 | 3 | 24 | 100 |
| Three Knuckle | | US10A | 108.10 | 3 | 24 | 100 |
| | | US26 | 108.10 | 3 | 24 | 100 |
| | | US26D | 91.35 | 3 | 24 | 100 |
| | 4½"x4½" | LS | 98.60 | 3 | 24 | 100 |
| | (114x114mm) | USP | 82.95 | 3 | 24 | 100 |
| | | US3 | 108.10 | 3 | 24 | 100 |
| | | US4 | 82.95 | 3 | 24 | 100 |
| | | US10 | 88.80 | 3 | 24 | 100 |
| | | US10A | 108.10 | 3 | 24 | 100 |
| | | US26 | 108.10 | 3 | 24 | 100 |
| | | US26D | 91.35 | 3 | 24 | 100 |
| | 5"x4½" | LS | 114.45 | 3 | 24 | 100 |
| | (127x114mm) | USP | 97.65 | 3 | 24 | 100 |
| | | US3 | 126.95 | 3 | 24 | 100 |
| | | US4 | 97.65 | 3 | 24 | 100 |
| | | US10 | 103.05 | 3 | 24 | 100 |
| | | US10A | 126.95 | 3 | 24 | 100 |
| | | US26 | 141.15 | 3 | 24 | 100 |
| | | US26D | 105.55 | 3 | 24 | 100 |
| | 5"x5" | LS | 114.45 | 3 | 24 | 471 |
| | (127x127mm) | USP | 97.65 | 3 | 24 | 471 |
| | | US3 | 141.15 | 3 | 24 | 471 |
| | | US4 | 97.65 | 3 | 24 | 471 |
| | | US10 | 114.45 | 3 | 24 | 471 |
| | | US10A | 141.15 | 3 | 24 | 471 |
| | | US26 | 141.15 | 3 | 24 | 471 |
| | | US26D | 105.55 | 3 | 24 | 471 |



WTAB750


| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-------------------------|-------------|--------|--------|----------|-----------|------------|
| WTAB750 Wide Throw | 4½"x5" | LS | 197.50 | 3 | 24 | 471 |
| Steel | (114x127mm) | USP | 190.80 | 3 | 24 | 471 |
| Full Mortise | | US3 | 238.25 | 3 | 24 | 471 |
| Heavy Weight | | US10 | 197.50 | 3 | 24 | 471 |
| Concealed Anti-Friction | | US10A | 238.25 | 3 | 24 | 471 |
| Bearing | | US26 | 238.25 | 3 | 24 | 471 |
| Three Knuckle | | US26D | 207.50 | 3 | 24 | 471 |
| | 4½"x6" | LS | 207.25 | 3 | 24 | 471 |
| | (114x152mm) | USP | 198.10 | 3 | 24 | 471 |
| | | US3 | 247.85 | 3 | 24 | 471 |
| | | US10 | 207.25 | 3 | 24 | 471 |
| | | US10A | 247.85 | 3 | 24 | 471 |
| | | US26 | 247.85 | 3 | 24 | 471 |
| | | US26D | 216.25 | 3 | 24 | 471 |

U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com



Architectural Hinges



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|-----------------------|--------|--------|----------|-----------|------------|
| WTAB750 (continued) | 4½"x7" (114x178mm) | LS | 214.55 | 3 | 24 | 471 |
| | | USP | 205.25 | 3 | 24 | 471 |
| | | US3 | 255.50 | 3 | 24 | 471 |
| | | US10 | 214.55 | 3 | 24 | 471 |
| | | US10A | 255.50 | 3 | 24 | 471 |
| | | US26 | 255.50 | 3 | 24 | 471 |
| | | US26D | 221.10 | 3 | 24 | 471 |
| | 4½"x8" (114x203mm) | LS | 226.05 | 3 | 24 | 471 |
| | | USP | 216.55 | 3 | 24 | 471 |
| | | US3 | 270.95 | 3 | 24 | 471 |
| | | US10 | 226.05 | 3 | 24 | 471 |
| | | US10A | 270.95 | 3 | 24 | 471 |
| | | US26 | 270.95 | 3 | 24 | 471 |
| | | US26D | 233.05 | 3 | 24 | 471 |
| | 5"x6" (127x152mm) | LS | 221.85 | 3 | 24 | 471 |
| | | USP | 213.15 | 3 | 24 | 471 |
| | | US3 | 268.60 | 3 | 24 | 471 |
| | | US10 | 221.85 | 3 | 24 | 471 |
| | | US10A | 268.60 | 3 | 24 | 471 |
| | | US26 | 268.60 | 3 | 24 | 471 |
| | | US26D | 227.35 | 3 | 24 | 471 |
| 5"x7" (127x178mm) | LS | 224.05 | 3 | 24 | 471 | |
| | USP | 215.35 | 3 | 24 | 471 | |
| | US3 | 270.85 | 3 | 24 | 471 | |
| | US10 | 224.05 | 3 | 24 | 471 | |
| | US10A | 270.85 | 3 | 24 | 471 | |
| | US26 | 270.85 | 3 | 24 | 471 | |
| | US26D | 229.65 | 3 | 24 | 471 | |
| 5"x8" (127x203mm) | LS | 251.30 | 3 | 24 | 471 | |
| | USP | 243.90 | 3 | 24 | 471 | |
| | US3 | 297.25 | 3 | 24 | 471 | |
| | US10 | 251.30 | 3 | 24 | 471 | |
| | US10A | 297.25 | 3 | 24 | 471 | |
| | US26 | 297.25 | 3 | 24 | 471 | |
| | US26D | 257.45 | 3 | 24 | 471 | |



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|------------------------|--------|--------|----------|-----------|------------|
| IHTAB750 Steel Full Mortise Concealed Anti-Friction Bearing Heavy Weight Institutional or Prison Welded Tip | 4½"x4½" (114x114mm) | LS | 146.05 | 3 | 24 | 471 |
| | | USP | 128.40 | 3 | 24 | 471 |
| | | US26D | 139.30 | 3 | 24 | 471 |
| | 5"x4½" (127x114mm) | LS | 159.75 | 3 | 24 | 471 |
| | | USP | 167.05 | 3 | 24 | 471 |
| | | US26D | 152.80 | 3 | 24 | 471 |



U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges



AB751

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-------------------------|----------------|--------|--------|----------|-----------|------------|
| AB751 | 4½" (114mm) | USP | 195.80 | 3 | 36 | 471 |
| Steel | | US10 | 205.90 | 3 | 36 | 471 |
| Half Mortise | | US10A | 276.55 | 3 | 36 | 471 |
| Concealed Anti-Friction | | US26D | 240.45 | 3 | 36 | 471 |
| Bearing | 5" (127mm) | USP | 249.90 | 3 | 24 | 471 |
| Heavy Weight | | US10 | 262.45 | 3 | 24 | 471 |
| Three Knuckle | | US10A | 341.90 | 3 | 24 | 471 |
| | | US26D | 297.40 | 3 | 24 | 471 |




AB752

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-------------------------|----------------|--------|--------|----------|-----------|------------|
| AB752 | 4½" (114mm) | USP | 195.80 | 3 | 36 | 471 |
| Steel | | US10 | 205.90 | 3 | 36 | 471 |
| Full Surface | | US10A | 276.55 | 3 | 36 | 471 |
| Concealed Anti-Friction | | US26D | 240.45 | 3 | 36 | 471 |
| Bearing | 5" (127mm) | USP | 249.90 | 3 | 24 | 471 |
| Heavy Weight | | US10 | 262.45 | 3 | 24 | 471 |
| Three Knuckle | | US10A | 341.90 | 3 | 24 | 471 |
| | | US26D | 297.40 | 3 | 24 | 471 |



AB753

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-------------------------|----------------|--------|--------|----------|-----------|------------|
| AB753 | 4½" (114mm) | USP | 175.40 | 3 | 36 | 471 |
| Steel | | US10 | 184.15 | 3 | 36 | 471 |
| Half Surface | | US10A | 248.95 | 3 | 36 | 471 |
| Concealed Anti-Friction | | US26D | 216.55 | 3 | 36 | 471 |
| Bearing | 5" (127mm) | USP | 199.45 | 3 | 24 | 471 |
| Heavy Weight | | US10 | 209.40 | 3 | 24 | 471 |
| Three Knuckle | | US10A | 283.15 | 3 | 24 | 471 |
| | | US26D | 246.25 | 3 | 24 | 471 |




800

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE | |
|--------------------|----------------------|-----------------------|-------|----------|-----------|------------|-----|
| 800 | 3½"x3½" (89x89mm) | US3 | 55.25 | 2 | 100 | 471 | |
| Brass or Stainless | | US10 | 55.25 | 2 | 100 | 471 | |
| Full Mortise | | US10B | 67.20 | 2 | 100 | 471 | |
| Standard Weight | | US26 | 74.45 | 2 | 100 | 471 | |
| Plain Bearing | | US26D | 57.65 | 2 | 100 | 471 | |
| Three Knuckle | | US32D | 75.30 | 2 | 100 | 471 | |
| | | 4"x4" (102x102mm) | US3 | 74.95 | 3 | 48 | 471 |
| | | | US10 | 60.60 | 3 | 48 | 471 |
| | | | US10B | 74.95 | 3 | 48 | 471 |
| US26 | | | 83.35 | 3 | 48 | 471 | |
| | | US26D | 65.85 | 3 | 48 | 471 | |
| | | US32D | 84.85 | 3 | 48 | 471 | |
| | | 4½"x4" (114x102mm) | US3 | 84.80 | 3 | 48 | 471 |
| | | | US10 | 59.85 | 3 | 48 | 471 |
| US10B | 84.80 | | 3 | 48 | 471 | | |
| US26 | 84.80 | | 3 | 48 | 471 | | |
| | | US26D | 74.10 | 3 | 48 | 471 | |
| | | US32D | 78.75 | 3 | 48 | 471 | |

U/M is each unless otherwise noted.




Architectural Hinges



800

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|------------------------|--------|--------|----------|-----------|------------|
| 800 (continued) | 4½"x4½" (114x114mm) | US3 | 76.15 | 3 | 48 | 471 |
| | | US10 | 54.05 | 3 | 48 | 471 |
| | | US10B | 76.15 | 3 | 48 | 471 |
| | | US26 | 84.80 | 3 | 48 | 471 |
| | | US26D | 66.70 | 3 | 48 | 471 |
| | 5"x4" (127x102mm) | US32D | 78.75 | 3 | 48 | 471 |
| | | US3 | 107.80 | 3 | 24 | 471 |
| | | US10 | 81.05 | 3 | 24 | 471 |
| | | US10B | 107.80 | 3 | 24 | 471 |
| | | US26 | 107.80 | 3 | 24 | 471 |
| | 5"x4½" (127x114mm) | US26D | 94.15 | 3 | 24 | 471 |
| | | US32D | 110.50 | 3 | 24 | 471 |
| | | US3 | 107.80 | 3 | 24 | 471 |
| | | US10 | 81.05 | 3 | 24 | 471 |
| | | US10B | 107.80 | 3 | 24 | 471 |
| 5"x5" (127x127mm) | US26 | 107.80 | 3 | 24 | 471 | |
| | US26D | 94.15 | 3 | 24 | 471 | |
| | US32D | 110.50 | 3 | 24 | 471 | |
| | US3 | 107.80 | 3 | 24 | 471 | |
| | US10 | 81.05 | 3 | 24 | 471 | |
| | | US10B | 107.80 | 3 | 24 | 471 |
| | | US26 | 107.80 | 3 | 24 | 471 |
| | | US26D | 94.15 | 3 | 24 | 471 |
| | | US32D | 110.50 | 3 | 24 | 471 |
| | | US3 | 107.80 | 3 | 24 | 471 |



AB800

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|-----------------------|--------|--------|----------|-----------|------------|
| AB800 Brass or Stainless Full Mortise Standard Weight Concealed Anti-Friction Bearing Three Knuckle | 3½"x3½" (89x89mm) | US3SC* | 214.70 | 2 | 100 | 471 |
| | | US3 | 111.30 | 2 | 100 | 471 |
| | | US10 | 89.75 | 2 | 100 | 471 |
| | | US10B | 111.30 | 2 | 100 | 471 |
| | | US26 | 111.30 | 2 | 100 | 471 |
| | 4"x4" (102x102mm) | US26D | 89.05 | 2 | 100 | 471 |
| | | US32D | 129.15 | 2 | 100 | 471 |
| | | US3SC* | 209.25 | 3 | 48 | 471 |
| | | US3 | 108.35 | 3 | 48 | 471 |
| | | US10 | 95.45 | 3 | 48 | 471 |
| | 4½"x4" (114x102mm) | US10B | 108.35 | 3 | 48 | 471 |
| | | US26 | 120.60 | 3 | 48 | 471 |
| | | US26D | 96.55 | 3 | 48 | 471 |
| | | US32D | 114.65 | 3 | 48 | 471 |
| | | US3SC* | 291.10 | 3 | 48 | 100 |
| | | US3 | 121.70 | 3 | 48 | 100 |
| | | US10 | 95.55 | 3 | 48 | 100 |
| | | US10B | 109.55 | 3 | 48 | 100 |
| | | US26 | 121.70 | 3 | 48 | 100 |
| | | US26D | 97.65 | 3 | 48 | 100 |
| | | US32D | 115.60 | 3 | 48 | 100 |



U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com


* US3SC Minimum Order Quantity 12 each

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges



AB800

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|------------------------|--------|--------|----------|-----------|------------|
| AB800 (continued) | 4½"x4½" (114x114mm) | US3SC* | 291.10 | 3 | 48 | 100 |
| | | US3 | 109.55 | 3 | 48 | 100 |
| | | US10 | 86.20 | 3 | 48 | 100 |
| | | US10B | 109.55 | 3 | 48 | 100 |
| | | US26 | 109.55 | 3 | 48 | 100 |
| | | US26D | 97.65 | 3 | 48 | 100 |
| | | US32D | 126.85 | 3 | 48 | 100 |
| | 5"x4" (127x102mm) | US3SC* | 405.75 | 3 | 24 | 471 |
| | | US3 | 151.50 | 3 | 24 | 471 |
| | | US10 | 120.10 | 3 | 24 | 471 |
| | | US10B | 151.50 | 3 | 24 | 471 |
| | | US26 | 151.50 | 3 | 24 | 471 |
| | | US26D | 131.95 | 3 | 24 | 471 |
| | | US32D | 161.15 | 3 | 24 | 471 |
| | 5"x4½" (127x114mm) | US3SC* | 405.75 | 3 | 24 | 471 |
| | | US3 | 151.50 | 3 | 24 | 471 |
| | | US10 | 120.10 | 3 | 24 | 471 |
| | | US10B | 151.50 | 3 | 24 | 471 |
| | | US26 | 151.50 | 3 | 24 | 471 |
| | | US26D | 131.90 | 3 | 24 | 471 |
| | | US32D | 161.15 | 3 | 24 | 471 |
| 5"x5" (127x127mm) | US3SC* | 405.75 | 3 | 24 | 471 | |
| | US3 | 151.50 | 3 | 24 | 471 | |
| | US10 | 120.10 | 3 | 24 | 471 | |
| | US10B | 151.50 | 3 | 24 | 471 | |
| | US26 | 151.50 | 3 | 24 | 471 | |
| | US26D | 131.95 | 3 | 24 | 471 | |
| | US32D | 176.80 | 3 | 24 | 471 | |



WTAB800


| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|-----------------------|--------|--------|----------|-----------|------------|
| WTAB800 Wide Throw Brass or Stainless Full Mortise Standard Weight Concealed Anti-Friction Bearing Three Knuckle | 4½"x5" (114x127mm) | LS | 185.80 | 3 | 24 | 471 |
| | | US3 | 240.60 | 3 | 24 | 471 |
| | | US10 | 185.80 | 3 | 24 | 471 |
| | | US10B | 240.60 | 3 | 24 | 471 |
| | | US26 | 240.60 | 3 | 24 | 471 |
| | | US26D | 214.25 | 3 | 24 | 471 |
| | | US32 | 257.15 | 3 | 24 | 471 |
| | | US32D | 257.15 | 3 | 24 | 471 |
| | 4½"x6" (114x152mm) | LS | 199.00 | 3 | 24 | 471 |
| | | US3 | 250.65 | 3 | 24 | 471 |
| | | US10 | 199.00 | 3 | 24 | 471 |
| | | US10B | 250.65 | 3 | 24 | 471 |
| | | US26 | 250.65 | 3 | 24 | 471 |
| | | US26D | 228.60 | 3 | 24 | 471 |
| | US32 | 267.30 | 3 | 24 | 471 | |
| | US32D | 267.30 | 3 | 24 | 471 | |

* US3SC Minimum Order Quantity 12 each

U/M is each unless otherwise noted.




Architectural Hinges



WTAB800

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|-----------------------|--------|--------|----------|-----------|------------|
| WTAB800 (continued) | 4½"x7" (114x178mm) | LS | 206.90 | 3 | 24 | 471 |
| | | US3 | 259.60 | 3 | 24 | 471 |
| | | US10 | 206.90 | 3 | 24 | 471 |
| | | US10B | 259.60 | 3 | 24 | 471 |
| | | US26 | 259.60 | 3 | 24 | 471 |
| | | US26D | 239.75 | 3 | 24 | 471 |
| | | US32 | 278.65 | 3 | 24 | 471 |
| | | US32D | 278.65 | 3 | 24 | 471 |
| | 4½"x8" (114x203mm) | LS | 219.80 | 3 | 24 | 471 |
| | | US3 | 273.15 | 3 | 24 | 471 |
| | | US10 | 219.80 | 3 | 24 | 471 |
| | | US10B | 273.15 | 3 | 24 | 471 |
| | | US26 | 273.15 | 3 | 24 | 471 |
| | | US26D | 242.55 | 3 | 24 | 471 |
| | | US32 | 289.95 | 3 | 24 | 471 |
| | | US32D | 289.95 | 3 | 24 | 471 |
| | 5"x6" (127x152mm) | LS | 222.50 | 3 | 24 | 471 |
| | | US3 | 279.30 | 3 | 24 | 471 |
| | | US10 | 222.50 | 3 | 24 | 471 |
| | | US10B | 279.30 | 3 | 24 | 471 |
| | | US26 | 279.30 | 3 | 24 | 471 |
| | | US26D | 250.65 | 3 | 24 | 471 |
| | | US32 | 301.95 | 3 | 24 | 471 |
| | | US32D | 301.95 | 3 | 24 | 471 |
| 5"x7" (127x178mm) | LS | 225.55 | 3 | 24 | 471 | |
| | US3 | 284.40 | 3 | 24 | 471 | |
| | US10 | 225.55 | 3 | 24 | 471 | |
| | US10B | 284.40 | 3 | 24 | 471 | |
| | US26 | 284.40 | 3 | 24 | 471 | |
| | US26D | 253.65 | 3 | 24 | 471 | |
| | US32 | 305.15 | 3 | 24 | 471 | |
| | US32D | 305.15 | 3 | 24 | 471 | |
| 5"x8" (127x203mm) | LS | 253.15 | 3 | 24 | 471 | |
| | US3 | 307.60 | 3 | 24 | 471 | |
| | US10 | 253.15 | 3 | 24 | 471 | |
| | US10B | 307.60 | 3 | 24 | 471 | |
| | US26 | 307.60 | 3 | 24 | 471 | |
| | US26D | 273.30 | 3 | 24 | 471 | |
| | US32 | 328.25 | 3 | 24 | 471 | |
| | US32D | 328.25 | 3 | 24 | 471 | |



AB801

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|---------|--------|--------|----------|-----------|------------|
| AB801 | 4½" | US26D | 237.15 | 3 | 48 | 471 |
| Brass or Stainless | (114mm) | US32D | 329.25 | 3 | 48 | 471 |
| Half Mortise | 5" | US26D | 271.10 | 3 | 24 | 471 |
| Standard Weight Concealed Anti-Friction Bearing | (127mm) | US32D | 387.00 | 3 | 24 | 471 |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges




AB802

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---------------------------------|---------|--------|--------|----------|-----------|------------|
| AB802 | 4½" | US26D | 237.15 | 3 | 48 | 471 |
| Brass or Stainless | (114mm) | US32D | 329.25 | 3 | 48 | 471 |
| Full Surface | 5" | US26D | 271.10 | 3 | 24 | 471 |
| Standard Weight | (127mm) | US32D | 387.00 | 3 | 24 | 471 |
| Concealed Anti-Friction Bearing | | | | | | |



AB803

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---------------------------------|---------|--------|--------|----------|-----------|------------|
| AB803 | 4½" | US26D | 237.15 | 3 | 48 | 471 |
| Brass or Stainless | (114mm) | US32D | 329.25 | 3 | 48 | 471 |
| Half Surface | 5" | US26D | 271.10 | 3 | 48 | 471 |
| Standard Weight | (127mm) | US32D | 387.00 | 3 | 48 | 471 |
| Concealed Anti-Friction Bearing | | | | | | |



AB850


| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---------------------------------|-------------|--------|--------|----------|-----------|------------|
| AB850 | 4½"x4" | US3SC* | 454.80 | 3 | 24 | 100 |
| Brass or Stainless | (114x102mm) | US3 | 190.15 | 3 | 24 | 100 |
| Full Mortise | | US10 | 140.15 | 3 | 24 | 100 |
| Heavy Weight | | US10B | 171.15 | 3 | 24 | 100 |
| Concealed Anti-Friction Bearing | | US26 | 190.15 | 3 | 24 | 100 |
| Three Knuckle | | US26D | 150.90 | 3 | 24 | 100 |
| | | US32D | 181.85 | 3 | 24 | 100 |
| | 4½"x4½" | US3SC* | 454.80 | 3 | 24 | 100 |
| | (114x114mm) | US3 | 189.15 | 3 | 24 | 100 |
| | | US10 | 139.50 | 3 | 24 | 100 |
| | | US10B | 170.30 | 3 | 24 | 100 |
| | | US26 | 189.15 | 3 | 24 | 100 |
| | | US26D | 149.85 | 3 | 24 | 100 |
| | | US32D | 181.05 | 3 | 24 | 100 |
| | 5"x4" | US3SC* | 520.15 | 3 | 24 | 471 |
| | (127x102mm) | US3 | 215.55 | 3 | 24 | 471 |
| | | US10 | 179.05 | 3 | 24 | 471 |
| | | US10B | 215.55 | 3 | 24 | 471 |
| | | US26 | 215.55 | 3 | 24 | 471 |
| | | US26D | 171.45 | 3 | 24 | 471 |
| | | US32D | 206.55 | 3 | 24 | 471 |
| | 5"x4½" | US3SC* | 520.15 | 3 | 24 | 100 |
| | (137x114mm) | US3 | 215.55 | 3 | 24 | 100 |
| | | US10 | 179.05 | 3 | 24 | 100 |
| | | US10B | 215.55 | 3 | 24 | 100 |
| | | US26 | 215.55 | 3 | 24 | 100 |
| | | US26D | 171.45 | 3 | 24 | 100 |
| | | US32D | 206.55 | 3 | 24 | 100 |
| | 5"x5" | US3SC* | 520.15 | 3 | 24 | 471 |
| | (127x127mm) | US3 | 215.55 | 3 | 24 | 471 |
| | | US10 | 179.05 | 3 | 24 | 471 |
| | | US10B | 215.55 | 3 | 24 | 471 |
| | | US26 | 215.55 | 3 | 24 | 471 |
| | | US26D | 190.40 | 3 | 24 | 471 |
| | | US32D | 206.55 | 3 | 24 | 471 |

* US3SC Minimum Order Quantity 12 each

U/M is each unless otherwise noted.




Architectural Hinges



AB850

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|-----------------------|--------|--------|----------|-----------|------------|
| AB850 (continued) | 6"x4½" (152x114mm) | US3 | 328.20 | 3 | 24 | 471 |
| | | US10 | 260.80 | 3 | 24 | 471 |
| | | US10B | 328.20 | 3 | 24 | 471 |
| | | US26 | 328.20 | 3 | 24 | 471 |
| | | US26D | 289.75 | 3 | 24 | 471 |
| | | US32D | 349.45 | 3 | 24 | 471 |
| | 6"x5" (152x127mm) | US3 | 328.20 | 3 | 24 | 471 |
| | | US10 | 260.80 | 3 | 24 | 471 |
| | | US10B | 328.20 | 3 | 24 | 471 |
| | | US26 | 328.20 | 3 | 24 | 471 |
| | | US26D | 289.75 | 3 | 24 | 471 |
| | | US32D | 349.45 | 3 | 24 | 471 |
| 6"x6" (152x152mm) | US26D | 317.35 | 3 | 24 | 471 | |
| | US32D | 382.75 | 3 | 24 | 471 | |



WTAB850

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|-----------------------|--------|--------|----------|-----------|------------|
| WTAB850 Wide Throw Brass or Stainless Steel Full Mortise Heavy Weight Concealed Anti-Friction Bearing Three Knuckle | 4½"x5" (114x127mm) | LS | 266.40 | 3 | 24 | 471 |
| | | US3 | 331.95 | 3 | 24 | 471 |
| | | US10 | 266.40 | 3 | 24 | 471 |
| | | US10B | 331.95 | 3 | 24 | 471 |
| | | US26 | 331.95 | 3 | 24 | 471 |
| | | US26D | 294.40 | 3 | 24 | 471 |
| | | US32 | 358.30 | 3 | 24 | 471 |
| | | US32D | 358.30 | 3 | 24 | 471 |
| | 4½"x6" (114x152mm) | LS | 279.55 | 3 | 24 | 471 |
| | | US3 | 342.20 | 3 | 24 | 471 |
| | | US10 | 279.55 | 3 | 24 | 471 |
| | | US10B | 342.20 | 3 | 24 | 471 |
| | | US26 | 342.20 | 3 | 24 | 471 |
| | | US26D | 308.80 | 3 | 24 | 471 |
| | | US32 | 368.60 | 3 | 24 | 471 |
| | | US32D | 368.60 | 3 | 24 | 471 |
| | 4½"x7" (114x178mm) | LS | 287.50 | 3 | 24 | 471 |
| | | US3 | 350.90 | 3 | 24 | 471 |
| | | US10 | 287.50 | 3 | 24 | 471 |
| | | US10B | 350.90 | 3 | 24 | 471 |
| | | US26 | 350.90 | 3 | 24 | 471 |
| | | US26D | 319.90 | 3 | 24 | 471 |
| | | US32 | 377.35 | 3 | 24 | 471 |
| | | US32D | 377.35 | 3 | 24 | 471 |
| 4½"x8" (114x203mm) | LS | 300.50 | 3 | 24 | 471 | |
| | US3 | 364.55 | 3 | 24 | 471 | |
| | US10 | 300.50 | 3 | 24 | 471 | |
| | US10B | 364.55 | 3 | 24 | 471 | |
| | US26 | 364.55 | 3 | 24 | 471 | |
| | US26D | 324.30 | 3 | 24 | 471 | |
| | US32 | 392.15 | 3 | 24 | 471 | |
| | US32D | 392.15 | 3 | 24 | 471 | |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.


- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges




| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|----------------------|--------|--------|----------|-----------|------------|
| WTAB850 (continued) | 5"x6" (127x152mm) | LS | 302.45 | 3 | 24 | 471 |
| | | US3 | 368.15 | 3 | 24 | 471 |
| | | US10 | 302.45 | 3 | 24 | 471 |
| | | US10B | 368.15 | 3 | 24 | 471 |
| | | US26 | 368.15 | 3 | 24 | 471 |
| | | US26D | 329.10 | 3 | 24 | 471 |
| | | US32 | 397.90 | 3 | 24 | 471 |
| | US32D | 397.90 | 3 | 24 | 471 | |
| | 5"x7" (127x178mm) | LS | 305.40 | 3 | 24 | 471 |
| | | US3 | 371.35 | 3 | 24 | 471 |
| | | US10 | 305.40 | 3 | 24 | 471 |
| | | US10B | 371.35 | 3 | 24 | 471 |
| | | US26 | 371.35 | 3 | 24 | 471 |
| | | US26D | 332.45 | 3 | 24 | 471 |
| US32 | | 401.00 | 3 | 24 | 471 | |
| US32D | 401.00 | 3 | 24 | 471 | | |
| 5"x8" (127x203mm) | LS | 332.95 | 3 | 24 | 471 | |
| | US3 | 394.45 | 3 | 24 | 471 | |
| | US10 | 332.95 | 3 | 24 | 471 | |
| | US10B | 394.45 | 3 | 24 | 471 | |
| | US26 | 394.45 | 3 | 24 | 471 | |
| | US26D | 350.30 | 3 | 24 | 471 | |
| | US32 | 424.10 | 3 | 24 | 471 | |
| US32D | 424.10 | 3 | 24 | 471 | | |



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|------------------------|--------|--------|----------|-----------|------------|
| IHTAB850 Stainless Full Mortise Heavy Weight | 4½"x4½" (114x114mm) | US32D | 175.35 | 3 | 24 | 471 |
| Concealed Anti-Friction Bearing Institutional or Prison Welded Tip | 5"x4½" (127x114mm) | US32D | 241.45 | 3 | 24 | 471 |



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|-------------|--------|--------|----------|-----------|------------|
| AB851 Brass or Stainless Half Mortise Heavy Weight | 4½" (114mm) | US26D | 279.35 | 3 | 36 | 471 |
| | | US32D | 399.05 | 3 | 36 | 471 |
| Concealed Anti-Friction Bearing | 5" (127mm) | US26D | 327.10 | 3 | 24 | 471 |
| | | US32D | 467.30 | 3 | 24 | 471 |
| | 6" (152mm) | US26D | 450.80 | 3 | 12 | 471 |
| | | US32D | 586.00 | 3 | 12 | 471 |





| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|-------------|--------|--------|----------|-----------|------------|
| AB852 Brass or Stainless Full Surface Heavy Weight | 4½" (114mm) | US26D | 270.95 | 3 | 36 | 471 |
| | | US32D | 387.00 | 3 | 36 | 471 |
| Concealed Anti-Friction Bearing | 5" (127mm) | US26D | 317.80 | 3 | 24 | 471 |
| | | US32D | 454.00 | 3 | 24 | 471 |
| | 6" (152mm) | US26D | 450.80 | 3 | 12 | 471 |
| | | US32D | 586.00 | 3 | 12 | 471 |

U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com




Architectural Hinges




AB853

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|-------------|--------|--------|----------|-----------|------------|
| AB853 Brass or Stainless Half Surface | 4½" (114mm) | US26D | 304.65 | 3 | 36 | 471 |
| | | US32D | 399.05 | 3 | 36 | 471 |
| Heavy Weight Concealed Anti-Friction Bearing | 5" (127mm) | US26D | 356.50 | 3 | 24 | 471 |
| | | US32D | 467.30 | 3 | 24 | 471 |
| | 6" (152mm) | US26D | 450.55 | 3 | 12 | 471 |
| | | US32D | 585.65 | 3 | 12 | 471 |



920

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|------------------------|----------|-------|----------|-----------|------------|
| 920 Steel Full Mortise Standard Weight Plain Bearing Two Knuckle Specify Handing | 4½"x4" (114x102mm) | LH USP | 18.15 | 3 | 48 | 471 |
| | | RH USP | 18.15 | 3 | 48 | 471 |
| | | LH US10 | 21.05 | 3 | 48 | 471 |
| | | RH US10 | 21.05 | 3 | 48 | 471 |
| | | LH US10A | 33.35 | 3 | 48 | 471 |
| | | RH US10A | 33.35 | 3 | 48 | 471 |
| | | LH US26D | 27.70 | 3 | 48 | 471 |
| | | RH US26D | 27.70 | 3 | 48 | 471 |
| | 4½"x4½" (114x114mm) | LH USP | 18.15 | 3 | 48 | 471 |
| | | RH USP | 18.15 | 3 | 48 | 471 |
| | | LH US10 | 21.05 | 3 | 48 | 471 |
| | | RH US10 | 21.05 | 3 | 48 | 471 |
| | | LH US10A | 33.35 | 3 | 48 | 471 |
| | | RH US10A | 33.35 | 3 | 48 | 471 |
| | | LH US26D | 27.70 | 3 | 48 | 471 |
| | | RH US26D | 27.70 | 3 | 48 | 471 |



AB920

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|-----------------------|------------------------|--------|----------|-----------|------------|
| AB920 Steel Full Mortise Standard Weight Concealed Anti-Friction Bearing Two Knuckle Specify Handing | 4½"x4" (114x102mm) | LH USP | 34.40 | 3 | 48 | 471 |
| | | RH USP | 34.40 | 3 | 48 | 471 |
| | | LH US10 | 37.35 | 3 | 48 | 471 |
| | | RH US10 | 37.35 | 3 | 48 | 471 |
| | | LH US10A | 51.35 | 3 | 48 | 471 |
| | | RH US10A | 51.35 | 3 | 48 | 471 |
| | | LH US26D | 43.40 | 3 | 48 | 471 |
| | | RH US26D | 43.40 | 3 | 48 | 471 |
| | | 4½"x4½" (114x114mm) | LH USP | 34.40 | 3 | 48 |
| | RH USP | | 34.40 | 3 | 48 | 471 |
| | LH US10 | | 37.35 | 3 | 48 | 471 |
| | RH US10 | | 37.35 | 3 | 48 | 471 |
| | LH US10A | | 51.35 | 3 | 48 | 471 |
| | RH US10A | | 51.35 | 3 | 48 | 471 |
| | LH US26D | | 43.40 | 3 | 48 | 471 |
| | RH US26D | | 43.40 | 3 | 48 | 471 |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges



AB923

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|------------------------|----------|--------|----------|-----------|------------|
| AB923 Brass or Stainless Full Mortise Standard Weight Concealed Anti-Friction Bearing Two Knuckle Specify Handing | 4½"x4" (114x102mm) | LH US3 | 122.65 | 3 | 48 | 471 |
| | | RH US3 | 122.65 | 3 | 48 | 471 |
| | | LH US4 | 96.05 | 3 | 48 | 471 |
| | | RH US4 | 96.05 | 3 | 48 | 471 |
| | | LH US10 | 96.05 | 3 | 48 | 471 |
| | | RH US10 | 96.05 | 3 | 48 | 471 |
| | | LH US10B | 122.65 | 3 | 48 | 471 |
| | | RH US10B | 122.65 | 3 | 48 | 471 |
| | | LH US26 | 122.65 | 3 | 48 | 471 |
| | | RH US26 | 122.65 | 3 | 48 | 471 |
| | LH US26D | 109.00 | 3 | 48 | 471 | |
| | RH US26D | 109.00 | 3 | 48 | 471 | |
| | LH US32 | 142.85 | 3 | 48 | 471 | |
| | RH US32 | 142.85 | 3 | 48 | 471 | |
| | LH US32D | 142.85 | 3 | 48 | 471 | |
| | RH US32D | 142.85 | 3 | 48 | 471 | |
| | 4½"x4½" (114x114mm) | LH US3 | 122.65 | 3 | 48 | 471 |
| | | RH US3 | 122.65 | 3 | 48 | 471 |
| | | LH US4 | 96.05 | 3 | 48 | 471 |
| | | RH US4 | 96.05 | 3 | 48 | 471 |
| LH US10 | | 96.05 | 3 | 48 | 471 | |
| RH US10 | | 96.05 | 3 | 48 | 471 | |
| LH US10B | | 122.65 | 3 | 48 | 471 | |
| RH US10B | | 122.65 | 3 | 48 | 471 | |
| LH US26 | | 122.65 | 3 | 48 | 471 | |
| RH US26 | | 122.65 | 3 | 48 | 471 | |
| LH US26D | 109.00 | 3 | 48 | 471 | | |
| RH US26D | 109.00 | 3 | 48 | 471 | | |
| LH US32 | 142.85 | 3 | 48 | 471 | | |
| RH US32 | 142.85 | 3 | 48 | 471 | | |
| LH US32D | 142.85 | 3 | 48 | 471 | | |
| RH US32D | 142.85 | 3 | 48 | 471 | | |



AB930


| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|------------------------|----------|--------|----------|-----------|------------|
| AB930 Steel Full Mortise Heavy Weight Two Knuckle Bearing Specify Handing | 4½"x4½" (114x114mm) | LH USP | 89.50 | 3 | 24 | 471 |
| | | RH USP | 89.50 | 3 | 24 | 471 |
| | | LH US10 | 104.50 | 3 | 24 | 471 |
| | | RH US10 | 104.50 | 3 | 24 | 471 |
| | | LH US10A | 127.30 | 3 | 24 | 471 |
| | | RH US10A | 127.30 | 3 | 24 | 471 |
| | | LH US26D | 98.80 | 3 | 24 | 471 |
| | | RH US26D | 98.80 | 3 | 24 | 471 |

U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com




Architectural Hinges




AB933

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---------------------|-------------|----------|--------|----------|-----------|------------|
| AB933 | 4½"x4½" | LH US3 | 183.25 | 3 | 24 | 471 |
| Brass or Stainless | (114x114mm) | RH US3 | 183.25 | 3 | 24 | 471 |
| Full Mortise | | LH US4 | 149.90 | 3 | 24 | 471 |
| Heavy Weight | | RH US4 | 149.90 | 3 | 24 | 471 |
| Two Knuckle Bearing | | LH US10 | 149.90 | 3 | 24 | 471 |
| Specify Handing | | RH US10 | 149.90 | 3 | 24 | 471 |
| | | LH US10B | 183.25 | 3 | 24 | 471 |
| | | RH US10B | 183.25 | 3 | 24 | 471 |
| | | LH US26 | 183.25 | 3 | 24 | 471 |
| | | RH US26 | 183.25 | 3 | 24 | 471 |
| | | LH US26D | 161.65 | 3 | 24 | 471 |
| | | RH US26D | 161.65 | 3 | 24 | 471 |
| | | LH US32 | 213.85 | 3 | 24 | 471 |
| | | RH US32 | 213.85 | 3 | 24 | 471 |
| | | LH US32D | 213.85 | 3 | 24 | 471 |
| | | RH US32D | 213.85 | 3 | 24 | 471 |




IHTHB953

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------------------|-------------|--------|--------|----------|-----------|------------|
| IHTHB953 | 4½"x4½" | US32D | 174.45 | 3 | 24 | 471 |
| Stainless Steel | (114x114mm) | | | | | |
| Full Mortise | | | | | | |
| Heavy Weight | | | | | | |
| Concealed Bearing | | | | | | |
| Institutional or Prison | | | | | | |
| Welded Tip | | | | | | |
| Standard with RSS and Torx screws | | | | | | |



990

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---------------|------------|--------|-------|----------|-----------|------------|
| 990 | 3"x4" | USP | 76.55 | 2 | 10 | 471 |
| Steel | (76x102mm) | | | | | |
| Utility Hinge | | | | | | |
| Full Surface | | | | | | |
| Welded Tip | | | | | | |



992

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-------------------------|------------|--------|--------|----------|-----------|------------|
| 992 | 3"x4" | USP | 171.10 | 1 | 12 | 471 |
| Steel | (76x102mm) | | | | | |
| Food Pass Through Hinge | | | | | | |
| Full Surface With Stop | | | | | | |
| Welded Tip | | | | | | |

U/M—Set

1 set consists of 2 Hinges, 2 Stops & Fasteners



BB1109

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------|---------|--------|--------|----------|-----------|------------|
| BB1109 | 4½" | US10 | 162.15 | 3 | 48 | 471 |
| Brass or Stainless | (114mm) | US10B | 202.65 | 3 | 48 | 471 |
| Half Mortise | | US26D | 174.55 | 3 | 48 | 471 |
| Standard Weight | | US32D | 236.45 | 3 | 48 | 471 |
| Ball Bearing | 5" | US10 | 212.45 | 3 | 36 | 471 |
| | (127mm) | US10B | 240.05 | 3 | 36 | 471 |
| | | US26D | 207.15 | 3 | 36 | 471 |
| | | US32D | 285.45 | 3 | 36 | 471 |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges




1129

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---------------------|---------|--------|-------|----------|-----------|------------|
| 1129 | 4½" | USP | 32.30 | 3 | 48 | 103 |
| Steel, Half Mortise | (114mm) | US10 | 37.45 | 3 | 48 | 103 |
| Standard Weight | | US10A | 55.65 | 3 | 48 | 103 |
| Plain Bearing | | US26D | 42.40 | 3 | 48 | 103 |



BB1129


| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------|---------|--------|--------|----------|-----------|------------|
| BB1129 | 4½" | USP | 67.95 | 3 | 48 | 100 |
| Steel | (114mm) | US10 | 73.05 | 3 | 48 | 100 |
| Half Mortise | | US10A | 106.95 | 3 | 48 | 100 |
| Standard Weight | | US26D | 81.90 | 3 | 48 | 100 |
| Ball Bearing | 5" | USP | 95.60 | 3 | 36 | 100 |
| | (127mm) | US10 | 112.95 | 3 | 36 | 100 |
| | | US10A | 142.25 | 3 | 36 | 100 |
| | | US26D | 122.50 | 3 | 36 | 100 |



BB1138

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------|------------|--------|--------|----------|-----------|------------|
| BB1138 | 4½" | 26D | 190.65 | 3 | 48 | 471 |
| Steel | (114mm) | USP | 146.40 | 3 | 48 | 471 |
| Half Mortise | | US10 | 153.75 | 3 | 48 | 471 |
| Heavy Weight | | US10A | 219.25 | 3 | 48 | 471 |
| Ball Bearing | 5" | 26D | 203.80 | 3 | 24 | 471 |
| | (127mm) | USP | 187.40 | 3 | 24 | 471 |
| | | US10 | 201.00 | 3 | 24 | 471 |
| | | US10A | 241.90 | 3 | 24 | 471 |
| | 6"x1¾" | 26D | 266.10 | 3 | 24 | 471 |
| | (152x45mm) | USP | 215.55 | 3 | 24 | 471 |
| | | US10 | 226.35 | 3 | 24 | 471 |
| | | US10A | 306.05 | 3 | 24 | 471 |

6" - Specify Door Thickness if other than 1¾"



1150



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------|-------------|--------|--------|----------|-----------|------------|
| 1150 | 4½"x4" | US32 | 103.85 | 3 | 48 | 400 |
| Stainless Steel | (114x102mm) | US32D | 97.95 | 3 | 48 | 400 |
| Full Mortise | 4½"x4½" | US32 | 103.85 | 3 | 48 | 400 |
| Standard Weight | (114x114mm) | US32D | 97.95 | 3 | 48 | 400 |
| Spring Hinge | | | | | | |



BB1160

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------|-------------|----------|--------|----------|-----------|------------|
| BB1160 | 5"x4½" | LH USP | 250.45 | 1 | 10 | 471 |
| Steel | (127x114mm) | RH USP | 250.45 | 1 | 10 | 471 |
| Full Mortise | | LH US10 | 309.30 | 1 | 10 | 471 |
| Heavy Weight | | RH US10 | 309.30 | 1 | 10 | 471 |
| Ball Bearing | | LH US10A | 379.20 | 1 | 10 | 471 |
| Anchor Hinge | | RH US10A | 379.20 | 1 | 10 | 471 |
| Specify Handing | | LH US26D | 303.70 | 1 | 10 | 471 |
| | | RH US26D | 303.70 | 1 | 10 | 471 |

Add 2 Each 5"x4½" BB1168 for Set

U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com




Architectural Hinges



BB1162

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------|-------------|----------|--------|----------|-----------|------------|
| BB1162 | 5"x4½" | LH USP | 250.45 | 1 | 10 | 471 |
| Steel | (127x114mm) | RH USP | 250.45 | 1 | 10 | 471 |
| Full Mortise | | LH US10 | 309.30 | 1 | 10 | 471 |
| Heavy Weight | | RH US10 | 309.30 | 1 | 10 | 471 |
| Ball Bearing | | LH US10A | 379.20 | 1 | 10 | 471 |
| Anchor Hinge | | RH US10A | 379.20 | 1 | 10 | 471 |
| Specify Handing | | LH US26D | 303.70 | 1 | 10 | 471 |
| | | RH US26D | 303.70 | 1 | 10 | 471 |

Add 2 Each 5"x4½" BB1168 for Set



BB1163

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------|------------|--------|--------|----------|-----------|------------|
| BB1163 | 4½" | LS | 148.50 | 3 | 36 | 100 |
| Steel | (114mm) | USP | 127.20 | 3 | 36 | 100 |
| Half Surface | | US3 | 174.00 | 3 | 36 | 100 |
| Heavy Weight | | US10 | 148.55 | 3 | 36 | 100 |
| Ball Bearing | | US10A | 174.00 | 3 | 36 | 100 |
| | | US26 | 174.00 | 3 | 36 | 100 |
| | | US26D | 139.10 | 3 | 36 | 100 |
| | 5" | LS | 170.75 | 3 | 24 | 100 |
| | (127mm) | USP | 146.15 | 3 | 24 | 100 |
| | | US3 | 198.65 | 3 | 24 | 100 |
| | | US10 | 170.75 | 3 | 24 | 100 |
| | | US10A | 198.65 | 3 | 24 | 100 |
| | | US26 | 198.65 | 3 | 24 | 100 |
| | | US26D | 159.10 | 3 | 24 | 100 |
| | 6"x1¾" | USP | 242.00 | 3 | 12 | 471 |
| | (152x45mm) | US10 | 254.20 | 3 | 12 | 471 |
| | | US10A | 306.05 | 3 | 12 | 471 |
| | | US26D | 266.10 | 3 | 12 | 471 |

6" - Specify Door Thickness if other than 1¾"



BB1165

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------|-------------|----------|--------|----------|-----------|------------|
| BB1165 | 5"x4½" | LH USP | 250.45 | 1 | 10 | 471 |
| Steel | (127x114mm) | RH USP | 250.45 | 1 | 10 | 471 |
| Full Mortise | | LH US10 | 309.30 | 1 | 10 | 471 |
| Heavy Weight | | RH US10 | 309.30 | 1 | 10 | 471 |
| Ball Bearing | | LH US10A | 379.20 | 1 | 10 | 471 |
| Anchor Hinge | | RH US10A | 379.20 | 1 | 10 | 471 |
| Specify Handing | | LH US26D | 303.70 | 1 | 10 | 471 |
| | | RH US26D | 303.70 | 1 | 10 | 471 |

Add 2 Each 5"x4½" BB1168 for Set



BB1166

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------|-------------|----------|--------|----------|-----------|------------|
| BB1166 | 5"x4½" | LH USP | 258.70 | 1 | 10 | 471 |
| Steel | (127x114mm) | RH USP | 258.70 | 1 | 10 | 471 |
| Full Mortise | | LH US10 | 319.65 | 1 | 10 | 471 |
| Heavy Weight | | RH US10 | 319.65 | 1 | 10 | 471 |
| Ball Bearing | | LH US10A | 391.80 | 1 | 10 | 471 |
| Anchor Hinge | | RH US10A | 391.80 | 1 | 10 | 471 |
| Beveled Edge Doors | | LH US26D | 313.85 | 1 | 10 | 471 |
| Specify Handing | | RH US26D | 313.85 | 1 | 10 | 471 |

Add 2 Each 5"x4½" BB1168 for Set



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges



BB1167

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------|-------------|----------|--------|----------|-----------|------------|
| BB1167 | 5"x4½" | LH USP | 259.95 | 1 | 10 | 471 |
| Steel | (127x114mm) | RH USP | 259.95 | 1 | 10 | 471 |
| Full Mortise | | LH US10 | 321.05 | 1 | 10 | 471 |
| Heavy Weight | | RH US10 | 321.05 | 1 | 10 | 471 |
| Ball Bearing | | LH US10A | 393.60 | 1 | 10 | 471 |
| Anchor Hinge | | RH US10A | 393.60 | 1 | 10 | 471 |
| Beveled Edge Doors | | LH US26D | 315.30 | 1 | 10 | 471 |
| Specify Handing | | RH US26D | 315.30 | 1 | 10 | 471 |

Add 2 Each 5"x4½" BB1168 for Set




BB1168

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------|-------------|--------|--------|----------|-----------|------------|
| BB1168 | 4½"x 4" | LS | 76.75 | 3 | 12 | 100 |
| Steel | (114x102mm) | USP | 65.45 | 3 | 12 | 100 |
| Full Mortise | | US3 | 83.25 | 3 | 12 | 100 |
| Heavy Weight | | US10 | 67.95 | 3 | 12 | 100 |
| Ball Bearing | | US10A | 83.25 | 3 | 12 | 100 |
| | | US26 | 83.25 | 3 | 12 | 100 |
| | | US26D | 71.10 | 3 | 12 | 100 |
| | 4½"x 4½" | LS | 75.00 | 3 | 12 | 100 |
| | (114x114mm) | USP | 63.90 | 3 | 12 | 100 |
| | | US3 | 81.20 | 3 | 12 | 100 |
| | | US10 | 66.45 | 3 | 12 | 100 |
| | | US10A | 81.20 | 3 | 12 | 100 |
| | | US26 | 81.20 | 3 | 12 | 100 |
| | | US26D | 69.35 | 3 | 12 | 100 |
| | 5"x4" | LS | 89.10 | 3 | 12 | 100 |
| | (127x102mm) | USP | 76.65 | 3 | 12 | 100 |
| | | US3 | 107.55 | 3 | 12 | 100 |
| | | US10 | 79.15 | 3 | 12 | 100 |
| | | US10A | 107.55 | 3 | 12 | 100 |
| | | US26 | 107.55 | 3 | 12 | 100 |
| | | US26D | 81.50 | 3 | 12 | 100 |
| | 5"x4½" | LS | 89.10 | 3 | 12 | 100 |
| | (127x114mm) | USP | 76.65 | 3 | 12 | 100 |
| | | US3 | 107.55 | 3 | 12 | 100 |
| | | US10 | 79.15 | 3 | 12 | 100 |
| | | US10A | 107.55 | 3 | 12 | 100 |
| | | US26 | 107.55 | 3 | 12 | 100 |
| | | US26D | 81.50 | 3 | 12 | 100 |
| | 5"x5" | LS | 88.25 | 3 | 12 | 100 |
| | (127x127mm) | USP | 75.95 | 3 | 12 | 100 |
| | | US3 | 106.55 | 3 | 12 | 100 |
| | | US10 | 78.35 | 3 | 12 | 100 |
| | | US10A | 106.55 | 3 | 12 | 100 |
| | | US26 | 106.55 | 3 | 12 | 100 |
| | | US26D | 80.75 | 3 | 12 | 100 |
| | 6"x4½" | LS | 156.15 | 3 | 12 | 471 |
| | (152x114mm) | USP | 151.05 | 3 | 12 | 471 |
| | | US3 | 192.55 | 3 | 12 | 471 |
| | | US10 | 156.15 | 3 | 12 | 471 |
| | | US10A | 192.55 | 3 | 12 | 471 |
| | | US26 | 192.55 | 3 | 12 | 471 |
| | | US26D | 163.60 | 3 | 12 | 471 |

U/M is each unless otherwise noted.




Architectural Hinges



BB1168

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|----------------------|--------|--------|----------|-----------|------------|
| BB1168 (continued) | 6"x5" (152x127mm) | USP | 147.50 | 3 | 12 | 471 |
| | | US10 | 152.45 | 3 | 12 | 471 |
| | | US10A | 188.00 | 3 | 12 | 471 |
| | | US26D | 159.70 | 3 | 12 | 471 |
| | 6"x6" (152x152mm) | USP | 147.50 | 3 | 12 | 471 |
| | | US10 | 152.45 | 3 | 12 | 471 |
| | | US10A | 188.00 | 3 | 12 | 471 |
| | | US26D | 159.70 | 3 | 12 | 471 |
| | 8"x6" (203x152mm) | USP | 274.85 | 3 | 12 | 471 |
| | | US10 | 284.10 | 3 | 12 | 471 |
| | | US10A | 350.35 | 3 | 12 | 471 |
| | | US26D | 297.55 | 3 | 12 | 471 |
| 8"x8" (203x203mm) | USP | 274.85 | 3 | 12 | 471 | |
| | US10 | 284.10 | 3 | 12 | 471 | |
| | US10A | 350.35 | 3 | 12 | 471 | |
| | US26D | 297.55 | 3 | 12 | 471 | |



WTBB1168

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|------------------------|--------|--------|----------|-----------|------------|
| WTBB1168 Wide Throw Steel Full Mortise Heavy Weight Ball Bearing | 4½"x 5" (114x127mm) | LS | 159.35 | 3 | 24 | 100 |
| | | USP | 153.60 | 3 | 24 | 100 |
| | | US3 | 194.40 | 3 | 24 | 100 |
| | | US10 | 159.35 | 3 | 24 | 100 |
| | | US10A | 194.40 | 3 | 24 | 100 |
| | | US26 | 194.40 | 3 | 24 | 100 |
| | 4½"x6" (114x152mm) | LS | 160.10 | 3 | 24 | 100 |
| | | USP | 154.35 | 3 | 24 | 100 |
| | | US3 | 195.30 | 3 | 24 | 100 |
| | | US10 | 160.10 | 3 | 24 | 100 |
| | | US10A | 195.30 | 3 | 24 | 100 |
| | | US26 | 195.30 | 3 | 24 | 100 |
| | 4½"x7" (114x178mm) | LS | 192.40 | 3 | 24 | 471 |
| | | USP | 185.50 | 3 | 24 | 471 |
| | | US3 | 234.70 | 3 | 24 | 471 |
| | | US10 | 192.40 | 3 | 24 | 471 |
| | | US10A | 234.70 | 3 | 24 | 471 |
| | | US26 | 234.70 | 3 | 24 | 471 |
| | 4½"x8" (114x203mm) | LS | 200.75 | 3 | 24 | 471 |
| | | USP | 193.55 | 3 | 24 | 471 |
| | | US3 | 244.95 | 3 | 24 | 471 |
| | | US10 | 200.75 | 3 | 24 | 471 |
| | | US10A | 244.95 | 3 | 24 | 471 |
| | | US26 | 244.95 | 3 | 24 | 471 |
| US26D | 210.25 | 3 | 24 | 471 | | |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges




WTBB1168

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|----------------------|--------|--------|----------|-----------|------------|
| WTBB1168 (continued) | 5"x6" (127x152mm) | LS | 195.95 | 3 | 24 | 471 |
| | | USP | 188.75 | 3 | 24 | 471 |
| | | US3 | 237.70 | 3 | 24 | 471 |
| | | US10 | 196.00 | 3 | 24 | 471 |
| | | US10A | 237.70 | 3 | 24 | 471 |
| | | US26 | 237.70 | 3 | 24 | 471 |
| | | US26D | 203.15 | 3 | 24 | 471 |
| | 5"x7" (127x178mm) | LS | 198.85 | 3 | 24 | 471 |
| | | USP | 191.50 | 3 | 24 | 471 |
| | | US3 | 241.10 | 3 | 24 | 471 |
| | | US10 | 198.85 | 3 | 24 | 471 |
| | | US10A | 241.10 | 3 | 24 | 471 |
| | | US26 | 241.10 | 3 | 24 | 471 |
| | | US26D | 206.10 | 3 | 24 | 471 |
| | 5"x8" (127x203mm) | LS | 207.45 | 3 | 24 | 471 |
| | | USP | 199.80 | 3 | 24 | 471 |
| | | US3 | 251.60 | 3 | 24 | 471 |
| | | US10 | 207.45 | 3 | 24 | 471 |
| | | US10A | 251.60 | 3 | 24 | 471 |
| | | US26 | 251.60 | 3 | 24 | 471 |
| | | US26D | 215.00 | 3 | 24 | 471 |



1173

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|----------------|--------|-------|----------|-----------|------------|
| 1173 Steel Half Surface Standard Weight Plain Bearing | 3½" (89mm) | USP | 19.45 | 3 | 48 | 471 |
| | | US10 | 22.50 | 3 | 48 | 471 |
| | | US10A | 28.15 | 3 | 48 | 471 |
| | | US26D | 23.90 | 3 | 48 | 471 |
| | 4" (102mm) | USP | 33.55 | 3 | 48 | 471 |
| | | US10 | 35.65 | 3 | 48 | 471 |
| | | US10A | 43.25 | 3 | 48 | 471 |
| | | US26D | 36.80 | 3 | 48 | 471 |
| | 4½" (114mm) | USP | 30.90 | 3 | 48 | 103 |
| | | US10 | 35.85 | 3 | 48 | 103 |
| | | US10A | 53.40 | 3 | 48 | 103 |
| | | US26D | 40.75 | 3 | 48 | 103 |



BB1173


| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------|--------|--------|----------|-----------|------------|
| BB1173 Steel, Half Surface Standard Weight Ball Bearing | 4" (102mm) | USP | 49.00 | 3 | 48 | 471 |
| | | US10 | 60.30 | 3 | 48 | 471 |
| | | US10A | 77.70 | 3 | 48 | 471 |
| | | US26D | 66.85 | 3 | 48 | 471 |
| | 4½" (114mm) | USP | 56.00 | 3 | 48 | 100 |
| | | US10 | 60.30 | 3 | 48 | 100 |
| | | US10A | 88.20 | 3 | 48 | 100 |
| | | US26D | 67.55 | 3 | 48 | 100 |
| | 5" (127mm) | USP | 83.70 | 3 | 36 | 100 |
| | | US10 | 99.05 | 3 | 36 | 100 |
| | | US10A | 124.85 | 3 | 36 | 100 |
| | | US26D | 95.85 | 3 | 36 | 100 |

U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com




Architectural Hinges



BB1190

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------|-------------|----------|--------|----------|-----------|------------|
| BB1190 | 5"x4½" | LH US10 | 348.15 | 1 | 10 | 471 |
| Brass or Stainless | (127x114mm) | RH US10 | 348.15 | 1 | 10 | 471 |
| Full Mortise | | LH US10B | 416.30 | 1 | 10 | 471 |
| Heavy Weight | | RH US10B | 416.30 | 1 | 10 | 471 |
| Ball Bearing | | LH US26D | 390.95 | 1 | 10 | 471 |
| Anchor Hinge | | RH US26D | 390.95 | 1 | 10 | 471 |
| Specify Handing | | LH US32D | 449.20 | 1 | 10 | 471 |
| | | RH US32D | 449.20 | 1 | 10 | 471 |

Add 2 Each 5"x4½" BB1199 for Set



1191

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------|-------------|--------|-------|----------|-----------|------------|
| 1191 | 3"x3" | US3 | 65.80 | 2 | 100 | 471 |
| Brass or Stainless | (76x76mm) | US4 | 58.05 | 2 | 100 | 471 |
| Full Mortise | | US10 | 58.05 | 2 | 100 | 471 |
| Standard Weight | | US10B | 74.05 | 2 | 100 | 471 |
| Plain Bearing | | US26 | 74.05 | 2 | 100 | 471 |
| * SPECIFY IF ALL | | US26D | 65.60 | 2 | 100 | 471 |
| WOOD SCREWS | | US32 | 82.35 | 2 | 100 | 471 |
| ARE REQUIRED | | US32D | 82.35 | 2 | 100 | 471 |
| | 3½"x 3½" | US3 | 60.20 | 2 | 100 | 105 |
| | (89x89mm) | US4 | 47.15 | 2 | 100 | 105 |
| | | US10 | 47.15 | 2 | 100 | 105 |
| | | US10B | 60.20 | 2 | 100 | 105 |
| | | US26 | 60.20 | 2 | 100 | 105 |
| | | US26D | 53.85 | 2 | 100 | 105 |
| | | US32 | 60.35 | 2 | 100 | 105 |
| | | US32D | 55.00 | 2 | 100 | 105 |
| | 4"x3½" | US3 | 72.80 | 3 | 48 | 105 |
| | (102x89mm) | US4 | 55.55 | 3 | 48 | 105 |
| | | US10 | 55.55 | 3 | 48 | 105 |
| | | US10B | 72.80 | 3 | 48 | 105 |
| | | US26 | 72.80 | 3 | 48 | 105 |
| | | US26D | 63.45 | 3 | 48 | 105 |
| | | US32 | 80.10 | 3 | 48 | 105 |
| | | US32D | 73.00 | 3 | 48 | 105 |
| | 4"x4" | US3 | 60.95 | 3 | 48 | 105 |
| | (102x102mm) | US4 | 52.55 | 3 | 48 | 105 |
| | | US10 | 52.55 | 3 | 48 | 105 |
| | | US10B | 60.95 | 3 | 48 | 105 |
| | | US26 | 68.50 | 3 | 48 | 105 |
| | | US26D | 53.50 | 3 | 48 | 105 |
| | | US32 | 75.65 | 3 | 48 | 105 |
| | | US32D | 62.80 | 3 | 48 | 105 |
| | 4½"x4" | US3 | 74.70 | 3 | 48 | 103 |
| | (114x102mm) | US4 | 55.80 | 3 | 48 | 103 |
| | | US10 | 55.80 | 3 | 48 | 103 |
| | | US10B | 74.70 | 3 | 48 | 103 |
| | | US26 | 74.70 | 3 | 48 | 103 |
| | | US26D | 66.00 | 3 | 48 | 103 |
| | | US32 | 75.15 | 3 | 48 | 103 |
| | | US32D | 68.50 | 3 | 48 | 103 |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges



1191

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|------------------------|--------|--------|----------|-----------|------------|
| 1191 (continued) | 4½"x4½" (114x114mm) | US3 | 65.70 | 3 | 48 | 103 |
| | | US4 | 55.25 | 3 | 48 | 103 |
| | | US10 | 49.50 | 3 | 48 | 103 |
| | | US10B | 65.70 | 3 | 48 | 103 |
| | | US26 | 74.25 | 3 | 48 | 103 |
| | | US26D | 57.70 | 3 | 48 | 103 |
| | | US32 | 81.80 | 3 | 48 | 103 |
| | US32D | 67.85 | 3 | 48 | 103 | |
| | 5"x4" (127x102mm) | US3 | 97.25 | 3 | 24 | 471 |
| | | US4 | 77.55 | 3 | 24 | 471 |
| | | US10 | 77.55 | 3 | 24 | 471 |
| | | US10B | 97.25 | 3 | 24 | 471 |
| | | US26 | 97.25 | 3 | 24 | 471 |
| | | US26D | 86.25 | 3 | 24 | 471 |
| | | US32 | 108.15 | 3 | 24 | 471 |
| | US32D | 98.60 | 3 | 24 | 471 | |
| | 5"x4½" (127x114mm) | US3 | 98.15 | 3 | 24 | 471 |
| | | US4 | 78.30 | 3 | 24 | 471 |
| | | US10 | 78.30 | 3 | 24 | 471 |
| | | US10B | 98.15 | 3 | 24 | 471 |
| | | US26 | 98.15 | 3 | 24 | 471 |
| US26D | | 87.10 | 3 | 24 | 471 | |
| US32 | | 109.20 | 3 | 24 | 471 | |
| US32D | 99.55 | 3 | 24 | 471 | | |
| 5"x5" (127x127mm) | US3 | 98.15 | 3 | 24 | 471 | |
| | US4 | 78.30 | 3 | 24 | 471 | |
| | US10 | 78.30 | 3 | 24 | 471 | |
| | US10B | 98.15 | 3 | 24 | 471 | |
| | US26 | 98.15 | 3 | 24 | 471 | |
| | US26D | 87.10 | 3 | 24 | 471 | |
| | US32 | 109.20 | 3 | 24 | 471 | |
| US32D | 109.45 | 3 | 24 | 471 | | |




WT1191

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------------|--------|--------|----------|-----------|------------|
| WT1191 Wide Throw Brass or Stainless Full Mortise Standard Weight Plain Bearing | 3½"x5" (89x127mm) | US3 | 117.10 | 3 | 24 | 471 |
| | | US4 | 90.35 | 3 | 24 | 471 |
| | | US10 | 90.35 | 3 | 24 | 471 |
| | | US10B | 117.10 | 3 | 24 | 471 |
| | | US26 | 117.10 | 3 | 24 | 471 |
| | | US26D | 101.70 | 3 | 24 | 471 |
| | | US32 | 142.65 | 3 | 24 | 471 |
| | US32D | 142.65 | 3 | 24 | 471 | |
| | 3½"x6" (89x152mm) | US3 | 121.90 | 3 | 24 | 471 |
| | | US4 | 94.25 | 3 | 24 | 471 |
| | | US10 | 94.25 | 3 | 24 | 471 |
| | | US10B | 121.90 | 3 | 24 | 471 |
| | | US26 | 121.90 | 3 | 24 | 471 |
| | | US26D | 113.00 | 3 | 24 | 471 |
| US32 | | 147.60 | 3 | 24 | 471 | |
| US32D | 147.60 | 3 | 24 | 471 | | |

U/M is each unless otherwise noted.



Architectural Hinges



WT1191

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|----------------------|--------|--------|----------|-----------|------------|
| WT1191 (continued) | 4"x5" (102x127mm) | US3 | 151.15 | 3 | 24 | 471 |
| | | US4 | 116.55 | 3 | 24 | 471 |
| | | US10 | 116.55 | 3 | 24 | 471 |
| | | US10B | 151.15 | 3 | 24 | 471 |
| | | US26 | 151.15 | 3 | 24 | 471 |
| | | US26D | 132.10 | 3 | 24 | 471 |
| | | US32 | 155.05 | 3 | 24 | 471 |
| | US32D | 155.05 | 3 | 24 | 471 | |
| | 4"x6" (102x152mm) | US3 | 156.95 | 3 | 24 | 471 |
| | | US4 | 122.40 | 3 | 24 | 471 |
| | | US10 | 122.40 | 3 | 24 | 471 |
| | | US10B | 156.95 | 3 | 24 | 471 |
| | | US26 | 156.95 | 3 | 24 | 471 |
| | | US26D | 136.70 | 3 | 24 | 471 |
| | | US32 | 160.95 | 3 | 24 | 471 |
| | US32D | 160.95 | 3 | 24 | 471 | |
| | 4"x7" (102x178mm) | US3 | 164.90 | 3 | 24 | 471 |
| | | US4 | 128.75 | 3 | 24 | 471 |
| | | US10 | 128.75 | 3 | 24 | 471 |
| | | US10B | 164.90 | 3 | 24 | 471 |
| | | US26 | 164.90 | 3 | 24 | 471 |
| | | US26D | 145.45 | 3 | 24 | 471 |
| | | US32 | 168.95 | 3 | 24 | 471 |
| | US32D | 168.95 | 3 | 24 | 471 | |
| 4½"x5" (114x127mm) | US3 | 205.70 | 3 | 24 | 471 | |
| | US4 | 153.35 | 3 | 24 | 471 | |
| | US10 | 153.35 | 3 | 24 | 471 | |
| | US10B | 205.70 | 3 | 24 | 471 | |
| | US26 | 205.70 | 3 | 24 | 471 | |
| | US26D | 176.05 | 3 | 24 | 471 | |
| | US32 | 210.10 | 3 | 24 | 471 | |
| US32D | 210.10 | 3 | 24 | 471 | | |
| 4½"x6" (114x152mm) | US3 | 215.65 | 3 | 24 | 471 | |
| | US4 | 153.35 | 3 | 24 | 471 | |
| | US10 | 153.35 | 3 | 24 | 471 | |
| | US10B | 215.65 | 3 | 24 | 471 | |
| | US26 | 215.65 | 3 | 24 | 471 | |
| | US26D | 182.75 | 3 | 24 | 471 | |
| | US32 | 220.15 | 3 | 24 | 471 | |
| US32D | 220.15 | 3 | 24 | 471 | | |
| 5"x6" (127x152mm) | US3 | 240.25 | 3 | 24 | 471 | |
| | US4 | 187.00 | 3 | 24 | 471 | |
| | US10 | 187.00 | 3 | 24 | 471 | |
| | US10B | 240.25 | 3 | 24 | 471 | |
| | US26 | 240.25 | 3 | 24 | 471 | |
| | US26D | 209.90 | 3 | 24 | 471 | |
| | US32 | 246.00 | 3 | 24 | 471 | |
| US32D | 246.00 | 3 | 24 | 471 | | |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging



Architectural Hinges




BB1191

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------------|--------|-------|----------|-----------|------------|
| BB1191* Brass or Stainless Full Mortise Standard Weight Ball Bearing *SPECIFY IF ALL WOOD SCREWS ARE REQUIRED | 3½"x3½" (89x89mm) | US3 | 73.40 | 2 | 100 | 105 |
| | | US4 | 57.50 | 2 | 100 | 105 |
| | | US10 | 57.50 | 2 | 100 | 105 |
| | | US10B | 73.40 | 2 | 100 | 105 |
| | | US26 | 73.40 | 2 | 100 | 105 |
| | | US26D | 59.25 | 2 | 100 | 105 |
| | | US32 | 86.30 | 2 | 100 | 105 |
| | US32D | 78.70 | 2 | 100 | 105 | |
| | 4"x3½" (102x89mm) | US3 | 84.50 | 3 | 48 | 105 |
| | | US4 | 64.75 | 3 | 48 | 105 |
| | | US10 | 64.75 | 3 | 48 | 105 |
| | | US10B | 84.50 | 3 | 48 | 105 |
| | | US26 | 84.50 | 3 | 48 | 105 |
| | | US26D | 75.70 | 3 | 48 | 105 |
| | | US32 | 98.40 | 3 | 48 | 105 |
| US32D | 89.70 | 3 | 48 | 105 | | |
| 4"x4" (102x102mm) | US3 | 72.50 | 3 | 48 | 105 | |
| | US4 | 62.30 | 3 | 48 | 105 | |
| | US10 | 62.30 | 3 | 48 | 105 | |
| | US10B | 72.50 | 3 | 48 | 105 | |
| | US26 | 81.35 | 3 | 48 | 105 | |
| | US26D | 65.30 | 3 | 48 | 105 | |
| | US32 | 94.20 | 3 | 48 | 105 | |
| US32D | 76.40 | 3 | 48 | 105 | | |
| 4½"x4" (114x102mm) | US3 | 87.10 | 3 | 48 | 100 | |
| | US4 | 65.60 | 3 | 48 | 100 | |
| | US10 | 65.60 | 3 | 48 | 100 | |
| | US10B | 77.75 | 3 | 48 | 100 | |
| | US26 | 87.40 | 3 | 48 | 100 | |
| | US26D | 69.60 | 3 | 48 | 100 | |
| | US32 | 90.15 | 3 | 48 | 100 | |
| US32D | 82.15 | 3 | 48 | 100 | | |
| 4½"x4½" (114x114mm) | US3 | 77.75 | 3 | 48 | 100 | |
| | US4 | 58.75 | 3 | 48 | 100 | |
| | US10 | 58.75 | 3 | 48 | 100 | |
| | US10B | 77.75 | 3 | 48 | 100 | |
| | US26 | 77.75 | 3 | 48 | 100 | |
| | US26D | 69.60 | 3 | 48 | 100 | |
| | US32 | 90.15 | 3 | 48 | 100 | |
| US32D | 82.15 | 3 | 48 | 100 | | |
| 5"x4" (127x102mm) | US3 | 111.65 | 3 | 24 | 100 | |
| | US4 | 88.35 | 3 | 24 | 100 | |
| | US10 | 88.35 | 3 | 24 | 100 | |
| | US10B | 111.65 | 3 | 24 | 100 | |
| | US26 | 111.65 | 3 | 24 | 100 | |
| | US26D | 100.35 | 3 | 24 | 100 | |
| | US32 | 131.15 | 3 | 24 | 100 | |
| US32D | 119.55 | 3 | 24 | 100 | | |

U/M is each unless otherwise noted.




Architectural Hinges



BB1191

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|-----------------------|--------|--------|----------|-----------|------------|
| BB1191 (continued) | 5"x4½" (127x114mm) | US3 | 111.65 | 3 | 24 | 100 |
| | | US4 | 88.35 | 3 | 24 | 100 |
| | | US10 | 88.35 | 3 | 24 | 100 |
| | | US10B | 111.65 | 3 | 24 | 100 |
| | | US26 | 111.65 | 3 | 24 | 100 |
| | | US26D | 89.80 | 3 | 24 | 100 |
| | | US32 | 131.15 | 3 | 24 | 100 |
| | US32D | 106.40 | 3 | 24 | 100 | |
| | 5"x5" (127x127mm) | US3 | 99.80 | 3 | 24 | 100 |
| | | US4 | 88.35 | 3 | 24 | 100 |
| | | US10 | 88.35 | 3 | 24 | 100 |
| | | US10B | 111.65 | 3 | 24 | 100 |
| | | US26 | 111.65 | 3 | 24 | 100 |
| | | US26D | 100.65 | 3 | 24 | 100 |
| | | US32 | 131.15 | 3 | 24 | 100 |
| | US32D | 119.55 | 3 | 24 | 100 | |
| | 6"x4½" (152x114mm) | US3 | 207.90 | 3 | 24 | 471 |
| | | US4 | 166.65 | 3 | 24 | 471 |
| | | US10 | 166.65 | 3 | 24 | 471 |
| | | US10B | 212.10 | 3 | 24 | 471 |
| | | US26 | 212.10 | 3 | 24 | 471 |
| US26D | | 190.70 | 3 | 24 | 471 | |
| US32 | | 231.80 | 3 | 24 | 471 | |
| US32D | 231.80 | 3 | 24 | 471 | | |
| 6"x5" (152x127mm) | US3 | 212.10 | 3 | 24 | 471 | |
| | US4 | 166.65 | 3 | 24 | 471 | |
| | US10 | 166.65 | 3 | 24 | 471 | |
| | US10B | 212.10 | 3 | 24 | 471 | |
| | US26 | 212.10 | 3 | 24 | 471 | |
| | US26D | 190.70 | 3 | 24 | 471 | |
| | US32 | 231.80 | 3 | 24 | 471 | |
| US32D | 231.80 | 3 | 24 | 471 | | |
| 6"x6" (152x152mm) | US3 | 212.10 | 3 | 24 | 471 | |
| | US4 | 166.65 | 3 | 24 | 471 | |
| | US10 | 166.65 | 3 | 24 | 471 | |
| | US10B | 212.10 | 3 | 24 | 471 | |
| | US26 | 212.10 | 3 | 24 | 471 | |
| | US26D | 190.70 | 3 | 24 | 471 | |
| | US32 | 231.80 | 3 | 24 | 471 | |
| US32D | 231.80 | 3 | 24 | 471 | | |



CB1191

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-------------------------|---------|--------|--------|----------|-----------|------------|
| CB1191 | 4"x3½" | US3SC* | 147.60 | 3 | 24 | 471 |
| Stainless | 4"x4" | US3SC* | 143.40 | 3 | 24 | 471 |
| Full Mortise | 4½"x4" | US3SC* | 206.95 | 3 | 24 | 471 |
| Standard Weight | 4½"x4½" | US3SC* | 206.95 | 3 | 24 | 471 |
| Concealed Anti-Friction | 5"x4" | US3SC* | 286.90 | 3 | 24 | 471 |
| Bearing | 5"x4½" | US3SC* | 286.90 | 3 | 24 | 471 |
| Secure Coat Finish Only | 5"x5" | US3SC* | 286.90 | 3 | 24 | 471 |



U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com


* US3SC Minimum Order Quantity 12 each

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging



Architectural Hinges




WTBB1191

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|----------------------|--------|--------|----------|-----------|------------|
| WTBB1191 Wide Throw Brass or Stainless Full Mortise Standard Weight Ball Bearing | 3½"x5" (89x127mm) | US3 | 121.90 | 3 | 24 | 471 |
| | | US4 | 94.75 | 3 | 24 | 471 |
| | | US10 | 94.75 | 3 | 24 | 471 |
| | | US10B | 121.90 | 3 | 24 | 471 |
| | | US26 | 121.90 | 3 | 24 | 471 |
| | | US26D | 106.95 | 3 | 24 | 471 |
| | | US32 | 146.50 | 3 | 24 | 471 |
| | US32D | 146.50 | 3 | 24 | 471 | |
| | 3½"x6" (89x152mm) | US3 | 122.40 | 3 | 24 | 471 |
| | | US4 | 98.15 | 3 | 24 | 471 |
| | | US10 | 98.15 | 3 | 24 | 471 |
| | | US10B | 122.40 | 3 | 24 | 471 |
| | | US26 | 122.40 | 3 | 24 | 471 |
| | | US26D | 110.25 | 3 | 24 | 471 |
| | | US32 | 152.05 | 3 | 24 | 471 |
| | US32D | 152.05 | 3 | 24 | 471 | |
| | 4"x5" (102x127mm) | US3 | 153.05 | 3 | 24 | 471 |
| | | US4 | 120.45 | 3 | 24 | 471 |
| | | US10 | 120.45 | 3 | 24 | 471 |
| | | US10B | 153.05 | 3 | 24 | 471 |
| | | US26 | 153.05 | 3 | 24 | 471 |
| US26D | | 134.65 | 3 | 24 | 471 | |
| US32 | | 164.45 | 3 | 24 | 471 | |
| US32D | 164.45 | 3 | 24 | 471 | | |
| 4"x6" (102x152mm) | US3 | 159.10 | 3 | 24 | 471 | |
| | US4 | 125.80 | 3 | 24 | 471 | |
| | US10 | 125.80 | 3 | 24 | 471 | |
| | US10B | 159.10 | 3 | 24 | 471 | |
| | US26 | 159.10 | 3 | 24 | 471 | |
| | US26D | 139.70 | 3 | 24 | 471 | |
| | US32 | 170.25 | 3 | 24 | 471 | |
| US32D | 170.25 | 3 | 24 | 471 | | |
| 4"x7" (102x178mm) | US3 | 166.05 | 3 | 24 | 471 | |
| | US4 | 132.35 | 3 | 24 | 471 | |
| | US10 | 132.35 | 3 | 24 | 471 | |
| | US10B | 166.05 | 3 | 24 | 471 | |
| | US26 | 166.05 | 3 | 24 | 471 | |
| | US26D | 145.45 | 3 | 24 | 471 | |
| | US32 | 177.35 | 3 | 24 | 471 | |
| US32D | 177.35 | 3 | 24 | 471 | | |
| 4½"x5" (114x127mm) | US3 | 213.65 | 3 | 24 | 471 | |
| | US4 | 161.75 | 3 | 24 | 471 | |
| | US10 | 161.75 | 3 | 24 | 471 | |
| | US10B | 213.65 | 3 | 24 | 471 | |
| | US26 | 213.65 | 3 | 24 | 471 | |
| | US26D | 183.35 | 3 | 24 | 471 | |
| | US32 | 225.95 | 3 | 24 | 471 | |
| US32D | 225.95 | 3 | 24 | 471 | | |

U/M is each unless otherwise noted.



Architectural Hinges



WTBB1191

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|-----------------------|--------|--------|----------|-----------|------------|
| WTBB1191 (continued) | 4½"x6" (114x152mm) | US3 | 222.80 | 3 | 24 | 471 |
| | | US4 | 170.25 | 3 | 24 | 471 |
| | | US10 | 170.25 | 3 | 24 | 471 |
| | | US10B | 222.80 | 3 | 24 | 471 |
| | | US26 | 222.80 | 3 | 24 | 471 |
| | | US26D | 202.10 | 3 | 24 | 471 |
| | | US32 | 233.40 | 3 | 24 | 471 |
| | US32D | 233.40 | 3 | 24 | 471 | |
| | 4½"x7" (114x178mm) | US3 | 230.75 | 3 | 24 | 471 |
| | | US4 | 177.05 | 3 | 24 | 471 |
| | | US10 | 177.05 | 3 | 24 | 471 |
| | | US10B | 230.75 | 3 | 24 | 471 |
| | | US26 | 230.75 | 3 | 24 | 471 |
| | | US26D | 209.10 | 3 | 24 | 471 |
| | | US32 | 242.90 | 3 | 24 | 471 |
| | US32D | 242.90 | 3 | 24 | 471 | |
| | 4½"x8" (114x203mm) | US3 | 242.85 | 3 | 24 | 471 |
| | | US4 | 188.15 | 3 | 24 | 471 |
| | | US10 | 188.15 | 3 | 24 | 471 |
| | | US10B | 242.85 | 3 | 24 | 471 |
| | | US26 | 242.85 | 3 | 24 | 471 |
| | | US26D | 211.85 | 3 | 24 | 471 |
| | | US32 | 255.00 | 3 | 24 | 471 |
| | US32D | 255.00 | 3 | 24 | 471 | |
| 5"x6" (127x152mm) | US3 | 249.65 | 3 | 24 | 471 | |
| | US4 | 190.65 | 3 | 24 | 471 | |
| | US10 | 190.65 | 3 | 24 | 471 | |
| | US10B | 249.65 | 3 | 24 | 471 | |
| | US26 | 249.65 | 3 | 24 | 471 | |
| | US26D | 220.70 | 3 | 24 | 471 | |
| | US32 | 265.10 | 3 | 24 | 471 | |
| US32D | 265.10 | 3 | 24 | 471 | | |
| 5"x7" (127x178mm) | US3 | 262.30 | 3 | 24 | 471 | |
| | US4 | 200.20 | 3 | 24 | 471 | |
| | US10 | 200.20 | 3 | 24 | 471 | |
| | US10B | 262.30 | 3 | 24 | 471 | |
| | US26 | 262.30 | 3 | 24 | 471 | |
| | US26D | 227.45 | 3 | 24 | 471 | |
| | US32 | 277.95 | 3 | 24 | 471 | |
| US32D | 277.95 | 3 | 24 | 471 | | |
| 5"x8" (127x203mm) | US3 | 273.05 | 3 | 24 | 471 | |
| | US4 | 221.10 | 3 | 24 | 471 | |
| | US10 | 221.10 | 3 | 24 | 471 | |
| | US10B | 273.05 | 3 | 24 | 471 | |
| | US26 | 273.05 | 3 | 24 | 471 | |
| | US26D | 238.50 | 3 | 24 | 471 | |
| | US32 | 284.95 | 3 | 24 | 471 | |
| US32D | 284.95 | 3 | 24 | 471 | | |



U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges



BB1192

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------|-------------|----------|--------|----------|-----------|------------|
| BB1192 | 5"x4½" | LH US10 | 348.15 | 1 | 10 | 471 |
| Brass or Stainless | (127x114mm) | RH US10 | 348.15 | 1 | 10 | 471 |
| Full Mortise | | LH US10B | 416.30 | 1 | 10 | 471 |
| Heavy Weight | | RH US10B | 416.30 | 1 | 10 | 471 |
| Ball Bearing | | LH US26D | 390.95 | 1 | 10 | 471 |
| Anchor Hinge | | RH US26D | 390.95 | 1 | 10 | 471 |
| Specify Handing | | LH US32D | 449.20 | 1 | 10 | 471 |
| | | RH US32D | 449.20 | 1 | 10 | 471 |

Add 2 Each 5"x4½" BB1199 for Set



BB1195

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------|-------------|----------|--------|----------|-----------|------------|
| BB1195 | 5"x4½" | LH US10 | 348.15 | 1 | 10 | 471 |
| Brass or Stainless | (127x114mm) | RH US10 | 348.15 | 1 | 10 | 471 |
| Full Mortise | | LH US10B | 416.30 | 1 | 10 | 471 |
| Heavy Weight | | RH US10B | 416.30 | 1 | 10 | 471 |
| Ball Bearing | | LH US26D | 390.95 | 1 | 10 | 471 |
| Anchor Hinge | | RH US26D | 390.95 | 1 | 10 | 471 |
| Specify Handing | | LH US32D | 449.20 | 1 | 10 | 471 |
| | | RH US32D | 449.20 | 1 | 10 | 471 |


Add 2 Each 5"x4½" BB1199 for Set



BB1196

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------|-------------|----------|--------|----------|-----------|------------|
| BB1196 | 5"x4½" | LH US10 | 348.15 | 1 | 10 | 471 |
| Brass or Stainless | (127x114mm) | RH US10 | 348.15 | 1 | 10 | 471 |
| Full Mortise | | LH US10B | 416.30 | 1 | 10 | 471 |
| Heavy Weight | | RH US10B | 416.30 | 1 | 10 | 471 |
| Ball Bearing | | LH US26D | 390.95 | 1 | 10 | 471 |
| Anchor Hinge for | | RH US26D | 390.95 | 1 | 10 | 471 |
| Beveled Edge Doors | | LH US32D | 449.20 | 1 | 10 | 471 |
| Specify Handing | | RH US32D | 449.20 | 1 | 10 | 471 |


Add 2 Each 5"x4½" BB1199 for Set



BB1197

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------|-------------|----------|--------|----------|-----------|------------|
| BB1197 | 5"x4½" | LH US10 | 348.15 | 1 | 10 | 471 |
| Brass or Stainless | (127x114mm) | RH US10 | 348.15 | 1 | 10 | 471 |
| Full Mortise | | LH US10B | 416.30 | 1 | 10 | 471 |
| Heavy Weight | | RH US10B | 416.30 | 1 | 10 | 471 |
| Ball Bearing | | LH US26D | 390.95 | 1 | 10 | 471 |
| Anchor Hinge | | RH US26D | 390.95 | 1 | 10 | 471 |
| Beveled Edge Doors | | LH US32D | 449.20 | 1 | 10 | 471 |
| Specify Handing | | RH US32D | 449.20 | 1 | 10 | 471 |

Add 2 Each 5"x4½" BB1199 for Set




BB1199

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------|-------------|--------|--------|----------|-----------|------------|
| BB1199 | 4½"x4" | US3 | 132.95 | 3 | 12 | 100 |
| Brass or Stainless | (114x102mm) | US4 | 119.35 | 3 | 12 | 100 |
| Full Mortise | | US10 | 106.55 | 3 | 12 | 100 |
| Heavy Weight | | US10B | 132.95 | 3 | 12 | 100 |
| Ball Bearing | | US26 | 148.75 | 3 | 12 | 100 |
| | | US26D | 116.85 | 3 | 12 | 100 |
| | | US32 | 154.80 | 3 | 12 | 100 |
| | | US32D | 141.05 | 3 | 12 | 100 |

U/M is each unless otherwise noted.



Architectural Hinges



BB1199

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|------------------------|--------|--------|----------|-----------|------------|
| BB1199 (continued) | 4½"x4½" (114x114mm) | US3 | 129.05 | 3 | 12 | 100 |
| | | US4 | 115.95 | 3 | 12 | 100 |
| | | US10 | 103.50 | 3 | 12 | 100 |
| | | US10B | 129.05 | 3 | 12 | 100 |
| | | US26 | 144.45 | 3 | 12 | 100 |
| | | US26D | 113.40 | 3 | 12 | 100 |
| | | US32 | 150.40 | 3 | 12 | 100 |
| | | US32D | 137.10 | 3 | 12 | 100 |
| | 5"x4" (127x102mm) | US3 | 169.35 | 3 | 12 | 100 |
| | | US4 | 142.45 | 3 | 12 | 100 |
| | | US10 | 142.45 | 3 | 12 | 100 |
| | | US10B | 169.35 | 3 | 12 | 100 |
| | | US26 | 169.35 | 3 | 12 | 100 |
| | | US26D | 132.85 | 3 | 12 | 100 |
| | | US32 | 197.20 | 3 | 12 | 100 |
| | | US32D | 160.55 | 3 | 12 | 100 |
| | 5"x4½" (127x114mm) | US3 | 166.95 | 3 | 12 | 100 |
| | | US4 | 140.45 | 3 | 12 | 100 |
| | | US10 | 140.45 | 3 | 12 | 100 |
| | | US10B | 166.95 | 3 | 12 | 100 |
| | | US26 | 166.95 | 3 | 12 | 100 |
| | | US26D | 130.90 | 3 | 12 | 100 |
| | | US32 | 194.35 | 3 | 12 | 100 |
| | | US32D | 158.30 | 3 | 12 | 100 |
| 5"x5" (127x127mm) | US3 | 165.35 | 3 | 12 | 100 | |
| | US4 | 139.10 | 3 | 12 | 100 | |
| | US10 | 139.10 | 3 | 12 | 100 | |
| | US10B | 165.35 | 3 | 12 | 100 | |
| | US26 | 165.35 | 3 | 12 | 100 | |
| | US26D | 145.35 | 3 | 12 | 100 | |
| | US32 | 192.45 | 3 | 12 | 100 | |
| | US32D | 156.75 | 3 | 12 | 100 | |
| 6"x4½" (152x114mm) | US3 | 265.60 | 3 | 12 | 471 | |
| | US4 | 211.30 | 3 | 12 | 471 | |
| | US10 | 211.30 | 3 | 12 | 471 | |
| | US10B | 265.60 | 3 | 12 | 471 | |
| | US26 | 265.60 | 3 | 12 | 471 | |
| | US26D | 229.20 | 3 | 12 | 471 | |
| | US32 | 310.00 | 3 | 12 | 471 | |
| | US32D | 282.55 | 3 | 12 | 471 | |
| 6"x5" (152x127mm) | US3 | 263.20 | 3 | 12 | 471 | |
| | US4 | 209.35 | 3 | 12 | 471 | |
| | US10 | 209.35 | 3 | 12 | 471 | |
| | US10B | 263.20 | 3 | 12 | 471 | |
| | US26 | 265.80 | 3 | 12 | 471 | |
| | US26D | 229.30 | 3 | 12 | 471 | |
| | US32 | 310.15 | 3 | 12 | 471 | |
| | US32D | 282.65 | 3 | 12 | 471 | |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges



BB1199

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|----------------------|--------|--------|----------|-----------|------------|
| BB1199 (continued) | 6"x6" (152x152mm) | US3 | 265.80 | 3 | 12 | 471 |
| | | US4 | 211.35 | 3 | 12 | 471 |
| | | US10 | 211.35 | 3 | 12 | 471 |
| | | US10B | 265.80 | 3 | 12 | 471 |
| | | US26 | 265.80 | 3 | 12 | 471 |
| | | US26D | 229.30 | 3 | 12 | 471 |
| | | US32 | 310.15 | 3 | 12 | 471 |
| | | US32D | 282.65 | 3 | 12 | 471 |
| 8"x6" (203x152mm) | 8"x6" (203x152mm) | USP | 392.30 | 3 | 12 | 471 |
| | | US10 | 411.85 | 3 | 12 | 471 |
| | | US10B | 556.90 | 3 | 12 | 471 |
| | | US26D | 484.30 | 3 | 12 | 471 |
| | | US32D | 645.65 | 3 | 12 | 471 |
| 8"x8" (203x203mm) | 8"x8" (203x203mm) | USP | 392.30 | 3 | 12 | 471 |
| | | US10 | 411.85 | 3 | 12 | 471 |
| | | US10B | 556.90 | 3 | 12 | 471 |
| | | US26D | 484.30 | 3 | 12 | 471 |
| | | US32D | 645.65 | 3 | 12 | 471 |




WTBB1199

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE | |
|--|-----------------------|-----------------------|--------|----------|-----------|------------|-----|
| WTBB1199 Wide Throw Brass or Stainless Full Mortise Heavy Weight Ball Bearing | 4½"x5" (114x127mm) | US3 | 298.30 | 3 | 24 | 471 | |
| | | US4 | 235.35 | 3 | 24 | 471 | |
| | | US10 | 235.35 | 3 | 24 | 471 | |
| | | US10B | 298.30 | 3 | 24 | 471 | |
| | | US26 | 298.30 | 3 | 24 | 471 | |
| | | US26D | 258.55 | 3 | 24 | 471 | |
| | | US32 | 319.85 | 3 | 24 | 471 | |
| | | | US32D | 319.85 | 3 | 24 | 471 |
| | 4½"x6" (114x152mm) | 4½"x6" (114x152mm) | US3 | 306.95 | 3 | 24 | 471 |
| | | | US4 | 243.45 | 3 | 24 | 471 |
| | | | US10 | 243.45 | 3 | 24 | 471 |
| | | | US10B | 306.95 | 3 | 24 | 471 |
| | | | US26 | 306.95 | 3 | 24 | 471 |
| US26D | | | 275.95 | 3 | 24 | 471 | |
| US32 | | | 328.40 | 3 | 24 | 471 | |
| | | US32D | 328.40 | 3 | 24 | 471 | |
| 4½"x7" (114x178mm) | 4½"x7" (114x178mm) | US3 | 362.00 | 3 | 24 | 471 | |
| | | US4 | 287.60 | 3 | 24 | 471 | |
| | | US10 | 287.60 | 3 | 24 | 471 | |
| | | US10B | 362.00 | 3 | 24 | 471 | |
| | | US26 | 362.00 | 3 | 24 | 471 | |
| | | US26D | 325.35 | 3 | 24 | 471 | |
| | | US32 | 386.75 | 3 | 24 | 471 | |
| | | US32D | 386.75 | 3 | 24 | 471 | |
| 4½"x8" (114x203mm) | 4½"x8" (114x203mm) | US3 | 389.85 | 3 | 24 | 471 | |
| | | US4 | 311.40 | 3 | 24 | 471 | |
| | | US10 | 311.40 | 3 | 24 | 471 | |
| | | US10B | 389.85 | 3 | 24 | 471 | |
| | | US26 | 389.85 | 3 | 24 | 471 | |
| | | US26D | 340.95 | 3 | 24 | 471 | |
| | | US32 | 415.55 | 3 | 24 | 471 | |
| | | US32D | 415.55 | 3 | 24 | 471 | |

U/M is each unless otherwise noted.




Architectural Hinges



WTBB1199

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|----------------------|--------|--------|----------|-----------|------------|
| WTBB1199 (continued) | 5"x6" (127x152mm) | US3 | 378.55 | 3 | 24 | 471 |
| | | US4 | 302.80 | 3 | 24 | 471 |
| | | US10 | 303.15 | 3 | 24 | 471 |
| | | US10B | 378.55 | 3 | 24 | 471 |
| | | US26 | 378.55 | 3 | 24 | 471 |
| | | US26D | 333.00 | 3 | 24 | 471 |
| | | US32 | 405.70 | 3 | 24 | 471 |
| | US32D | 405.70 | 3 | 24 | 471 | |
| | 5"x7" (127x178mm) | US3 | 399.80 | 3 | 24 | 471 |
| | | US4 | 319.20 | 3 | 24 | 471 |
| | | US10 | 319.20 | 3 | 24 | 471 |
| | | US10B | 399.80 | 3 | 24 | 471 |
| | | US26 | 399.80 | 3 | 24 | 471 |
| | | US26D | 346.75 | 3 | 24 | 471 |
| | | US32 | 427.55 | 3 | 24 | 471 |
| | US32D | 427.55 | 3 | 24 | 471 | |
| | 5"x8" (127x203mm) | US3 | 427.65 | 3 | 24 | 471 |
| | | US4 | 355.55 | 3 | 24 | 471 |
| | | US10 | 355.55 | 3 | 24 | 471 |
| | | US10B | 427.65 | 3 | 24 | 471 |
| | | US26 | 427.65 | 3 | 24 | 471 |
| US26D | | 373.10 | 3 | 24 | 471 | |
| US32 | | 456.35 | 3 | 24 | 471 | |
| US32D | 456.35 | 3 | 24 | 471 | | |



1250



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|------------------------|--------|-------|----------|-----------|------------|
| 1250 Steel Full Mortise Standard Weight Spring Hinge | 3½"x3½" (89x89mm) | USP | 18.20 | 2 | 80 | 400 |
| | | US3 | 28.60 | 2 | 80 | 400 |
| | | US4 | 20.65 | 2 | 80 | 400 |
| | | US10 | 25.05 | 2 | 80 | 400 |
| | | US10A | 28.60 | 2 | 80 | 400 |
| | | US26D | 27.10 | 2 | 80 | 400 |
| | 4"x4" (102x102mm) | USP | 22.05 | 3 | 48 | 400 |
| | | US3 | 33.30 | 3 | 48 | 400 |
| | | US4 | 23.25 | 3 | 48 | 400 |
| | | US10 | 29.75 | 3 | 48 | 400 |
| | | US10A | 33.30 | 3 | 48 | 400 |
| | | US26D | 32.50 | 3 | 48 | 400 |
| | 4½"x4" (114x102mm) | USP | 38.60 | 3 | 48 | 400 |
| | | US3 | 55.20 | 3 | 48 | 400 |
| | | US4 | 42.65 | 3 | 48 | 400 |
| | | US10 | 47.80 | 3 | 48 | 400 |
| | | US10A | 55.20 | 3 | 48 | 400 |
| | 4½"x4½" (114x114mm) | USP | 37.10 | 3 | 48 | 400 |
| | | US3 | 52.65 | 3 | 48 | 400 |
| | | US4 | 40.85 | 3 | 48 | 400 |
| | | US10 | 42.80 | 3 | 48 | 400 |
| US10A | | 52.65 | 3 | 48 | 400 | |
| US26D | 50.25 | 3 | 48 | 400 | | |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges



1251



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|------------------------|--------|-------|----------|-----------|------------|
| 1251 Steel ¼" Round Corner Radius, Full Mortise Standard Weight Spring Hinge | 3½"x3½" (89x89mm) | USP | 18.25 | 2 | 80 | 400 |
| | | US3 | 32.00 | 2 | 80 | 400 |
| | | US4 | 20.85 | 2 | 80 | 400 |
| | | US10 | 27.95 | 2 | 80 | 400 |
| | | US10A | 32.00 | 2 | 80 | 400 |
| | | US26D | 27.25 | 2 | 80 | 400 |
| | 4"x4" (102x102mm) | USP | 21.65 | 3 | 48 | 400 |
| | | US3 | 32.65 | 3 | 48 | 400 |
| | | US4 | 22.60 | 3 | 48 | 400 |
| | | US10 | 32.20 | 3 | 48 | 400 |
| | | US10A | 32.65 | 3 | 48 | 400 |
| | | US26D | 31.75 | 3 | 48 | 400 |
| | 4½"x4" (114x102mm) | USP | 42.75 | 3 | 48 | 400 |
| | | US3 | 60.60 | 3 | 48 | 400 |
| | | US4 | 52.75 | 3 | 48 | 400 |
| | | US10 | 52.75 | 3 | 48 | 400 |
| | | US10A | 60.60 | 3 | 48 | 400 |
| | | US26D | 58.25 | 3 | 48 | 400 |
| | 4½"x4½" (114x114mm) | USP | 42.75 | 3 | 48 | 400 |
| | | US3 | 60.60 | 3 | 48 | 400 |
| US4 | | 52.75 | 3 | 48 | 400 | |
| US10 | | 52.75 | 3 | 48 | 400 | |
| US10A | | 60.60 | 3 | 48 | 400 | |
| US26D | | 58.25 | 3 | 48 | 400 | |



1252



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|------------------------|--------|-------|----------|-----------|------------|
| 1252 Steel ⅝" Round Corner Radius Full Mortise Standard Weight Spring Hinge | 3½"x3½" (89x89mm) | USP | 18.25 | 2 | 80 | 400 |
| | | US3 | 32.00 | 2 | 80 | 400 |
| | | US4 | 20.85 | 2 | 80 | 400 |
| | | US10 | 27.95 | 2 | 80 | 400 |
| | | US10A | 32.00 | 2 | 80 | 400 |
| | | US26D | 27.25 | 2 | 80 | 400 |
| | 4"x4" (102x102mm) | USP | 21.65 | 3 | 48 | 400 |
| | | US3 | 32.65 | 3 | 48 | 400 |
| | | US4 | 22.60 | 3 | 48 | 400 |
| | | US10 | 32.20 | 3 | 48 | 400 |
| | | US10A | 32.65 | 3 | 48 | 400 |
| | | US26D | 31.75 | 3 | 48 | 400 |
| | 4½"x4" (114x102mm) | USP | 42.75 | 3 | 48 | 400 |
| | | US3 | 60.60 | 3 | 48 | 400 |
| | | US4 | 52.75 | 3 | 48 | 400 |
| | | US10 | 52.75 | 3 | 48 | 400 |
| | | US10A | 60.60 | 3 | 48 | 400 |
| | | US26D | 58.25 | 3 | 48 | 400 |
| | 4½"x4½" (114x114mm) | USP | 42.75 | 3 | 48 | 400 |
| | | US3 | 60.60 | 3 | 48 | 400 |
| US4 | | 52.75 | 3 | 48 | 400 | |
| US10 | | 52.75 | 3 | 48 | 400 | |
| US10A | | 60.60 | 3 | 48 | 400 | |
| US26D | | 58.25 | 3 | 48 | 400 | |

U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com



Architectural Hinges




| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------|---------|--------|--------|----------|-----------|------------|
| 1253 | 4½" | USP | 72.15 | 3 | 48 | 471 |
| Steel | (114mm) | US3 | 100.00 | 3 | 48 | 471 |
| Half Surface | | US4 | 72.15 | 3 | 48 | 471 |
| Standard Weight | | US10 | 86.90 | 3 | 48 | 471 |
| Spring Hinge | | US10A | 100.00 | 3 | 48 | 471 |
| | | US26D | 95.35 | 3 | 48 | 471 |



1255




| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|-------------|--------|--------|----------|-----------|------------|
| 1255 | 4½"x4½" | USP | 105.05 | 1 | 16 | 400 |
| Steel, Full Mortise | (114x114mm) | US3 | 151.20 | 1 | 16 | 400 |
| Standard Weight | | US4 | 112.55 | 1 | 16 | 400 |
| Spring Hinge Set | | US26D | 139.30 | 1 | 16 | 400 |
| U/M — Set (2 Each 4½"x4½" 1250 and 1 Each 4½"x4½" AB700) | | | | | | |



1256



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|-------------|--------|--------|----------|-----------|------------|
| 1256 | 4½"x4½" | USP | 100.15 | 1 | 16 | 400 |
| Steel | (114x114mm) | US3 | 143.10 | 1 | 16 | 400 |
| Full Mortise | | US4 | 107.60 | 1 | 16 | 400 |
| Standard Weight | | US26D | 136.60 | 1 | 16 | 400 |
| Spring Hinge Set | | | | | | |
| U/M — Set (2 Each 4½"x4½" 1250 and 1 Each 4½"x4½" BB1279) | | | | | | |



1257

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------|-------------|--------|-------|----------|-----------|------------|
| 1257 | 3½"x3½" | USP | 28.85 | 3 | 48 | 471 |
| Steel | (89x89mm) | US3 | 43.70 | 3 | 48 | 471 |
| Reverse Action | | US4 | 30.45 | 3 | 48 | 471 |
| Spring Hinge | | US10 | 38.90 | 3 | 48 | 471 |
| Full Mortise | | US10A | 43.95 | 3 | 48 | 471 |
| Standard Weight | | US26D | 42.60 | 3 | 48 | 471 |
| | 4"x4" | USP | 28.85 | 3 | 48 | 471 |
| | (102x102mm) | US3 | 43.70 | 3 | 48 | 471 |
| | | US4 | 30.45 | 3 | 48 | 471 |
| | | US10 | 38.90 | 3 | 48 | 471 |
| | | US10A | 46.95 | 3 | 48 | 471 |
| | | US26D | 42.60 | 3 | 48 | 471 |
| | 4½"x4" | USP | 50.95 | 3 | 48 | 471 |
| | (114x102mm) | US3 | 72.70 | 3 | 48 | 471 |
| | | US4 | 56.35 | 3 | 48 | 471 |
| | | US10 | 63.05 | 3 | 48 | 471 |
| | | US10A | 72.70 | 3 | 48 | 471 |
| | | US26D | 69.65 | 3 | 48 | 471 |
| | 4½"x4½" | USP | 50.95 | 3 | 48 | 471 |
| | (114x114mm) | US3 | 72.70 | 3 | 48 | 471 |
| | | US4 | 56.35 | 3 | 48 | 471 |
| | | US10 | 63.05 | 3 | 48 | 471 |
| | | US10A | 72.70 | 3 | 48 | 471 |
| | | US26D | 69.65 | 3 | 48 | 471 |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges




1258

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|------------------------|-------------|--------|-------|----------|-----------|------------|
| 1258 | 4"x4" | USP | 29.05 | 3 | 48 | 471 |
| Steel | (102x102mm) | US3 | 48.30 | 3 | 48 | 471 |
| Reverse Action | | US4 | 43.25 | 3 | 48 | 471 |
| Spring Hinge | | US10 | 43.25 | 3 | 48 | 471 |
| ¼" Round Corner Radius | | US10A | 43.90 | 3 | 48 | 471 |
| Full Mortise | | US26D | 42.60 | 3 | 48 | 471 |
| Standard Weight | 4½"x4" | USP | 57.35 | 3 | 48 | 471 |
| | (114x102mm) | US3 | 89.40 | 3 | 48 | 471 |
| | | US4 | 70.75 | 3 | 48 | 471 |
| | | US10 | 70.75 | 3 | 48 | 471 |
| | | US10A | 81.35 | 3 | 48 | 471 |
| | | US26D | 78.10 | 3 | 48 | 471 |
| | 4½"x4½" | USP | 57.35 | 3 | 48 | 471 |
| | (114x114mm) | US3 | 89.40 | 3 | 48 | 471 |
| | | US4 | 70.75 | 3 | 48 | 471 |
| | | US10 | 70.75 | 3 | 48 | 471 |
| | | US10A | 81.35 | 3 | 48 | 471 |
| | | US26D | 78.10 | 3 | 48 | 471 |



1259

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|------------------------|-------------|--------|-------|----------|-----------|------------|
| 1259 | 4"x4" | USP | 29.05 | 3 | 48 | 471 |
| Steel | (102x102mm) | US3 | 48.30 | 3 | 48 | 471 |
| Reverse Action | | US4 | 43.90 | 3 | 48 | 471 |
| Spring Hinge | | US10 | 43.25 | 3 | 48 | 471 |
| ⅝" Round Corner Radius | | US10A | 43.90 | 3 | 48 | 471 |
| Full Mortise | | US26D | 42.60 | 3 | 48 | 471 |
| Standard Weight | 4½"x4" | USP | 57.35 | 3 | 48 | 471 |
| | (114x102mm) | US3 | 89.40 | 3 | 48 | 471 |
| | | US4 | 81.35 | 3 | 48 | 471 |
| | | US10 | 70.75 | 3 | 48 | 471 |
| | | US10A | 81.35 | 3 | 48 | 471 |
| | | US26D | 78.10 | 3 | 48 | 471 |
| | 4½"x4½" | USP | 57.35 | 3 | 48 | 471 |
| | (114x114mm) | US3 | 89.40 | 3 | 48 | 471 |
| | | US4 | 81.35 | 3 | 48 | 471 |
| | | US10 | 70.75 | 3 | 48 | 471 |
| | | US10A | 81.35 | 3 | 48 | 471 |
| | | US26D | 78.10 | 3 | 48 | 471 |




1260

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------|--------|--------|-------|----------|-----------|------------|
| 1260 | 3½" | USP | 55.30 | 3 | 24 | 105 |
| Steel | (89mm) | US3 | 82.75 | 3 | 24 | 105 |
| Full Mortise | | US4 | 60.35 | 3 | 24 | 105 |
| Standard Weight | | US10 | 68.55 | 3 | 24 | 105 |
| Swing Clear | | US10A | 82.75 | 3 | 24 | 105 |
| | | US26 | 82.75 | 3 | 24 | 105 |
| | | US26D | 65.60 | 3 | 24 | 105 |

U/M is each unless otherwise noted.




Architectural Hinges




1260

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|------------------|---------------|--------|-------|----------|-----------|------------|
| 1260 (continued) | 4" (102mm) | USP | 65.60 | 3 | 24 | 105 |
| | | US3 | 84.60 | 3 | 24 | 105 |
| | | US4 | 62.35 | 3 | 24 | 105 |
| | | US10 | 70.75 | 3 | 24 | 105 |
| | | US10A | 84.60 | 3 | 24 | 105 |
| | | US26 | 84.60 | 3 | 24 | 105 |
| | | US26D | 67.50 | 3 | 24 | 105 |




BB1260

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------|--------|--------|----------|-----------|------------|
| BB1260 Steel Full Mortise Standard Weight | 4½" (114mm) | USP | 157.25 | 3 | 36 | 100 |
| | | US10 | 163.70 | 3 | 36 | 100 |
| | | US10A | 193.40 | 3 | 36 | 100 |
| | | US26D | 153.25 | 3 | 36 | 100 |
| Ball Bearing Swing Clear | 5" (127mm) | USP | 158.05 | 3 | 36 | 100 |
| | | US10 | 164.55 | 3 | 36 | 100 |
| | | US10A | 194.40 | 3 | 36 | 100 |
| | | US26D | 154.00 | 3 | 36 | 100 |




BB1261

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------|--------|--------|----------|-----------|------------|
| BB1261 Steel Full Mortise Standard Weight | 4½" (114mm) | USP | 157.25 | 3 | 36 | 100 |
| | | US10 | 163.70 | 3 | 36 | 100 |
| | | US10A | 193.40 | 3 | 36 | 100 |
| | | US26D | 153.25 | 3 | 36 | 100 |
| Ball Bearing Swing Clear Beveled Edge Doors | 5" (127mm) | USP | 158.05 | 3 | 36 | 100 |
| | | US10 | 164.55 | 3 | 36 | 100 |
| | | US10A | 194.40 | 3 | 36 | 100 |
| | | US26D | 154.00 | 3 | 36 | 100 |



BB1262

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|----------------|--------|--------|----------|-----------|------------|
| BB1262 Steel Full Mortise Heavy Weight | 4½" (114mm) | USP | 199.40 | 3 | 24 | 100 |
| | | US10 | 202.15 | 3 | 24 | 100 |
| | | US10A | 242.95 | 3 | 24 | 100 |
| | | US26D | 184.25 | 3 | 24 | 100 |
| Ball Bearing Swing Clear | 5" (127mm) | USP | 200.35 | 3 | 24 | 100 |
| | | US10 | 203.20 | 3 | 24 | 100 |
| | | US10A | 244.10 | 3 | 24 | 100 |
| | | US26D | 185.20 | 3 | 24 | 100 |



BB1263

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|----------------|--------|--------|----------|-----------|------------|
| BB1263 Steel Full Mortise Heavy Weight | 4½" (114mm) | USP | 199.40 | 3 | 24 | 100 |
| | | US10 | 202.15 | 3 | 24 | 100 |
| | | US10A | 242.95 | 3 | 24 | 100 |
| | | US26D | 184.25 | 3 | 24 | 100 |
| Ball Bearing Swing Clear Beveled Edge Doors | 5" (127mm) | USP | 200.35 | 3 | 24 | 100 |
| | | US10 | 203.20 | 3 | 24 | 100 |
| | | US10A | 244.10 | 3 | 24 | 100 |
| | | US26D | 185.20 | 3 | 24 | 100 |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges




BB1264

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------|---------|--------|--------|----------|-----------|------------|
| BB1264 | 5" | USP | 205.10 | 3 | 24 | 471 |
| Steel | (127mm) | US10 | 215.35 | 3 | 24 | 471 |
| Half Mortise | | US10A | 291.20 | 3 | 24 | 471 |
| Heavy Weight | | US26D | 253.25 | 3 | 24 | 471 |
| Ball Bearing | | | | | | |
| Swing Clear | | | | | | |




BB1265

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------|---------|--------|--------|----------|-----------|------------|
| BB1265 | 5" | USP | 205.10 | 3 | 24 | 471 |
| Steel | (127mm) | US10 | 215.35 | 3 | 24 | 471 |
| Half Mortise | | US10A | 291.20 | 3 | 24 | 471 |
| Heavy Weight | | US26D | 253.25 | 3 | 24 | 471 |
| Ball Bearing | | | | | | |
| Swing Clear | | | | | | |
| Beveled Edge Doors | | | | | | |




BB1266

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------|---------|--------|--------|----------|-----------|------------|
| BB1266 | 5" | USP | 180.60 | 3 | 24 | 471 |
| Steel | (127mm) | US10 | 189.55 | 3 | 24 | 471 |
| Full Surface | | US10A | 284.65 | 3 | 24 | 471 |
| Heavy Weight | | US26D | 225.70 | 3 | 24 | 471 |
| Ball Bearing | | | | | | |
| Swing Clear | | | | | | |




1267

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------------|-------------|--------|--------|----------|-----------|------------|
| 1267 | 4½"x4½" | USP | 136.15 | 3 | 24 | 471 |
| Steel | (114x114mm) | US3 | 158.70 | 3 | 24 | 471 |
| Full Mortise | | US10 | 143.30 | 3 | 24 | 471 |
| Swing Clear Spring Hinge | | US10A | 158.70 | 3 | 24 | 471 |
| | | US26 | 158.70 | 3 | 24 | 471 |
| | | US26D | 150.80 | 3 | 24 | 471 |



BB1270

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------|---------|--------|--------|----------|-----------|------------|
| BB1270 | 5" | USP | 180.60 | 3 | 24 | 471 |
| Steel | (127mm) | US10 | 189.55 | 3 | 24 | 471 |
| Half Surface | | US10A | 284.65 | 3 | 24 | 471 |
| Heavy Weight | | US26D | 225.70 | 3 | 24 | 471 |
| Ball Bearing | | | | | | |
| Swing Clear | | | | | | |




1277

| DESCRIPTION | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------|-------------|----------|-----------|------------|
| 1277 | 51.50 | 3 | 48 | 471 |
| Made to Order | Add to 1279 | | | |
| Steel | | | | |
| Full Mortise | | | | |
| Standard Weight | | | | |
| Both Leaves Tapped | | | | |

U/M is each unless otherwise noted.




Architectural Hinges




BB1277

| DESCRIPTION | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|------------------------|----------|-----------|------------|
| BB1277 Made to Order Steel Full Mortise Standard Weight Ball Bearing Both Leaves Tapped | 51.50 Add to BB1279 | 3 | 48 | 471 |




1278

| DESCRIPTION | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|----------------------|----------|-----------|------------|
| 1278 Steel Full Mortise Standard Weight Plain Bearing One Leaf Tapped Specify Handing | 51.50 Add to 1279 | 3 | 48 | 471 |



BB1278

| DESCRIPTION | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|------------------------|----------|-----------|------------|
| BB1278 Steel Full Mortise Standard Weight Ball Bearing One Leaf Tapped Specify Handing | 51.50 Add to BB1279 | 3 | 48 | 471 |



1279

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|----------------------|--------|-------|----------|-----------|------------|
| 1279 Steel Full Mortise Standard Weight Plain Bearing | 2"x2" (51x51mm) | LS | 12.40 | 10 | 200 | 471 |
| | | H2H | 25.30 | 10 | 200 | 471 |
| | | USP | 9.15 | 10 | 200 | 471 |
| | | US3 | 23.35 | 10 | 200 | 471 |
| | | US4 | 9.15 | 10 | 200 | 471 |
| | | US10 | 12.40 | 10 | 200 | 471 |
| | | US10A | 23.35 | 10 | 200 | 471 |
| | | US26 | 23.35 | 10 | 200 | 471 |
| | US26D | 19.40 | 10 | 200 | 471 | |
| | 2½"x2½" (64x64mm) | LS | 12.40 | 10 | 200 | 471 |
| | | H2H | 25.30 | 10 | 200 | 471 |
| | | USP | 9.15 | 10 | 200 | 471 |
| | | US3 | 23.35 | 10 | 200 | 471 |
| | | US4 | 9.15 | 10 | 200 | 471 |
| US10 | | 12.40 | 10 | 200 | 471 | |
| US10A | 23.35 | 10 | 200 | 471 | | |
| US26 | 23.35 | 10 | 200 | 471 | | |
| US26D | 19.40 | 10 | 200 | 471 | | |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging



Architectural Hinges




1279

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|----------------------|--------|-------|----------|-----------|------------|
| 1279 (continued) | 3"x3" (76x76mm) | LS | 11.35 | 2 | 100 | 471 |
| | | H2H | 23.05 | 2 | 100 | 471 |
| | | USP | 8.35 | 2 | 100 | 471 |
| | | US3 | 21.30 | 2 | 100 | 471 |
| | | US4 | 8.35 | 2 | 100 | 471 |
| | | US10 | 11.35 | 2 | 100 | 471 |
| | | US10A | 21.30 | 2 | 100 | 471 |
| | | US26 | 21.30 | 2 | 100 | 471 |
| | US26D | 17.70 | 2 | 100 | 471 | |
| | 3½"x3½" (89x89mm) | LS | 8.30 | 2 | 100 | 105 |
| | | H2H | 16.90 | 2 | 100 | 105 |
| | | USP | 6.10 | 2 | 100 | 105 |
| | | US3 | 15.00 | 2 | 100 | 105 |
| | | US4 | 6.10 | 2 | 100 | 105 |
| | | US10 | 8.30 | 2 | 100 | 105 |
| | | US10A | 15.00 | 2 | 100 | 105 |
| | | US26 | 15.00 | 2 | 100 | 105 |
| | US26D | 12.80 | 2 | 100 | 105 | |
| | 4"x3½" (102x89mm) | LS | 13.45 | 3 | 48 | 105 |
| | | H2H | 21.75 | 3 | 48 | 105 |
| | | USP | 10.25 | 3 | 48 | 105 |
| | | US3 | 18.95 | 3 | 48 | 105 |
| | | US4 | 10.25 | 3 | 48 | 105 |
| | | US10 | 12.05 | 3 | 48 | 105 |
| US10A | | 18.95 | 3 | 48 | 105 | |
| US26 | | 18.95 | 3 | 48 | 105 | |
| US26D | 16.45 | 3 | 48 | 105 | | |
| 4"x4" (102x102mm) | LS | 11.30 | 3 | 48 | 105 | |
| | H2H | 18.10 | 3 | 48 | 105 | |
| | USP | 8.65 | 3 | 48 | 105 | |
| | US3 | 16.15 | 3 | 48 | 105 | |
| | US4 | 8.65 | 3 | 48 | 105 | |
| | US10 | 9.95 | 3 | 48 | 105 | |
| | US10A | 16.15 | 3 | 48 | 105 | |
| | US26 | 16.15 | 3 | 48 | 105 | |
| US26D | 13.75 | 3 | 48 | 105 | | |
| 4½"x4" (114x102mm) | LS | 15.60 | 3 | 48 | 103 | |
| | H2H | 30.30 | 3 | 48 | 103 | |
| | USP | 11.90 | 3 | 48 | 103 | |
| | US3 | 21.00 | 3 | 48 | 103 | |
| | US4 | 11.90 | 3 | 48 | 103 | |
| | US10 | 13.80 | 3 | 48 | 103 | |
| | US10A | 21.00 | 3 | 48 | 103 | |
| | US26 | 21.00 | 3 | 48 | 103 | |
| US26D | 17.90 | 3 | 48 | 103 | | |

U/M is each unless otherwise noted.



Architectural Hinges



1279

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|------------------------|--------|-------|----------|-----------|------------|
| 1279 (continued) | 4½"x4½" (114x114mm) | LS | 13.80 | 3 | 48 | 103 |
| | | H2H | 31.70 | 3 | 48 | 103 |
| | | USP | 11.90 | 3 | 48 | 103 |
| | | US3 | 21.00 | 3 | 48 | 103 |
| | | US4 | 11.90 | 3 | 48 | 103 |
| | | US10 | 13.80 | 3 | 48 | 103 |
| | | US10A | 21.00 | 3 | 48 | 103 |
| | | US26 | 21.00 | 3 | 48 | 103 |
| | US26D | 17.90 | 3 | 48 | 103 | |
| | 5"x4" (127x102mm) | LS | 39.45 | 3 | 24 | 103 |
| | | H2H | 60.20 | 3 | 24 | 103 |
| | | USP | 36.80 | 3 | 24 | 103 |
| | | US3 | 54.55 | 3 | 24 | 103 |
| | | US4 | 36.80 | 3 | 24 | 103 |
| US10 | | 39.45 | 3 | 24 | 103 | |
| US10A | | 54.55 | 3 | 24 | 103 | |
| US26 | | 54.55 | 3 | 24 | 103 | |
| US26D | 46.45 | 3 | 24 | 103 | | |
| 5"x4½" (127x114mm) | LS | 39.85 | 3 | 24 | 103 | |
| | H2H | 60.75 | 3 | 24 | 103 | |
| | USP | 33.45 | 3 | 24 | 103 | |
| | US3 | 55.10 | 3 | 24 | 103 | |
| | US4 | 37.10 | 3 | 24 | 103 | |
| | US10 | 39.85 | 3 | 24 | 103 | |
| | US10A | 55.10 | 3 | 24 | 103 | |
| | US26 | 55.10 | 3 | 24 | 103 | |
| US26D | 41.50 | 3 | 24 | 103 | | |
| 5"x5" (127x127mm) | LS | 39.85 | 3 | 24 | 103 | |
| | H2H | 60.75 | 3 | 24 | 103 | |
| | USP | 33.45 | 3 | 24 | 103 | |
| | US3 | 49.00 | 3 | 24 | 103 | |
| | US4 | 33.45 | 3 | 24 | 103 | |
| | US10 | 39.85 | 3 | 24 | 103 | |
| | US10A | 55.10 | 3 | 24 | 103 | |
| | US26 | 55.10 | 3 | 24 | 103 | |
| US26D | 41.50 | 3 | 24 | 103 | | |
| 6"x4½" (152x114mm) | LS | 86.10 | 3 | 24 | 471 | |
| | H2H | 125.25 | 3 | 24 | 471 | |
| | USP | 75.15 | 3 | 24 | 471 | |
| | US3 | 112.95 | 3 | 24 | 471 | |
| | US4 | 80.95 | 3 | 24 | 471 | |
| | US10 | 86.10 | 3 | 24 | 471 | |
| | US10A | 112.95 | 3 | 24 | 471 | |
| | US26 | 112.95 | 3 | 24 | 471 | |
| US26D | 101.15 | 3 | 24 | 471 | | |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges



1279

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|------------------|----------------------|--------|--------|----------|-----------|------------|
| 1279 (continued) | 6"x5" (152x127mm) | LS | 86.10 | 3 | 24 | 471 |
| | | H2H | 125.25 | 3 | 24 | 471 |
| | | USP | 80.95 | 3 | 24 | 471 |
| | | US3 | 112.95 | 3 | 24 | 471 |
| | | US4 | 80.95 | 3 | 24 | 471 |
| | | US10 | 86.10 | 3 | 24 | 471 |
| | | US10A | 112.95 | 3 | 24 | 471 |
| | | US26 | 112.95 | 3 | 24 | 471 |
| | US26D | 101.15 | 3 | 24 | 471 | |
| | 6"x6" (152x152mm) | LS | 86.10 | 3 | 24 | 471 |
| | | H2H | 125.25 | 3 | 24 | 471 |
| | | USP | 80.95 | 3 | 24 | 471 |
| | | US3 | 112.95 | 3 | 24 | 471 |
| | | US4 | 80.95 | 3 | 24 | 471 |
| US10 | | 86.10 | 3 | 24 | 471 | |
| US10A | | 112.95 | 3 | 24 | 471 | |
| US26 | | 112.95 | 3 | 24 | 471 | |
| US26D | 101.15 | 3 | 24 | 471 | | |




BB1279

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------------|--------|-------|----------|-----------|------------|
| BB1279 Steel Full Mortise Standard Weight Ball Bearing | 3½"x3½" (89x89mm) | LS | 27.20 | 2 | 100 | 105 |
| | | H2H | 35.85 | 2 | 100 | 105 |
| | | USP | 21.60 | 2 | 100 | 105 |
| | | US3 | 32.10 | 2 | 100 | 105 |
| | | US4 | 21.60 | 2 | 100 | 105 |
| | | US10 | 24.55 | 2 | 100 | 105 |
| | | US10A | 32.10 | 2 | 100 | 105 |
| | | US26 | 36.15 | 2 | 100 | 105 |
| | US26D | 28.20 | 2 | 100 | 105 | |
| | 4"x3½" (102x89mm) | LS | 31.10 | 3 | 48 | 105 |
| | | H2H | 46.45 | 3 | 48 | 105 |
| | | USP | 28.45 | 3 | 48 | 105 |
| | | US3 | 41.15 | 3 | 48 | 105 |
| | | US4 | 28.45 | 3 | 48 | 105 |
| US10 | | 31.10 | 3 | 48 | 105 | |
| US10A | | 41.15 | 3 | 48 | 105 | |
| US26 | | 41.15 | 3 | 48 | 105 | |
| US26D | 35.45 | 3 | 48 | 105 | | |
| 4"x4" (102x102mm) | LS | 29.50 | 3 | 48 | 105 | |
| | H2H | 39.55 | 3 | 48 | 105 | |
| | USP | 24.40 | 3 | 48 | 105 | |
| | US3 | 35.05 | 3 | 48 | 105 | |
| | US4 | 24.40 | 3 | 48 | 105 | |
| | US10 | 26.45 | 3 | 48 | 105 | |
| | US10A | 35.05 | 3 | 48 | 105 | |
| | US26 | 35.05 | 3 | 48 | 105 | |
| US26D | 29.95 | 3 | 48 | 105 | | |

U/M is each unless otherwise noted.



Architectural Hinges



BB1279

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|------------------------|--------|-------|----------|-----------|------------|
| BB1279 (continued) | 4½"x4" (114x102mm) | LS | 31.55 | 3 | 48 | 103 |
| | | H2H | 49.20 | 3 | 48 | 103 |
| | | USP | 26.20 | 3 | 48 | 103 |
| | | US3 | 38.10 | 3 | 48 | 103 |
| | | US4 | 26.20 | 3 | 48 | 103 |
| | | US10 | 28.05 | 3 | 48 | 103 |
| | | US10A | 38.10 | 3 | 48 | 103 |
| | | US26 | 38.10 | 3 | 48 | 103 |
| | US26D | 32.50 | 3 | 48 | 103 | |
| | 4½"x4½" (114x114mm) | LS | 28.05 | 3 | 48 | 103 |
| | | H2H | 49.20 | 3 | 48 | 103 |
| | | USP | 26.20 | 3 | 48 | 103 |
| | | US3 | 38.10 | 3 | 48 | 103 |
| | | US4 | 26.20 | 3 | 48 | 103 |
| | | US10 | 28.05 | 3 | 48 | 103 |
| | | US10A | 38.10 | 3 | 48 | 103 |
| | | US26 | 38.10 | 3 | 48 | 103 |
| | US26D | 32.50 | 3 | 48 | 103 | |
| | 5"x4" (127x102mm) | LS | 52.75 | 3 | 24 | 103 |
| | | H2H | 76.60 | 3 | 24 | 103 |
| USP | | 44.45 | 3 | 24 | 103 | |
| US3 | | 68.70 | 3 | 24 | 103 | |
| US4 | | 49.60 | 3 | 24 | 103 | |
| US10 | | 52.30 | 3 | 24 | 103 | |
| US10A | | 68.70 | 3 | 24 | 103 | |
| US26 | | 68.70 | 3 | 24 | 103 | |
| US26D | 52.85 | 3 | 24 | 103 | | |
| 5"x4½" (127x114mm) | LS | 52.75 | 3 | 24 | 103 | |
| | H2H | 76.50 | 3 | 24 | 103 | |
| | USP | 44.80 | 3 | 24 | 103 | |
| | US3 | 69.35 | 3 | 24 | 103 | |
| | US4 | 50.05 | 3 | 24 | 103 | |
| | US10 | 52.75 | 3 | 24 | 103 | |
| | US10A | 61.75 | 3 | 24 | 103 | |
| | US26 | 69.35 | 3 | 24 | 103 | |
| US26D | 52.85 | 3 | 24 | 103 | | |
| 5"x5" (127x127mm) | LS | 52.75 | 3 | 24 | 103 | |
| | H2H | 76.50 | 3 | 24 | 103 | |
| | USP | 44.80 | 3 | 24 | 103 | |
| | US3 | 61.75 | 3 | 24 | 103 | |
| | US4 | 44.80 | 3 | 24 | 103 | |
| | US10 | 47.05 | 3 | 24 | 103 | |
| | US10A | 69.35 | 3 | 24 | 103 | |
| | US26 | 69.35 | 3 | 24 | 103 | |
| US26D | 52.85 | 3 | 24 | 103 | | |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges



BB1279

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------|-----------------------|--------|--------|----------|-----------|------------|
| BB1279 (continued) | 6"x4½" (152x114mm) | LS | 121.70 | 3 | 24 | 471 |
| | | H2H | 174.25 | 3 | 24 | 471 |
| | | USP | 116.05 | 3 | 24 | 471 |
| | | US3 | 157.55 | 3 | 24 | 471 |
| | | US4 | 116.05 | 3 | 24 | 471 |
| | | US10 | 121.70 | 3 | 24 | 471 |
| | | US10A | 157.55 | 3 | 24 | 471 |
| | | US26 | 157.55 | 3 | 24 | 471 |
| | US26D | 135.20 | 3 | 24 | 471 | |
| | 6"x5" (152x127mm) | LS | 121.70 | 3 | 24 | 471 |
| | | H2H | 174.25 | 3 | 24 | 471 |
| | | USP | 116.05 | 3 | 24 | 471 |
| | | US3 | 157.55 | 3 | 24 | 471 |
| | | US4 | 116.05 | 3 | 24 | 471 |
| | | US10 | 121.70 | 3 | 24 | 471 |
| | | US10A | 157.55 | 3 | 24 | 471 |
| | | US26 | 157.55 | 3 | 24 | 471 |
| | US26D | 135.20 | 3 | 24 | 471 | |
| | 6"x6" (152x152mm) | LS | 121.70 | 3 | 24 | 471 |
| | | H2H | 174.25 | 3 | 24 | 471 |
| | | USP | 116.05 | 3 | 24 | 471 |
| | | US3 | 157.55 | 3 | 24 | 471 |
| | | US4 | 116.05 | 3 | 24 | 471 |
| | | US10 | 121.70 | 3 | 24 | 471 |
| US10A | | 157.55 | 3 | 24 | 471 | |
| US26 | | 157.55 | 3 | 24 | 471 | |
| US26D | 135.20 | 3 | 24 | 471 | | |




WT1279

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|----------------------|----------------------|-------|----------|-----------|------------|
| WT1279 Wide Throw Steel Full Mortise Standard Weight Plain Bearing | 3½"x5" (89x127mm) | LS | 36.80 | 3 | 24 | 105 |
| | | USP | 34.40 | 3 | 24 | 105 |
| | | US3 | 48.25 | 3 | 24 | 105 |
| | | US10 | 36.80 | 3 | 24 | 105 |
| | | US10A | 48.25 | 3 | 24 | 105 |
| | | US26 | 48.25 | 3 | 24 | 105 |
| | | US26D | 41.50 | 3 | 24 | 105 |
| | | 3½"x6" (89x152mm) | LS | 36.80 | 3 | 24 |
| | USP | | 34.40 | 3 | 24 | 105 |
| | US3 | | 48.25 | 3 | 24 | 105 |
| | US10 | | 36.80 | 3 | 24 | 105 |
| | US10A | | 48.25 | 3 | 24 | 105 |
| | US26 | | 48.25 | 3 | 24 | 105 |
| | US26D | | 41.50 | 3 | 24 | 105 |
| | 4"x5" (102x127mm) | | LS | 57.30 | 3 | 24 |
| | | USP | 55.00 | 3 | 24 | 105 |
| | | US3 | 69.60 | 3 | 24 | 105 |
| | | US10 | 57.30 | 3 | 24 | 105 |
| | | US10A | 69.60 | 3 | 24 | 105 |
| | | US26 | 69.60 | 3 | 24 | 105 |
| | | US26D | 62.30 | 3 | 24 | 105 |

U/M is each unless otherwise noted.



Architectural Hinges



WT1279

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|-----------------------|--------|--------|----------|-----------|------------|
| WT1279 (continued) | 4"x6" (102x152mm) | LS | 57.30 | 3 | 24 | 105 |
| | | USP | 55.00 | 3 | 24 | 105 |
| | | US3 | 69.60 | 3 | 24 | 105 |
| | | US10 | 57.30 | 3 | 24 | 105 |
| | | US10A | 69.60 | 3 | 24 | 105 |
| | | US26 | 69.60 | 3 | 24 | 105 |
| | | US26D | 62.30 | 3 | 24 | 105 |
| | 4"x7" (102x178mm) | LS | 57.30 | 3 | 24 | 105 |
| | | USP | 55.00 | 3 | 24 | 105 |
| | | US3 | 69.60 | 3 | 24 | 105 |
| | | US10 | 57.30 | 3 | 24 | 105 |
| | | US10A | 69.60 | 3 | 24 | 105 |
| | | US26 | 69.60 | 3 | 24 | 105 |
| | | US26D | 62.30 | 3 | 24 | 105 |
| | 4½"x5" (114x127mm) | LS | 93.30 | 3 | 24 | 103 |
| | | USP | 90.60 | 3 | 24 | 103 |
| | | US3 | 105.60 | 3 | 24 | 103 |
| | | US10 | 93.30 | 3 | 24 | 103 |
| | | US10A | 105.60 | 3 | 24 | 103 |
| | | US26 | 105.60 | 3 | 24 | 103 |
| | | US26D | 98.00 | 3 | 24 | 103 |
| 4½"x6" (114x152mm) | LS | 93.30 | 3 | 24 | 103 | |
| | USP | 90.60 | 3 | 24 | 103 | |
| | US3 | 105.60 | 3 | 24 | 103 | |
| | US10 | 93.30 | 3 | 24 | 103 | |
| | US10A | 105.60 | 3 | 24 | 103 | |
| | US26 | 105.60 | 3 | 24 | 103 | |
| | US26D | 98.00 | 3 | 24 | 103 | |
| 4½"x7" (114x178mm) | USP | 93.20 | 3 | 24 | 471 | |
| | US3 | 108.65 | 3 | 24 | 471 | |
| | US10 | 96.00 | 3 | 24 | 471 | |
| | US10A | 108.65 | 3 | 24 | 471 | |
| | US26D | 100.85 | 3 | 24 | 471 | |
| 4½"x8" (114x203mm) | USP | 93.20 | 3 | 24 | 471 | |
| | US3 | 108.65 | 3 | 24 | 471 | |
| | US10 | 96.00 | 3 | 24 | 471 | |
| | US10A | 108.65 | 3 | 24 | 471 | |
| | US26D | 100.85 | 3 | 24 | 471 | |
| 5"x6" (127x152mm) | USP | 115.35 | 3 | 24 | 471 | |
| | US3 | 108.65 | 3 | 24 | 471 | |
| | US10 | 121.45 | 3 | 24 | 471 | |
| | US10A | 135.50 | 3 | 24 | 471 | |
| | US26D | 137.25 | 3 | 24 | 471 | |
| 5"x7" (127x178mm) | USP | 115.35 | 3 | 24 | 471 | |
| | US3 | 148.95 | 3 | 24 | 471 | |
| | US10 | 121.45 | 3 | 24 | 471 | |
| | US10A | 135.50 | 3 | 24 | 471 | |
| | US26D | 137.25 | 3 | 24 | 471 | |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges



WT1279

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------|----------------------|--------|--------|----------|-----------|------------|
| WT1279 (continued) | 5"x8" (127x203mm) | USP | 121.15 | 3 | 24 | 471 |
| | | US3 | 156.50 | 3 | 24 | 471 |
| | | US10 | 127.50 | 3 | 24 | 471 |
| | | US10A | 142.20 | 3 | 24 | 471 |
| | | US26D | 144.15 | 3 | 24 | 471 |



WTBB1279


| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------------|--------|-------|----------|-----------|------------|
| WTBB1279 Wide Throw Steel Full Mortise Standard Weight Ball Bearing | 3½"x5" (89x127mm) | LS | 52.80 | 3 | 24 | 105 |
| | | USP | 50.70 | 3 | 24 | 105 |
| | | US3 | 64.60 | 3 | 24 | 105 |
| | | US10 | 52.80 | 3 | 24 | 105 |
| | | US10A | 64.60 | 3 | 24 | 105 |
| | | US26 | 64.60 | 3 | 24 | 105 |
| | | US26D | 57.50 | 3 | 24 | 105 |
| | 3½"x6" (89x152mm) | LS | 52.80 | 3 | 24 | 105 |
| | | USP | 50.70 | 3 | 24 | 105 |
| | | US3 | 64.60 | 3 | 24 | 105 |
| | | US10 | 52.80 | 3 | 24 | 105 |
| | | US10A | 64.60 | 3 | 24 | 105 |
| | | US26 | 64.60 | 3 | 24 | 105 |
| | | US26D | 57.50 | 3 | 24 | 105 |
| | 4"x5" (102x127mm) | LS | 73.70 | 3 | 24 | 105 |
| | | USP | 71.20 | 3 | 24 | 105 |
| | | US3 | 85.95 | 3 | 24 | 105 |
| | | US10 | 73.70 | 3 | 24 | 105 |
| | | US10A | 85.95 | 3 | 24 | 105 |
| | | US26 | 85.95 | 3 | 24 | 105 |
| | | US26D | 78.80 | 3 | 24 | 105 |
| 4"x6" (102x152mm) | LS | 73.70 | 3 | 24 | 105 | |
| | USP | 71.20 | 3 | 24 | 105 | |
| | US3 | 85.95 | 3 | 24 | 105 | |
| | US10 | 73.70 | 3 | 24 | 105 | |
| | US10A | 85.95 | 3 | 24 | 105 | |
| | US26 | 85.95 | 3 | 24 | 105 | |
| | US26D | 78.80 | 3 | 24 | 105 | |
| 4"x7" (102x178mm) | LS | 73.70 | 3 | 24 | 105 | |
| | USP | 71.20 | 3 | 24 | 105 | |
| | US3 | 85.95 | 3 | 24 | 105 | |
| | US10 | 73.70 | 3 | 24 | 105 | |
| | US10A | 85.95 | 3 | 24 | 105 | |
| | US26 | 85.95 | 3 | 24 | 105 | |
| | US26D | 78.80 | 3 | 24 | 105 | |
| 4½"x5" (114x127mm) | LS | 108.65 | 3 | 24 | 100 | |
| | USP | 106.30 | 3 | 24 | 100 | |
| | US3 | 121.50 | 3 | 24 | 100 | |
| | US10 | 108.65 | 3 | 24 | 100 | |
| | US10A | 121.50 | 3 | 24 | 100 | |
| | US26 | 121.50 | 3 | 24 | 100 | |
| | US26D | 113.70 | 3 | 24 | 100 | |

U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com




Architectural Hinges



WTBB1279

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------|-----------------------|--------|--------|----------|-----------|------------|
| WTBB1279 (continued) | 4½"x6" (114x152mm) | LS | 108.65 | 3 | 24 | 100 |
| | | USP | 106.30 | 3 | 24 | 100 |
| | | US3 | 121.50 | 3 | 24 | 100 |
| | | US10 | 108.65 | 3 | 24 | 100 |
| | | US10A | 121.50 | 3 | 24 | 100 |
| | | US26 | 121.50 | 3 | 24 | 100 |
| | US26D | 113.70 | 3 | 24 | 100 | |
| | 4½"x7" (114x178mm) | USP | 109.35 | 3 | 24 | 100 |
| | | US3 | 124.95 | 3 | 24 | 100 |
| | | US10 | 111.75 | 3 | 24 | 100 |
| | | US10A | 124.95 | 3 | 24 | 100 |
| | | US26D | 116.95 | 3 | 24 | 100 |
| | 4½"x8" (114x203mm) | USP | 109.35 | 3 | 24 | 100 |
| | | US3 | 124.95 | 3 | 24 | 100 |
| | | US10 | 111.75 | 3 | 24 | 100 |
| | | US10A | 124.95 | 3 | 24 | 100 |
| | | US26D | 116.95 | 3 | 24 | 100 |
| | 5"x6" (127x152mm) | USP | 138.80 | 3 | 24 | 100 |
| | | US3 | 173.50 | 3 | 24 | 100 |
| | | US10 | 145.70 | 3 | 24 | 100 |
| | | US10A | 173.50 | 3 | 24 | 100 |
| | 5"x7" (127x178mm) | USP | 138.80 | 3 | 24 | 100 |
| | | US3 | 173.50 | 3 | 24 | 100 |
| | | US10 | 145.70 | 3 | 24 | 100 |
| US10A | | 173.50 | 3 | 24 | 100 | |
| 5"x8" (127x203mm) | USP | 138.80 | 3 | 24 | 100 | |
| | US3 | 173.50 | 3 | 24 | 100 | |
| | US10 | 145.70 | 3 | 24 | 100 | |
| | US10A | 173.50 | 3 | 24 | 100 | |
| 5"x8" (127x203mm) | USP | 138.80 | 3 | 24 | 100 | |
| | US3 | 173.50 | 3 | 24 | 100 | |
| | US10 | 145.70 | 3 | 24 | 100 | |
| | US10A | 173.50 | 3 | 24 | 100 | |
| 5"x8" (127x203mm) | USP | 138.80 | 3 | 24 | 100 | |
| | US3 | 173.50 | 3 | 24 | 100 | |
| | US10 | 145.70 | 3 | 24 | 100 | |
| | US10A | 173.50 | 3 | 24 | 100 | |
| 5"x8" (127x203mm) | USP | 138.80 | 3 | 24 | 100 | |
| | US3 | 173.50 | 3 | 24 | 100 | |
| | US10 | 145.70 | 3 | 24 | 100 | |
| | US10A | 173.50 | 3 | 24 | 100 | |



1303

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE | |
|---------------------------------------|---------------|---------------|-------|----------|-----------|------------|-----|
| 1303 Double Acting Spring Hinge | 3" (76mm) | USP | 18.20 | 1 | 10 | 471 | |
| | | US3 | 25.05 | 1 | 10 | 471 | |
| | | US4 | 22.40 | 1 | 10 | 471 | |
| | | US26D | 28.65 | 1 | 10 | 471 | |
| | 4" (102mm) | USP | 19.40 | 1 | 10 | 471 | |
| | | US3 | 26.25 | 1 | 10 | 471 | |
| | | US4 | 23.55 | 1 | 10 | 471 | |
| | | US26D | 30.15 | 1 | 10 | 471 | |
| | 5" (127mm) | USP | 26.25 | 1 | 10 | 471 | |
| | | US3 | 36.05 | 1 | 10 | 471 | |
| | | US4 | 32.20 | 1 | 10 | 471 | |
| | 5" (127mm) | US26D | 41.15 | 1 | 10 | 471 | |
| | | 6" (152mm) | USP | 28.65 | 1 | 10 | 471 |
| | | | US3 | 39.65 | 1 | 10 | 471 |
| | US4 | | 35.50 | 1 | 10 | 471 | |
| | 6" (152mm) | US26D | 45.30 | 1 | 10 | 471 | |



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges




BB1360

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------|--------|--------|----------|-----------|------------|
| BB1360 Stainless Steel | 4½" (114mm) | US32D | 223.45 | 3 | 36 | 471 |
| Full Mortise Standard Weight Ball Bearing Swing Clear | 5" (127mm) | US32D | 223.45 | 3 | 36 | 471 |




BB1361

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------|--------|--------|----------|-----------|------------|
| BB1361 Stainless Steel | 4½" (114mm) | US32D | 223.45 | 3 | 36 | 471 |
| Full Mortise Standard Weight Ball Bearing Swing Clear Beveled Edge Doors | 5" (127mm) | US32D | 223.45 | 3 | 36 | 471 |




BB1362

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|----------------|--------|--------|----------|-----------|------------|
| BB1362 Stainless Steel | 4½" (114mm) | US32D | 269.80 | 3 | 36 | 471 |
| Full Mortise Heavy Weight Ball Bearing Swing Clear | 5" (127mm) | US32D | 269.80 | 3 | 36 | 471 |




BB1363

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|----------------|--------|--------|----------|-----------|------------|
| BB1363 Stainless Steel | 4½" (114mm) | US32D | 269.80 | 3 | 36 | 471 |
| Full Mortise Heavy Weight Ball Bearing Swing Clear Beveled Edge Doors | 5" (127mm) | US32D | 269.80 | 3 | 36 | 471 |



1577

| DESCRIPTION | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------------|----------|-----------|------------|
| 1577 Made to Order Brass Full Mortise Standard Weight Both Leaves Tapped | 51.50 Add to 1191 | 3 | 48 | 471 |




BB1577

| DESCRIPTION | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|------------------------|----------|-----------|------------|
| BB1577 Made to Order Brass Full Mortise Standard Weight Ball Bearing Both Leaves Tapped | 51.50 Add to BB1191 | 3 | 48 | 471 |

U/M is each unless otherwise noted.




Architectural Hinges



1578

| DESCRIPTION | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------------|----------|-----------|------------|
| 1578 Made to Order Brass, Full Mortise Standard Weight One Leaf Tapped Specify Handing | 51.50 Add to 1191 | 3 | 48 | 471 |



BB1578

| DESCRIPTION | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|------------------------|----------|-----------|------------|
| BB1578 Made to Order Brass, Full Mortise Standard Weight Ball Bearing One Leaf Tapped Specify Handing | 51.50 Add to BB1191 | 3 | 48 | 471 |



1712

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|-------------|--------|-------|----------|-----------|------------|
| 1712 Ball Tip Hinge Kit Standard Weight | 3½" (89mm) | US3 | 36.15 | 10 | 100 | 471 |
| | 4" (102mm) | US3 | 36.15 | 10 | 100 | 471 |
| | 4½" (114mm) | US3 | 36.15 | 10 | 100 | 471 |
| | 5" (127mm) | US3 | 36.15 | 10 | 100 | 471 |


U/M — Pack of 1 Each
2 Ball Tips (Solid Brass) and 1 stainless steel pin for one architectural grade hinge



1713

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|-------------|--------|-------|----------|-----------|------------|
| 1713 Ball Tip Hinge Kit Heavy Weight | 4½" (114mm) | US3 | 39.50 | 10 | 100 | 471 |
| | 5" (127mm) | US3 | 39.50 | 10 | 100 | 471 |


U/M — Pack of 1 Each
2 Ball Tips (Solid Brass) and 1 stainless steel pin for one architectural grade hinge



1716

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|-------------|--------|-------|----------|-----------|------------|
| 1716 Acorn Tip Hinge Kit Standard Weight | 3½" (89mm) | US3 | 36.15 | 10 | 100 | 471 |
| | 4" (102mm) | US3 | 36.15 | 10 | 100 | 471 |
| | 4½" (114mm) | US3 | 36.15 | 10 | 100 | 471 |
| | 5" (127mm) | US3 | 36.15 | 10 | 100 | 471 |

U/M — Pack of 1 Each
2 Acorn Tips (Solid Brass) and 1 stainless steel pin for one architectural grade hinge



1717

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|-------------|--------|-------|----------|-----------|------------|
| 1717 Acorn Tip Hinge Kit Heavy Weight | 4½" (114mm) | US3 | 39.50 | 10 | 100 | 471 |
| | 5" (127mm) | US3 | 39.50 | 10 | 100 | 471 |

U/M — Pack of 1 Each
2 Acorn Tips (Solid Brass) and 1 stainless steel pin for one architectural grade hinge



1722

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|-------------|--------|-------|----------|-----------|------------|
| 1722 Steeple Tip Hinge Kit Standard Weight | 3½" (89mm) | US3 | 36.15 | 10 | 100 | 471 |
| | 4" (102mm) | US3 | 36.15 | 10 | 100 | 471 |
| | 4½" (114mm) | US3 | 36.15 | 10 | 100 | 471 |
| | 5" (127mm) | US3 | 36.15 | 10 | 100 | 471 |

U/M — Pack of 1 Each
2 Steeple Tips (Solid Brass) and 1 stainless steel pin for one architectural grade hinge



U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging



Architectural Hinges



1723

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|----------------------------|-------------|--------|-------|----------|-----------|------------|
| 1723 Steeple Tip Hinge Kit | 4½" (114mm) | US3 | 39.50 | 10 | 100 | 471 |
| Heavy Weight | 5" (127mm) | US3 | 39.50 | 10 | 100 | 471 |

U/M — Pack of 1 Each
2 Steeple Tips (Solid Brass) and 1 stainless steel pin for one architectural grade hinge



1728

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|------------------------|-------------|--------|-------|----------|-----------|------------|
| 1728 Urn Tip Hinge Kit | 3½" (89mm) | US3 | 36.15 | 10 | 100 | 471 |
| Standard Weight | 4" (102mm) | US3 | 36.15 | 10 | 100 | 471 |
| | 4½" (114mm) | US3 | 36.15 | 10 | 100 | 471 |
| | 5" (127mm) | US3 | 36.15 | 10 | 100 | 471 |

U/M — Pack of 1 Each
2 Urn Tips (Solid Brass) and 1 stainless steel pin for one architectural grade hinge



1729


| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|------------------------|-------------|--------|-------|----------|-----------|------------|
| 1729 Urn Tip Hinge Kit | 4½" (114mm) | US3 | 39.50 | 10 | 100 | 471 |
| Heavy Weight | 5" (127mm) | US3 | 39.50 | 10 | 100 | 471 |

U/M — Pack of 1 Each
2 Urn Tips (Solid Brass) and 1 stainless steel pin for one architectural grade hinge



1850


| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|------------------------------|-------------------|--------|-------|----------|-----------|------------|
| 1850 Steel - Full Surface | 4" x 4" (102mm) | PS | 19.35 | — | 10 | 471 |
| Heavy Weight - Plain Bearing | 4½" x 4½" (114mm) | PS | 27.60 | — | 10 | 471 |
| No Holes | 5" x 5" (127mm) | PS | 35.35 | — | 10 | 471 |
| | 6" x 6" (152mm) | PS | 55.25 | — | 10 | 471 |



BB2098

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---------------------------|---------------------|--------|--------|----------|-----------|------------|
| BB2098 Brass or Stainless | 4½" (114mm) | US10 | 227.50 | 3 | 36 | 471 |
| Half Mortise | | US10B | 277.50 | 3 | 36 | 471 |
| Heavy Weight | | US26D | 243.75 | 3 | 36 | 471 |
| Ball Bearing | | US32D | 323.55 | 3 | 36 | 471 |
| | 5" (127mm) | US10 | 275.10 | 3 | 24 | 471 |
| | | US10B | 325.00 | 3 | 24 | 471 |
| | | US26D | 290.85 | 3 | 24 | 471 |
| | | US32D | 378.80 | 3 | 24 | 471 |
| | 6" x 1¾" (152x45mm) | US26D | 358.40 | 3 | 12 | 471 |
| | | US32D | 512.00 | 3 | 12 | 471 |

6" - Specify door thickness if other than 1¾"




BB2108

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---------------------------|-------------|--------|--------|----------|-----------|------------|
| BB2108 Brass or Stainless | 4½" (114mm) | US10 | 227.50 | 3 | 36 | 471 |
| Full Surface | | US10B | 277.50 | 3 | 36 | 471 |
| Heavy Weight | | US26D | 243.75 | 3 | 36 | 471 |
| Ball Bearing | | US32D | 323.55 | 3 | 36 | 471 |
| | 5" (127mm) | US10 | 261.55 | 3 | 24 | 471 |
| | | US10B | 353.75 | 3 | 24 | 471 |
| | | US26D | 307.60 | 3 | 24 | 471 |
| | | US32D | 399.80 | 3 | 24 | 471 |
| | 6" (152mm) | US26D | 358.40 | 3 | 12 | 471 |
| | | US32D | 512.00 | 3 | 12 | 471 |

U/M is each unless otherwise noted.




Architectural Hinges




BB2109

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------|--------|--------|----------|-----------|------------|
| BB2109 Brass or Stainless Full Surface Heavy Weight Ball Bearing | 4½" (114mm) | US10 | 227.50 | 3 | 36 | 471 |
| | | US10B | 277.50 | 3 | 36 | 471 |
| | | US26D | 243.75 | 3 | 36 | 471 |
| | | US32D | 323.55 | 3 | 36 | 471 |
| Ball Bearing | 5" (127mm) | US10 | 261.55 | 3 | 24 | 471 |
| | | US10B | 353.75 | 3 | 24 | 471 |
| | | US26D | 307.60 | 3 | 24 | 471 |
| | | US32D | 399.80 | 3 | 24 | 471 |
| Ball Bearing | 6" (152mm) | US26D | 358.40 | 3 | 12 | 471 |
| | | US32D | 512.00 | 3 | 12 | 471 |




BB2110

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|----------------|--------|--------|----------|-----------|------------|
| BB2110 Brass or Stainless Full Surface Standard Weight Ball Bearing | 4½" (114mm) | US10 | 192.95 | 3 | 48 | 471 |
| | | US10B | 241.25 | 3 | 48 | 471 |
| | | US26D | 207.70 | 3 | 48 | 471 |
| | | US32D | 281.45 | 3 | 48 | 471 |
| Ball Bearing | 5" (127mm) | US10 | 212.85 | 3 | 48 | 471 |
| | | US10B | 287.75 | 3 | 48 | 471 |
| | | US26D | 250.20 | 3 | 48 | 471 |
| | | US32D | 357.40 | 3 | 48 | 471 |



BB2112

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|----------------|--------|--------|----------|-----------|------------|
| BB2112 Brass or Stainless Half Surface Standard Weight Ball Bearing | 4" (102mm) | US10 | 170.20 | 3 | 48 | 471 |
| | | US10B | 214.35 | 3 | 48 | 471 |
| | | US26D | 184.40 | 3 | 48 | 471 |
| | | US32D | 250.05 | 3 | 48 | 471 |
| Ball Bearing | 4½" (114mm) | US10 | 192.95 | 3 | 48 | 471 |
| | | US10B | 241.25 | 3 | 48 | 471 |
| | | US26D | 207.70 | 3 | 48 | 471 |
| | | US32D | 281.45 | 3 | 48 | 471 |
| Ball Bearing | 5" (127mm) | US10 | 203.85 | 3 | 36 | 471 |
| | | US10B | 265.00 | 3 | 36 | 471 |
| | | US26D | 230.45 | 3 | 36 | 471 |
| | | US32D | 299.60 | 3 | 36 | 471 |



BB2113

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------------|--------|--------|----------|-----------|------------|
| BB2113 Brass or Stainless Half Surface Heavy Weight Ball Bearing | 4½" (114mm) | US10 | 227.50 | 3 | 36 | 471 |
| | | US10B | 277.50 | 3 | 36 | 471 |
| | | US26D | 243.75 | 3 | 36 | 471 |
| | | US32D | 319.25 | 3 | 36 | 471 |
| Ball Bearing | 5" (127mm) | US10 | 264.45 | 3 | 24 | 471 |
| | | US10B | 343.65 | 3 | 24 | 471 |
| | | US26D | 307.60 | 3 | 24 | 471 |
| | | US32D | 400.60 | 3 | 24 | 471 |
| Ball Bearing | 6"x1¾" (152x45mm) | US26D | 388.85 | 3 | 24 | 471 |
| | | US32D | 507.10 | 3 | 24 | 471 |

6"-Specify door thickness if other than 1¾"



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges




BB2168

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|----------------|--------|--------|----------|-----------|------------|
| BB2168 Steel Full Surface Heavy Weight Ball Bearing | 4½" (114mm) | USP | 179.50 | 3 | 36 | 471 |
| | | US10 | 187.10 | 3 | 36 | 471 |
| | | US10A | 219.05 | 3 | 36 | 471 |
| | | US26D | 196.30 | 3 | 36 | 471 |
| | 5" (127mm) | USP | 216.80 | 3 | 24 | 471 |
| | | US10 | 227.60 | 3 | 24 | 471 |
| | | US10A | 296.65 | 3 | 24 | 471 |
| | | US26D | 257.95 | 3 | 24 | 471 |
| | 6" (152mm) | USP | 230.30 | 3 | 12 | 471 |
| | | US10 | 241.80 | 3 | 12 | 471 |
| | | US10A | 326.95 | 3 | 12 | 471 |
| | | US26D | 284.30 | 3 | 12 | 471 |



BB2169

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---|----------------|--------|--------|----------|-----------|------------|
| BB2169 Steel Full Surface Heavy Weight Ball Bearing | 4½" (114mm) | USP | 160.20 | 3 | 36 | 471 |
| | | US10 | 187.10 | 3 | 36 | 471 |
| | | US10A | 219.05 | 3 | 36 | 471 |
| | | US26D | 196.30 | 3 | 36 | 471 |
| | 5" (127mm) | USP | 193.55 | 3 | 24 | 471 |
| | | US10 | 203.20 | 3 | 24 | 471 |
| | | US10A | 271.15 | 3 | 24 | 471 |
| | | US26D | 235.80 | 3 | 24 | 471 |
| | 6" (152mm) | USP | 258.50 | 3 | 12 | 471 |
| | | US10 | 271.45 | 3 | 12 | 471 |
| | | US10A | 326.95 | 3 | 12 | 471 |
| | | US26D | 284.30 | 3 | 12 | 471 |



BB2171

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--|----------------|--------|--------|----------|-----------|------------|
| BB2171 Steel Full Surface Standard Weight Ball Bearing | 4½" (114mm) | USP | 73.05 | 3 | 48 | 471 |
| | | US10 | 88.15 | 3 | 48 | 471 |
| | | US10A | 115.20 | 3 | 48 | 471 |
| | | US26D | 100.05 | 3 | 48 | 471 |
| | 5" (127mm) | USP | 102.50 | 3 | 36 | 471 |
| | | US10 | 121.15 | 3 | 36 | 471 |
| | | US10A | 152.80 | 3 | 36 | 471 |
| | | US26D | 131.45 | 3 | 36 | 471 |



AB7001

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE | |
|---|----------------|---------------|--------|----------|-----------|------------|-----|
| AB7001 Steel Full Mortise Standard Weight Concealed Anti-Friction Bearing Swing Clear | 4½" (114mm) | LS | 194.95 | 3 | 36 | 471 | |
| | | USP | 187.25 | 3 | 36 | 471 | |
| | | US3 | 230.35 | 3 | 36 | 471 | |
| | | US10 | 194.95 | 3 | 36 | 471 | |
| | | US10A | 230.35 | 3 | 36 | 471 | |
| | | US26 | 230.35 | 3 | 36 | 471 | |
| | | US26D | 182.50 | 3 | 36 | 471 | |
| | | 5" (127mm) | LS | 194.95 | 3 | 36 | 471 |
| | | | USP | 187.25 | 3 | 36 | 471 |
| | | | US3 | 230.35 | 3 | 36 | 471 |
| | | | US10 | 194.95 | 3 | 36 | 471 |
| | | | US10A | 230.35 | 3 | 36 | 471 |
| | US26 | | 230.35 | 3 | 36 | 471 | |
| | US26D | | 182.50 | 3 | 36 | 471 | |

U/M is each unless otherwise noted.



Architectural Hinges



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|----------------|--------|--------|----------|-----------|------------|
| AB7002 | 4½" (114mm) | LS | 194.95 | 3 | 36 | 471 |
| Steel | | USP | 187.25 | 3 | 36 | 471 |
| Full Mortise | | US3 | 230.35 | 3 | 36 | 471 |
| Standard Weight | | US10 | 194.95 | 3 | 36 | 471 |
| Concealed | | US10A | 230.35 | 3 | 36 | 471 |
| Anti-Friction Bearing | | US26 | 230.35 | 3 | 36 | 471 |
| Swing Clear | | US26D | 182.50 | 3 | 36 | 471 |
| Beveled Edge Doors | 5" (127mm) | LS | 194.95 | 3 | 36 | 471 |
| | | USP | 187.25 | 3 | 36 | 471 |
| | | US3 | 230.35 | 3 | 36 | 471 |
| | | US10 | 194.95 | 3 | 36 | 471 |
| | | US10A | 230.35 | 3 | 36 | 471 |
| | | US26 | 230.35 | 3 | 36 | 471 |
| | | US26D | 182.50 | 3 | 36 | 471 |



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|----------------|--------|--------|----------|-----------|------------|
| AB7501 | 4½" (114mm) | USP | 242.55 | 3 | 24 | 471 |
| Steel | | US10 | 246.05 | 3 | 24 | 471 |
| Full Mortise | | US10A | 295.65 | 3 | 24 | 471 |
| Heavy Weight | | US26D | 224.30 | 3 | 24 | 471 |
| Concealed | 5" (127mm) | USP | 242.55 | 3 | 24 | 471 |
| Anti-Friction Bearing | | US10 | 246.05 | 3 | 24 | 471 |
| Swing Clear | | US10A | 295.65 | 3 | 24 | 471 |
| | | US26D | 224.30 | 3 | 24 | 471 |



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|----------------|--------|--------|----------|-----------|------------|
| AB7502 | 4½" (114mm) | USP | 242.55 | 3 | 24 | 471 |
| Steel | | US10 | 246.05 | 3 | 24 | 471 |
| Full Mortise | | US10A | 295.65 | 3 | 24 | 471 |
| Heavy Weight | | US26D | 224.30 | 3 | 24 | 471 |
| Concealed | 5" (127mm) | USP | 242.55 | 3 | 24 | 471 |
| Anti-Friction Bearing | | US10 | 246.05 | 3 | 24 | 471 |
| Swing Clear | | US10A | 295.65 | 3 | 24 | 471 |
| Beveled Edge Doors | | US26D | 224.30 | 3 | 24 | 471 |



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|-----------------------|----------|--------|----------|-----------|------------|
| AB7505 | 5"x4½" (127x114mm) | LH USP | 309.30 | 1 | 10 | 471 |
| Steel | | RH USP | 309.30 | 1 | 10 | 471 |
| Full Mortise | | LH US10 | 315.15 | 1 | 10 | 471 |
| Heavy Weight | | RH US10 | 315.15 | 1 | 10 | 471 |
| Concealed | | LH US10A | 381.65 | 1 | 10 | 471 |
| Anti-Friction Bearing | | RH US10A | 381.65 | 1 | 10 | 471 |
| Anchor Hinge | | LH US26D | 303.70 | 1 | 10 | 471 |
| Specify Handing | | RH US26D | 303.70 | 1 | 10 | 471 |

Add 2 Each 5"x4½" AB750 for Set



U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging



Architectural Hinges



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|-------------|----------|--------|----------|-----------|------------|
| AB7506 | 5"x4½" | LH USP | 309.30 | 1 | 10 | 471 |
| Steel | (127x114mm) | RH USP | 309.30 | 1 | 10 | 471 |
| Full Mortise | | LH US10 | 315.15 | 1 | 10 | 471 |
| Heavy Weight | | RH US10 | 315.15 | 1 | 10 | 471 |
| Concealed | | LH US10A | 381.65 | 1 | 10 | 471 |
| Anti-Friction Bearing | | RH US10A | 381.65 | 1 | 10 | 471 |
| Anchor Hinge | | LH US26D | 303.70 | 1 | 10 | 471 |
| Specify Handing | | RH US26D | 303.70 | 1 | 10 | 471 |

Add 2 Each 5"x4½" AB750 for Set



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|-------------|----------|--------|----------|-----------|------------|
| AB7507 | 5"x4½" | LH USP | 309.30 | 1 | 10 | 471 |
| Steel | (127x114mm) | RH USP | 309.30 | 1 | 10 | 471 |
| Full Mortise | | LH US10 | 315.15 | 1 | 10 | 471 |
| Heavy Weight | | RH US10 | 315.15 | 1 | 10 | 471 |
| Concealed | | LH US10A | 381.65 | 1 | 10 | 471 |
| Anti-Friction Bearing | | RH US10A | 381.65 | 1 | 10 | 471 |
| Anchor Hinge | | LH US26D | 303.70 | 1 | 10 | 471 |
| Specify Handing | | RH US26D | 303.70 | 1 | 10 | 471 |

Add 2 Each 5"x4½" AB750 for Set




| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|-------------|----------|--------|----------|-----------|------------|
| AB7508 | 5"x4½" | LH USP | 309.30 | 1 | 10 | 471 |
| Steel | (127x114mm) | RH USP | 309.30 | 1 | 10 | 471 |
| Full Mortise | | LH US10 | 315.15 | 1 | 10 | 471 |
| Heavy Weight | | RH US10 | 315.15 | 1 | 10 | 471 |
| Concealed | | LH US10A | 381.65 | 1 | 10 | 471 |
| Anti-Friction Bearing | | RH US10A | 381.65 | 1 | 10 | 471 |
| Anchor Hinge | | LH US26D | 303.70 | 1 | 10 | 471 |
| Beveled Edge Doors | | RH US26D | 303.70 | 1 | 10 | 471 |
| Specify Handing | | | | | | |

Add 2 Each 5"x4½" AB750 for Set



| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|-------------|----------|--------|----------|-----------|------------|
| AB7509 | 5"x4½" | LH USP | 309.30 | 1 | 10 | 471 |
| Steel | (127x114mm) | RH USP | 309.30 | 1 | 10 | 471 |
| Full Mortise | | LH US10 | 315.15 | 1 | 10 | 471 |
| Heavy Weight | | RH US10 | 315.15 | 1 | 10 | 471 |
| Concealed | | LH US10A | 381.65 | 1 | 10 | 471 |
| Anti-Friction Bearing | | RH US10A | 381.65 | 1 | 10 | 471 |
| Anchor Hinge | | LH US26D | 303.70 | 1 | 10 | 471 |
| Beveled Edge Doors | | RH US26D | 303.70 | 1 | 10 | 471 |
| Specify Handing | | | | | | |

Add 2 Each 5"x4½" AB750 for Set




| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|---------|--------|--------|----------|-----------|------------|
| AB7511 | 5" | USP | 204.20 | 3 | 24 | 471 |
| Steel | (127mm) | US10 | 189.90 | 3 | 24 | 471 |
| Half Mortise | | US10A | 256.75 | 3 | 24 | 471 |
| Heavy Weight | | US26D | 211.30 | 3 | 24 | 471 |
| Concealed | | | | | | |
| Anti-Friction Bearing | | | | | | |
| Swing Clear | | | | | | |

U/M is each unless otherwise noted.




Architectural Hinges




AB7512

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|---------|--------|--------|----------|-----------|------------|
| AB7512 | 5" | USP | 204.20 | 3 | 24 | 471 |
| Steel | (127mm) | US10 | 189.90 | 3 | 24 | 471 |
| Half Mortise | | US10A | 256.75 | 3 | 24 | 471 |
| Heavy Weight | | US26D | 211.30 | 3 | 24 | 471 |
| Concealed | | | | | | |
| Anti-Friction Bearing | | | | | | |
| Swing Clear | | | | | | |
| Beveled Edge Doors | | | | | | |




AB7523

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|---------|--------|--------|----------|-----------|------------|
| AB7523 | 5" | USP | 164.55 | 3 | 24 | 471 |
| Steel | (127mm) | US10 | 172.80 | 3 | 24 | 471 |
| Full Surface | | US10A | 259.45 | 3 | 24 | 471 |
| Heavy Weight | | US26D | 205.80 | 3 | 24 | 471 |
| Concealed | | | | | | |
| Anti-Friction Bearing | | | | | | |
| Swing Clear | | | | | | |



AB7534


| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|---------|--------|--------|----------|-----------|------------|
| AB7534 | 5" | USP | 164.55 | 3 | 24 | 471 |
| Steel | (127mm) | US10 | 172.80 | 3 | 24 | 471 |
| Half Surface | | US10A | 259.45 | 3 | 24 | 471 |
| Heavy Weight | | US26D | 205.80 | 3 | 24 | 471 |
| Concealed | | | | | | |
| Anti-Friction Bearing | | | | | | |
| Swing Clear | | | | | | |



AB8505

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|-------------|----------|--------|----------|-----------|------------|
| AB8505 | 5"x4½" | LH US10 | 342.45 | 1 | 10 | 471 |
| Brass or Stainless | (127x114mm) | RH US10 | 342.45 | 1 | 10 | 471 |
| Full Mortise | | LH US10B | 409.95 | 1 | 10 | 471 |
| Heavy Weight | | RH US10B | 409.95 | 1 | 10 | 471 |
| Concealed | | LH US26D | 324.95 | 1 | 10 | 471 |
| Anti-Friction Bearing | | RH US26D | 324.95 | 1 | 10 | 471 |
| Anchor Hinge | | LH US32D | 535.30 | 1 | 10 | 471 |
| Specify Handing | | RH US32D | 535.30 | 1 | 10 | 471 |

Add 2 Each 5"x4½" AB850 for Set



AB8506

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|-------------|----------|--------|----------|-----------|------------|
| AB8506 | 5"x4½" | LH US10 | 342.45 | 1 | 10 | 471 |
| Brass or Stainless | (127x114mm) | RH US10 | 342.45 | 1 | 10 | 471 |
| Full Mortise | | LH US10B | 409.95 | 1 | 10 | 471 |
| Heavy Weight | | RH US10B | 409.95 | 1 | 10 | 471 |
| Concealed | | LH US26D | 324.95 | 1 | 10 | 471 |
| Anti-Friction Bearing | | RH US26D | 324.95 | 1 | 10 | 471 |
| Anchor Hinge | | LH US32D | 535.30 | 1 | 10 | 471 |
| Specify Handing | | RH US32D | 535.30 | 1 | 10 | 471 |

Add 2 Each 5"x4½" AB850 for Set



U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com

CUSTOMIZE Hager Hinges with the following options. See pages 2-9 for full description and pricing.

- Bearings
- Decorator tips
- Hospital tips
- Pins and non-removable pins
- Raised barrel hinges
- Reverse and safety studs
- Round corners
- Rust resistant undercoat
- Slip-in hinges
- Special screws
- Stainless steel balls and raceways
- Swaging




Architectural Hinges



AB8507

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|-----------------------|----------|--------|----------|-----------|------------|
| AB8507 | 5"x4½" (127x114mm) | LH US10 | 342.45 | 1 | 10 | 471 |
| Brass or Stainless | | RH US10 | 342.45 | 1 | 10 | 471 |
| Full Mortise | | LH US10B | 409.95 | 1 | 10 | 471 |
| Heavy Weight | | RH US10B | 409.95 | 1 | 10 | 471 |
| Concealed | | LH US26D | 324.95 | 1 | 10 | 471 |
| Anti-Friction Bearing | | RH US26D | 324.95 | 1 | 10 | 471 |
| Anchor Hinge | | LH US32D | 535.30 | 1 | 10 | 471 |
| Specify Handing | | RH US32D | 535.30 | 1 | 10 | 471 |


Add 2 Each 5"x4½" AB850 for Set



AB8508

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|-----------------------|----------|--------|----------|-----------|------------|
| AB8508 | 5"x4½" (127x114mm) | LH US10 | 342.45 | 1 | 10 | 471 |
| Brass or Stainless | | RH US10 | 342.45 | 1 | 10 | 471 |
| Full Mortise | | LH US10B | 409.95 | 1 | 10 | 471 |
| Heavy Weight | | RH US10B | 409.95 | 1 | 10 | 471 |
| Concealed | | LH US26D | 324.95 | 1 | 10 | 471 |
| Anti-Friction Bearing | | RH US26D | 324.95 | 1 | 10 | 471 |
| Anchor Hinge | | LH US32D | 535.30 | 1 | 10 | 471 |
| Beveled Edge Doors | | RH US32D | 535.30 | 1 | 10 | 471 |
| Specify Handing | | | | | | |

Add 2 Each 5"x4½" AB850 for Set



AB8509

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------------|-----------------------|----------|--------|----------|-----------|------------|
| AB8509 | 5"x4½" (127x114mm) | LH US10 | 342.45 | 1 | 10 | 471 |
| Brass or Stainless | | RH US10 | 342.45 | 1 | 10 | 471 |
| Full Mortise | | LH US10B | 409.95 | 1 | 10 | 471 |
| Heavy Weight | | RH US10B | 409.95 | 1 | 10 | 471 |
| Concealed | | LH US26D | 324.95 | 1 | 10 | 471 |
| Anti-Friction Bearing | | RH US26D | 324.95 | 1 | 10 | 471 |
| Anchor Hinge | | LH US32D | 535.30 | 1 | 10 | 471 |
| Beveled Edge Doors | | RH US32D | 535.30 | 1 | 10 | 471 |
| Specify Handing | | | | | | |

Add 2 Each 5"x4½" AB850 for Set

U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com



Architectural Hinges




ECCO




EC1100

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------|-------------|--------|------|----------|-----------|------------|
| EC1100 | 4½"x4½" | USP | 3.30 | 3 | 48 | 106 |
| Steel | (114x114mm) | US3 | 7.10 | 3 | 48 | 106 |
| Full Mortise | | US4 | 5.15 | 3 | 48 | 106 |
| Standard Weight | | US10B | 7.10 | 3 | 48 | 106 |
| Plain Bearing | | US15 | 7.10 | 3 | 48 | 106 |
| | | US26 | 7.10 | 3 | 48 | 106 |
| | | US26D | 5.65 | 3 | 48 | 106 |




EC1100 NRP

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------|-------------|--------|------|----------|-----------|------------|
| EC1100 NRP | 4½"x4½" | USP | 5.65 | 3 | 48 | 106 |
| Steel | (114x114mm) | US10B | 8.40 | 3 | 48 | 106 |
| Full Mortise | | US15 | 8.55 | 3 | 48 | 106 |
| Standard Weight | | US26 | 8.55 | 3 | 48 | 106 |
| Plain Bearing | | US26D | 7.00 | 3 | 48 | 106 |




ECBB1100

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------|-------------|--------|-------|----------|-----------|------------|
| ECBB1100 | 4½"x4½" | USP | 6.85 | 3 | 48 | 106 |
| Steel | (114x114mm) | US3 | 12.25 | 3 | 48 | 106 |
| Full Mortise | | US4 | 9.10 | 3 | 48 | 106 |
| Standard Weight | | US10B | 12.25 | 3 | 48 | 106 |
| Ball Bearing | | US15 | 13.05 | 3 | 48 | 106 |
| | | US26 | 13.05 | 3 | 48 | 106 |
| | | US26D | 8.40 | 3 | 48 | 106 |




ECBB1100 NRP

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------|-------------|--------|-------|----------|-----------|------------|
| ECBB1100 NRP | 4½"x4½" | USP | 9.10 | 3 | 48 | 106 |
| Steel | (114x114mm) | US3 | 13.35 | 3 | 48 | 106 |
| Full Mortise | | US4 | 10.20 | 3 | 48 | 106 |
| Standard Weight | | US10B | 13.35 | 3 | 48 | 106 |
| Ball Bearing | | US15 | 14.35 | 3 | 48 | 106 |
| | | US26 | 14.35 | 3 | 48 | 106 |
| | | US26D | 9.55 | 3 | 48 | 106 |



ECRC1100

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-------------------------|-------------|--------|------|----------|-----------|------------|
| ECRC1100 - Round Corner | 4"x4" | US15 | 6.85 | 3 | 48 | 106 |
| Steel | (102x102mm) | US26 | 6.85 | 3 | 48 | 106 |
| Full Mortise | | US26D | 4.75 | 3 | 48 | 106 |
| Standard Weight | | | | | | |
| Plain Bearing | | | | | | |



ECRCBB1100

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|---------------------------|-------------|--------|------|----------|-----------|------------|
| ECRCBB1100 - Round Corner | 4"x4" | US15 | 8.85 | 3 | 48 | 106 |
| Steel | (102x102mm) | US26 | 8.85 | 3 | 48 | 106 |
| Full Mortise | | US26D | 6.50 | 3 | 48 | 106 |
| Standard Weight | | | | | | |
| Ball Bearing | | | | | | |




U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com




Architectural Hinges

ECCO




EC1101

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------------|-------------|--------|-------|----------|-----------|------------|
| EC1101 | 4½"x4½" | US15 | 23.85 | 3 | 48 | 106 |
| Brass or Stainless Steel | (114x114mm) | US26 | 23.85 | 3 | 48 | 106 |
| Full Mortise | | US32D | 21.35 | 3 | 48 | 106 |
| Standard Weight | | | | | | |
| Plain Bearing | | | | | | |




ECBB1101

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------------|-------------|--------|-------|----------|-----------|------------|
| ECBB1101 | 4½"x4½" | US15 | 28.25 | 3 | 48 | 106 |
| Brass or Stainless Steel | (114x114mm) | US26 | 28.25 | 3 | 48 | 106 |
| Full Mortise | | US26D | 13.80 | 3 | 48 | 106 |
| Standard Weight | | US32D | 26.50 | 3 | 48 | 106 |
| Ball Bearing | | | | | | |




ECBB1101 NRP

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------------|-------------|--------|-------|----------|-----------|------------|
| ECBB1101 NRP | 4½"x4½" | US15 | 29.70 | 3 | 48 | 106 |
| Brass or Stainless Steel | (114x114mm) | US26 | 29.70 | 3 | 48 | 106 |
| Full Mortise | | US26D | 15.20 | 3 | 48 | 106 |
| Standard Weight | | US32D | 27.60 | 3 | 48 | 106 |
| Ball Bearing | | | | | | |




ECBB1102

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------|-------------|--------|-------|----------|-----------|------------|
| ECBB1102 | 4½"x4½" | USP | 14.35 | 3 | 24 | 106 |
| Steel | (114x114mm) | US15 | 26.05 | 3 | 24 | 106 |
| Full Mortise | | US26 | 26.05 | 3 | 24 | 106 |
| Heavy Weight | | US26D | 17.75 | 3 | 24 | 106 |
| Ball Bearing | 5"x4½" | US15 | 29.15 | 3 | 24 | 106 |
| | (127x114mm) | US26 | 30.95 | 3 | 24 | 106 |
| | | US26D | 20.85 | 3 | 24 | 106 |



ECBB1102 NRP

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------|-------------|--------|-------|----------|-----------|------------|
| ECBB1102 NRP | 4½"x4½" | USP | 19.10 | 3 | 48 | 106 |
| Steel | (114x114mm) | US15 | 33.50 | 3 | 48 | 106 |
| Full Mortise | | US26 | 34.25 | 3 | 48 | 106 |
| Heavy Weight | | US26D | 20.10 | 3 | 48 | 106 |
| Ball Bearing | 5"x4½" | US15 | 37.65 | 3 | 48 | 106 |
| | (127x114mm) | US26 | 39.10 | 3 | 48 | 106 |
| | | US26D | 23.60 | 3 | 48 | 106 |



ECBB1103


| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------------|-------------|--------|-------|----------|-----------|------------|
| ECBB1103 | 4½"x4½" | US10B | 47.65 | 3 | 24 | 106 |
| Brass or Stainless Steel | (114x114mm) | US15 | 58.30 | 3 | 24 | 106 |
| Full Mortise | | US26 | 58.30 | 3 | 24 | 106 |
| Heavy Weight | | US32D | 55.95 | 3 | 24 | 106 |
| Ball Bearing | 5"x4½" | US15 | 68.05 | 3 | 24 | 106 |
| | (127x114mm) | US26 | 68.05 | 3 | 24 | 106 |
| | | US32D | 65.80 | 3 | 24 | 106 |

U/M is each unless otherwise noted.


1/1/09
800-325-9995
www.hagerco.com



Architectural Hinges




ECCO



ECBB1103 NRP

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|--------------------------|-------------|--------|-------|----------|-----------|------------|
| ECBB1103 NRP | 4½"x4½" | US10B | 49.75 | 3 | 24 | 106 |
| Brass or Stainless Steel | (114x114mm) | US15 | 70.10 | 3 | 24 | 106 |
| Full Mortise | | US26 | 70.10 | 3 | 24 | 106 |
| Heavy Weight | | US32D | 58.25 | 3 | 24 | 106 |
| Ball Bearing | 5"x4½" | US15 | 78.70 | 3 | 24 | 106 |
| | (127x114mm) | US26 | 78.70 | 3 | 24 | 106 |
| | | US32D | 68.60 | 3 | 24 | 106 |



EC1105 

| DESCRIPTION | SIZE | FINISH | LIST | BOX QTY. | CASE QTY. | DISC. CODE |
|-----------------|-------------|--------|-------|----------|-----------|------------|
| EC1105 | 4½"x4½" | USP | 11.40 | 3 | 48 | 106 |
| Steel | (114x114mm) | US3 | 23.30 | 3 | 48 | 106 |
| Full Mortise | | US4 | 20.25 | 3 | 48 | 106 |
| Standard Weight | | US10B | 23.30 | 3 | 48 | 106 |
| Spring Hinge | | US15 | 23.30 | 3 | 48 | 106 |
| | | US26 | 23.30 | 3 | 48 | 106 |
| | | US26D | 17.05 | 3 | 48 | 106 |



U/M is each unless otherwise noted.

1/1/09
800-325-9995
www.hagerco.com