

PRICE BOOK

JULY 1, 2011



ALARM LOCK

ALARM LOCK SYSTEMS, INC

345 Bayview Ave.
Amityville, NY 11701
1-800-ALA-LOCK (252-5625)
(631) 789-4871 Tel or (631) 789-3383 Fax



Price Book 2011

Important Things to Know about Doing Business with Alarm Lock Systems, Inc.

Prices shown in this book are list prices. All customers with direct accounts receive a discount letter along with each new price book. If you have a direct account with Alarm Lock you may request a copy of your discount letter in writing or by contacting you local sales representative.

Terms: Net 30

Freight Allowance: Shipments are F.O.B. Amityville, NY. Freight allowed within the continental U.S.A. is \$7,500.00. **Freight allowance not available on drop ship orders.**

Drop Shipments: All orders shipping to an address other than the customer's or one of their branches, is subject to a \$25.00 handling fee. Freight allowance not available on drop ship orders.

Minimum Order: The minimum order requirement has been changed to \$250.00 for all customers.

Returns: If you need to return a product, please fax your request to 631 842-3574 or call 1 800 252-5625 ext 149.

Warranty: Please see the last page in this price book for Alarm Lock's complete warranty/return policy.

Website: Visit us at www.alarmlock.com for a complete list of sales representatives by state, product specifications, technical data, and downloadable PDF files of all Alarm Lock's products as well as the most current version of our software DL-Windows.

If you need to contact us:

Alarm Lock Systems, Inc.
345 Bayview Ave
Amityville NY 11701

Toll free number – 1 800 ALA-LOCK (252-5625)
Direct telephone – 631 789-4871
Direct fax – 631 789-3383



Price Book 2011

Table of Contents

Trilogy DL2700	100 user Lock.....	5
Trilogy DL5200	100 user Double Sided Lock.....	6
Trilogy DL2800	200 user Lock.....	7
Trilogy DL3000	300 user Lock.....	8
Trilogy DL3200	2000 user Lock.....	9
Trilogy DL5300	2000 user Double Sided Lock.....	10
Trilogy DL4100	2000 user Privacy/Residency Lock.....	11
Trilogy PDL3000	2000 user Proximity & Keypad Lock.....	12
Trilogy PDL5300	2000 user Proximity Double Sided Lock.....	13
Trilogy PL3000	2000 user Proximity Only Lock.....	14
Trilogy PDL4100	2000 user Proximity w/Privacy/Residency Lock.....	15
Trilogy Cylindrical Lock Parts.....		16 ,17
Trilogy DL3500	300 user Mortise Lock	18, 19
Trilogy DL4500	2000 user Mortise w/Privacy/Residency Lock.....	20
Trilogy PDL3500	2000 user Proximity Mortise Lock	21,22
Trilogy PL3500	2000 user Proximity Only Lock.....	22
Trilogy PDL4500	2000 user Proximity Mortise w/Privacy/Residency Lock.....	23
Trilogy Mortise Lock Parts.....		24



Price Book 2011

Table of Contents (con't)

Trilogy DL1200	100 user Narrow stile Lock.....	25
Trilogy DL1300	2000 user Narrow Stile Lock.....	26
Trilogy PDL1300	2000 user Narrow Stile Proximity Lock.....	27
Trilogy Narrow Stile Lock Parts & Accessories.....		28
Trilogy DL1200ET	100 user Narrow Stile Exit Trim.....	29,30
Trilogy DL1300ET	2000 user Narrow Stile Exit Trim.....	30
Trilogy PDL1300ET	2000 user Narrow Stile Proximity Exit Trim Lock.....	30
Trilogy Narrow Stile Exit Trim Parts & Accessories.....		31
Trilogy ETDL	2000 user Exit Trim Lock.....	32,33,34
Trilogy ETPDL	2000 user Proximity Exit Trim Lock.....	32,33,34
Trilogy Exit Trim Parts & Accessories.....		33
Trilogy DK3000	2000 user Keypad/Wall Mounted Reader.....	35
Trilogy PDK3000	2000 user Proximity Keypad/Wall Mounted Reader	35
Trilogy DL6100	Networx Digital Lock, 5,000 user codes	36
Trilogy PDL6100	Networx Proximity & Keypad 5,000 user codes	37
Trilogy Training Options		38
Trilogy PL6100	Networx Proximity Only 5,000 user codes	39
Trilogy DL6500	Networx Digital Mortise Lock 5,000 user codes	40
DL 6500 Mortise Lock Accessories		41
Trilogy PDL6500/PL6500	Networx Proximity and Prox Only 5,000 user codes	42

Table of Contents (con't)

PDL6500/PL6500 Mortise Lock Accessories	43
Trilogy ETDLN Networx Exit Trim 5,000 user codes	44, 45, 46
Trilogy ETPDN Networx Exit Trim 5,000 user codes	44, 45, 46
Trilogy ETPLN Networx Exit Trim 5,000 user codes	44, 45, 46
NETDK Networx Digital wireless Keypad	47
NETPDK Networx Proximity & Digital Keypad	47
NETDK/PDK Kits and Accessories	48
Weather Resistant Alarmed Panic Devices.....	49
Alarmed Panic Devices.....	50
Door Alarms.....	51
Delayed Egress Panic Device.....	52
Electric Deadbolts.....	52
Remote Release Magnets.....	53
Power Magnets.....	53, 54
Alarm Lock Warranty/Return Policy	55



TRILOGY ELECTRONIC DIGITAL LOCKS

DL2700 SERIES – Electronic battery operated digital lock. Holds up to 100 user codes, 1 Master, 10 Manager codes & up to 3 one time user codes.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"
ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed through keypad.

Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL Listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
DL2700 Standard key override	US26D US26, US3, US5, & US10B	\$775.00 \$850.00
DL2775 Standard Key override Regal (curved)	US26D US26, US3, US5, & US10B	\$795.00 \$900.00
DL2700IC* Interchangeable core	US26D US26, US3, US5, & US10B	\$780.00 \$865.00
DL2775IC* Interchangeable core Regal (curved)	US26D US26, US3, US5, & US10B	\$820.00 \$880.00
DL2700WP Weather proof key override	US26D US26, US3, US4, US5, & US10B	\$835.00 \$890.00
DL2775WP Weather proof key override Regal (curved)	US26D US26, US3, US4, US5, & US10B	\$850.00 \$910.00
DL2700WPIC* Weather proof Interchangeable core	US26D US26, US3, US4, US5, & US10B	\$850.00 \$910.00
DL2775WIC* New Regal (curved) lever Interchangeable core	US26D US26, US3, US4, US5, & US10B	\$865.00 \$930.00
DL2700SK	Mounted DL2700 demo	Call Factory

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

TRILOGY ELECTRONIC DOUBLE SIDED DIGITAL LOCKS

DL5200 SERIES – Double sided electronic battery operated digital lock. Holds up to 100 user codes, 1 Master, 10 Manager codes & up to 3 one time user codes. Programmable keypad on both sides of the door. Key override is only operable on the primary side. The key on the secondary side is used only to remove the lever and access the batteries.

SPECIFICATIONS:

Door Thickness:	Fits 1 5/8" to 1 7/8". Other thickness, please consult factory
Backset:	2 3/4" (2 3/8" also available)
Strike:	1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8" ASA strike included
Latchbolt:	UL Listed, fire rated 3 hours, 1/2" throw reversible
Handing:	Non-handed
Power:	5 AA alkaline batteries (included)
Keypad:	All metal, 12 button. All functions programmed through keypad on both sides of the door
Door prep:	Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
Compliances:	BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed UL Listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
Cylinder:	6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
Interchangeable Core Models:	Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL DL5200 LOCKS ARE WEATHER RESISTANT

**PLEASE CHECK WITH FACTORY FOR LEAD TIMES
ON SPECIAL FINISHES AND IC PREPS**

PRODUCT	FINISH	LIST PRICE
DL5200	US26D	\$1,275.00
Standard key override	US26, US3, US4, US5, & US10B	\$1,335.00
DL5275	US26D	\$1,300.00
Standard Key override Regal (curved)	US26, US3, US4, US5, & US10B	\$1,355.00
DL5200IC*	US26D	\$1,295.00
Interchangeable core	US26, US3, US4, US5, & US10B	\$1,350.00
DL5275IC*	US26D	\$1,310.00
Interchangeable core Regal (curved)	US26, US3, US4, US5, & US10B	\$1,375.00
DL5200SK	Mounted DL5200 demo	Call Factory

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).



TRILOGY ELECTRONIC DIGITAL LOCKS

DL2800 SERIES – Electronic battery operated digital lock. Holds up to 200 codes, Master, Management, Supervisor & basic user. 150 event schedule, real time clock & 1,000 event audit trail.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory
 Backset: 2 3/4 " (2 3/8" also available)
 Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"
 ASA strike included
 Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible
 Handing: Non-handed
 Power: 5 AA alkaline batteries (included)
 Keypad: All metal, 12 button. All functions programmed through keypad.
 Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
 Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed, 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
 Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
 Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



**All DL2800 LOCKS ARE WEATHER-RESISTANT
 PLEASE CHECK WITH FACTORY FOR LEAD TIMES
 ON SPECIAL FINISHES AND IC PREPS**

PRODUCT	FINISH	LIST PRICE
DL2800	US26D	\$910.00
Standard key override	US26, US3, US4, US5, & US10B	\$985.00
DL2875	US26D	\$930.00
Standard key override Regal (curved) lever	US26, US3, US4, US5, & US10B	\$1,000.00
DL2800IC*	US26D	\$930.00
Interchangeable core	US26, US3, US4, US5, & US10B	\$1,000.00
DL2875IC*	US26D	\$945.00
Interchangeable core Regal (curved) lever	US26, US3, US4, US5, & US10B	\$1,015.00
DL2800SK	Mounted DL2800 demo	Call Factory
AL-DTMIII	Data Transfer Module	\$435.00
AL-PCI2	Computer interface cable for Serial connection includes DL-Windows Software	\$125.00
ALPCI2-U	Computer interface cable with serial And USB connections includes DL-Windows software	\$230.00
MX1130	USB Adapter	\$115.00
AL-IR1	Infrared Printer	\$505.00

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

TRILOGY ELECTRONIC DIGITAL LOCKS

DL3000 SERIES – Electronic battery operated digital lock. Holds up to 300 codes, Master, Management, Supervisor & basic user. 150 event schedule, real time clock & 1,600 event audit trail.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8" ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed through keypad.

Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available.



**PLEASE CHECK WITH FACTORY FOR LEAD TIMES
ON SPECIAL FINISHES AND IC PREPS**

PRODUCT	FINISH	LIST PRICE
DL3000 Standard key override	US26D US26, US3, US5, & US10B	\$1,080.00 \$1,145.00
DL3075 Standard key override Regal (curved) lever	US26D US26, US3, US5, & US10B	\$1,095.00 \$1,160.00
DL3000IC* Interchangeable core	US26D US26, US3, US5, & US10B	\$1,065.00 \$1,125.00
DL3075IC* Interchangeable core Regal (curved) lever	US26D US26, US3, US5, & US10B	\$1,115.00 \$1,175.00
DL3000WP Weather proof key override	US26D US26, US3, US4, US5, & US10B	\$1,125.00 \$1,185.00
DL3075WP Weather proof key override Regal (curved) lever	US26D US26, US3, US4, US5, & US10B	\$1,145.00 \$1,200.00
DL3000WPIC* Weather proof interchangeable core	US26D US26, US3, US4, US5, & US10B	\$1,145.00 \$1,205.00
DL3075WPIC* Weather proof interchangeable core Regal (curved) lever	US26D US26, US3, US4, US5, & US10B	\$1,160.00 \$1,220.00
DL3000SK	Mounted DL3000 demo	Call Factory
AL-DTMIII	Data Transfer Module	\$435.00
AL-PCI2	Computer interface cable for serial connection with DL-Windows Software	\$125.00
ALPCI2-U	Computer interface cable for serial & USB connection with DL-Windows software	\$230.00
MX1130	USB Adapter	\$115.00
AL-IR1	Infra red Printer	\$505.00

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

TRILOGY ELECTRONIC DIGITAL LOCKS

DL3200 SERIES – Electronic battery operated digital lock. Holds up to 2,000 codes, Master, Management, Supervisor & basic user. 500 event schedule, multiple “one-time” user codes & 40,000 event audit trail.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8” to 1 7/8”. Other thickness, please consult factory

Backset: 2 3/4” (2 3/8” also available)

Strike: 1 1/8”x 2 3/4” T strike & 1 1/4” x 4 7/8”
ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2” throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed through keypad.

Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset.
UL listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Core Models Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



**ALL DL3200 LOCKS ARE WEATHER RESISTANT
PLEASE CHECK WITH FACTORY FOR LEAD TIMES
ON SPECIAL FINISHES AND IC PREPS**

PRODUCT	FINISH	LIST PRICE
DL3200	US26D	\$1,135.00
Standard key override	US26, US3, US4, US5, & US10B	\$1,200.00
DL3275	US26D	\$1,155.00
Standard key override Regal (curved) lever	US26, US3, US4, US5, & US10B	\$1,215.00
DL3200IC*	US26D	\$1,115.00
Interchangeable core	US26, US3, US4, US5, US10B	\$1,180.00
DL3275IC*	US26D	\$1,170.00
Interchangeable core Regal (curved) lever	US26, US3, US4, US5, US10B	\$1,230.00
DL3200SK	Mounted DL3200 demo	Call Factory
AL-DTMIII	Data Transfer Module	\$435.00
AL-PCI2	Computer interface cable for serial connection with DL-Windows Software	\$125.00
ALPCI2-U	Computer interface cable for serial & USB connection with DL-Windows software	\$230.00
MX1130	USB Adapter	\$115.00
AL-IR1	Infra red Printer	\$505.00

*Add “C” for Corbin, “M” for Medeco, “R” for Sargent, “Y” for Yale and “S” for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

TRILOGY ELECTRONIC DOUBLE SIDED DIGITAL LOCKS

DL5300 SERIES – Double sided electronic battery operated digital lock. Holds up to 2,000 codes, Master, Management, Supervisor & basic user. 500 event schedule, multiple “one-time” user codes & 40,000 event audit trail. Programmable keypad on both sides of the door. Only primary keypad has data transfer capability. Key override is only operable on the primary side. The key on the secondary side is used only to remove the lever and access the batteries.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8” to 1 7/8”. Other thickness, please consult factory
 Backset: 2 3/4” (2 3/8” also available)
 Strike: 1 1/8”x 2 3/4” T strike & 1 1/4” x 4 7/8”
 ASA strike included
 Latchbolt: UL Listed, fire rated 3 hours, 1/2” throw reversible
 Handing: Non-handed
 Power: 5 AA alkaline batteries (included)
 Keypad: All metal, 12 button. All functions programmed through keypad on both sides of
 Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
 Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
 Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
 Interchangeable Core Models Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



**ALL DL5300 LOCKS ARE WEATHER RESISTANT
 PLEASE CHECK WITH FACTORY FOR LEAD TIMES
 ON SPECIAL FINISHES AND IC PREPS**

PRODUCT	FINISH	LIST PRICE
DL5300	US26D	\$1,605.00
Standard key override	US26, US3, US4, US5, & US10B	\$1,650.00
DL5375	US26D	\$1,620.00
Standard key override Regal (curved) lever	US26, US3, US4, US5, & US10B	\$1,670.00
DL5300IC*	US26D	\$1,610.00
Interchangeable core	US26, US3, US4, US5, & US10B	\$1,670.00
DL5375IC*	US26D	\$1,630.00
Interchangeable core Regal (curved) lever	US26, US3, US4, US5, & US10B	\$1,690.00
DL5300SK	Mounted DL5300 demo	Call Factory
AL-DTMIII	Data Transfer Module	\$435.00
AL-PCI2	Computer interface cable for serial connection with DL-Windows Software	\$125.00
ALPCI2-U	Computer interface cable for serial & USB connection with DL-Windows software	\$230.00
MX1130	USB Adapter	\$115.00
AL-IR1	Infra red Printer	\$505.00

*Add “C” for Corbin, “M” for Medeco, “R” for Sargent, “Y” for Yale and “S” for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

TRILOGY ELECTRONIC DIGITAL LOCKS WITH PRIVACY & RESIDENCY FEATURES

DL4100 SERIES - Electronic battery operated digital lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple “one-time” user codes. 500 event schedule, real time clock & 40,000 event audit trail. Privacy feature will lock out all users for programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8” to 1 7/8”. Other thickness, please consult factory

Backset: 2 3/4” (2 3/8” also available)

Strike: 1 1/8”x 2 3/4” T strike & 1 1/4” x 4 7/8”
ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2” throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: Weatherproof all metal, 12 button. All functions programmed through keypad.

Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Core Models:
Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.
IC core models prepped for **6 and 7 pin** Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



**ALL DL4100 LOCKS ARE WEATHER RESISTANT
PLEASE CHECK WITH FACTORY FOR LEAD TIMES
ON SPECIAL FINISHES AND IC PREPS**

PRODUCT	FINISH	LIST PRICE
DL4100 Standard key override	US26D US26, US3, US4, US5, & US10B	\$855.00 \$910.00
DL4175 Standard key override w/Regal (curved) lever	US26D US26, US3, US4, US5, & US10B	\$870.00 \$930.00
DL4100IC Interchangeable core prepped for Best®	US26D US26, US3, US4, US5, & US10B	\$870.00 \$930.00
DL4175IC Interchangeable core prepped for Best® W/Regal (curved) lever	US26D US26, US3, US4, US5, & US10B	\$885.00 \$950.00
DL4100SK	Mounted DL4100 Demo	Call Factory
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	\$125.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows software	\$230.00
MX1130	USB Adapter	\$115.00
AL-IR1	Infra-red Printer	\$505.00
AL-DTMIII	Data Transfer Module	\$435.00

Add “C” for Corbin, “M” for Medeco, “R” for Sargent, “Y” for Yale and “S” for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

Price Book 2011
TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS

PDL3000 SERIES - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple "one-time" user codes. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory
 Backset: 2 3/4" (2 3/8" also available)
 Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"
 ASA strike included
 Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible
 Handing: Non-handed
 Power: 5 AA alkaline batteries (included)
 Keypad: Weatherproof all metal, 12 button. All functions programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
 Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
 Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
 Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
 Interchangeable Core Models Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for **6 and 7 pin** Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



**ALL PDL3000 LOCKS ARE WEATHER RESISTANT
 PLEASE CHECK WITH FACTORY FOR LEAD TIMES
 ON SPECIAL FINISHES AND IC PREPS**

PRODUCT	FINISH	LIST PRICE
PDL3000K Audit Trail with Keyoverride	US26D	\$1,565.00
PDL3000 Standard key override	US26D US26, US3, US4, US5, & US10B	\$1,545.00 \$1,615.00
PDL3075 Standard key override Regal (curved) lever	US26D US26, US3, US4, US5, & US10B	\$1,570.00 \$1,630.00
PDL3000IC* Interchangeable core	US26D US26, US3, US4, US5, & US10B	\$1,570.00 \$1,630.00
PDL3075IC* Interchangeable core Regal (curved) lever	US26D US26, US3, US4, US5, & US10B	\$1,590.00 \$1,650.00
PDL3000SKLE	Mounted PDL3000 demo	Call Factory
AL-PCI2	Computer interface cable for serial Connection includes DL-Windows Software	\$125.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows Software	\$230.00
MX1130 USB Adapter		\$115.00
AL-IR1	Infra-red Printer	\$505.00
AL-DTMIII	Data Transfer Module	\$435.00
AL-PRE	Prox Card Enroller	\$575.00
ALHID1326	Proximity Access Cards 100 Per Box	\$490.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$900.00
ALHID1391	MicroProx Tag 10 per box	\$ 80.00
ALHID1346	Proximity keyfob 10 per box	\$115.00

Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

Price Book 2011
TRILOGY ELECTRONIC DOUBLE SIDED DIGITAL PROXIMITY LOCKS

PDL5300 SERIES – Double sided electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple “one-time” user codes. 500 event schedule, 40,000 event audit trail. Programmable keypad on both sides of the door. Only primary keypad has data transfer capability Will read most HID card and keyfob formats. Key override is only operable on the primary side. The key on the secondary side is use only to remove the lever and access the batteries.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8” to 1 7/8”. Other thickness, please consult factory
 Backset: 2 3/4” (2 3/8” also available)
 Strike: 1 1/8”x 2 3/4” T strike & 1 1/4” x 4 7/8”
 ASA strike included
 Latchbolt: UL Listed, fire rated 3 hours, 1/2” throw reversible
 Handing: Non-handed
 Power: 5 AA alkaline batteries (included)
 Keypad: Weatherproof all metal, 12 button. All functions programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
 Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
 Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
 Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
 Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.
 IC core models prepped for **6 and 7 pin** Yale, Medeco, Sargent, Corbin Russwin & Schlage are also available



Note: Key override operates latch on primary side only. Key override on secondary side protects battery pack.

**ALL PDL5300 LOCKS ARE WEATHER RESISTANT
 PLEASE CHECK WITH FACTORY FOR LEAD TIMES
 ON SPECIAL FINISHES AND IC PREPS**

PRODUCT	FINISH	LIST PRICE
PDL5300	US26D	\$1,915.00
Standard key override	US26, US3, US4, US5, & US10B	\$1,970.00
PDL5375	US26D	\$1,935.00
Standard key override Regal (curved) lever	US26, US3, US4, US5, & US10B	\$1,995.00
PDL5300IC*	US26D	\$1,930.00
Interchangeable core	US26, US3, US4, US5, & US10B	\$1,990.00
PDL5375IC*	US26D	\$1,950.00
Interchangeable core Regal (curved) lever	US26, US3, US4, US5, & US10B	\$2,015.00
PDL5300SK	Mounted PDL3000 demo	Call Factory
AL-PCI2	Computer interface cable for serial Connection includes DL-Windows	\$125.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows	\$230.00
MX1130 USB Adapter		\$115.00
AL-IR1	Infra-red Printer	\$505.00
AL-DTMIII	Data Transfer Module	\$435.00
AL-PRE	Prox Card Enroller	\$575.00
ALHID1326	Proximity Access Cards 100 Per Box	\$490.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$900.00
ALHID1391	MicroProx Tag 10 per box	\$80.00
ALHID1346	Proximity keyfob 10 per box	\$115.00

Add “C” for Corbin, “M” for Medeco, “R” for Sargent, “Y” for Yale and “S” for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

Price Book 2011
TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS

PL3000 SERIES - Electronic battery operated proximity only lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple “one-time” user codes. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8” to 1 7/8”. Other thickness, please consult factory

Backset: 2 3/4” (2 3/8” also available)

Strike: 1 1/8”x 2 3/4” T strike & 1 1/4” x 4 7/8”
ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2” throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Programming: 9 prox programming cards included

Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes

Compliances: BHMA certified Grade 1 heavy duty cylindrical lockset. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Core Models Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for **6 and 7 pin** Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



**ALL PL3000 PROXIMITY LOCKS ARE WEATHER-RESISTANT
PLEASE CHECK WITH FACTORY FOR LEAD TIMES
ON SPECIAL FINISHES AND IC PREPS**

PRODUCT	FINISH	LIST PRICE
PL3000	US26D	\$1,545.00
Standard key override	US26, US3, US4, US5, & US10B	\$1,620.00
PL3075	US26D	\$1,570.00
Standard key override Regal (curved) lever	US26, US3, US4, US5, & US10B	\$1,630.00
PL3000IC*	US26D	\$1,570.00
Interchangeable core	US26, US3, US4, US5, & US10B	\$1,630.00
PL3075IC*	US26D	\$1,590.00
Interchangeable core Regal (curved) lever	US26, US3, US4, US5, & US10B	\$1,650.00
PL3000SK	Mounted PL3000 Demo	Call Factory
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	\$125.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows software	\$230.00
MX1130 USB Adapter		\$115.00
AL-IR1	Infra-red Printer	\$505.00
AL-DTMIII	Data Transfer Module	\$435.00
AL-PRE	Prox Card Enroller	\$575.00
ALHID1326	Proximity Access Cards 100 Per Box	\$490.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$900.00
ALHID1391	MicroProx Tag 10 per box	\$80.00
ALHID1346	Proximity keyfob 10 per box	\$115.00

*Add “C” for Corbin, “M” for Medeco, “R” for Sargent, “Y” for Yale and “S” for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS WITH PRIVACY & RESIDENCY FEATURES

PDL4100 SERIES - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple "one-time" user codes. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats. Privacy feature will lock out all users for a programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

- Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory
- Backset: 2 3/4" (2 3/8" also available)
- Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8" ASA strike included
- Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible
- Handing: Non-handed
- Power: 5 AA alkaline batteries (included)
- Keypad: Weatherproof all metal, 12 button. All functions programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
- Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
- Compliances: BHMA certified Grade 1 heavy duty cylindrical lockset. UL listed to the 10C Positive Pressure Specification. FCC certified . ADA compliant levers
- Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
- Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.
IC core models prepped for 6 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



**ALL PDL4100 LOCKS ARE WEATHER-RESISTANT
PLEASE CHECK WITH FACTORY FOR LEAD TIMES
ON SPECIAL FINISHES AND IC PREPS**

PRODUCT	FINISH	LIST PRICE
PDL4100	US26D	\$1,240.00
	US26, US3, US4, US5, & US10B	\$1,310.00
PDL4175	US26D	\$1,255.00
	US26, US3, US4, US5, & US10B	\$1,330.00
PDL4100IC	US26D	\$1,225.00
	US26, US3, US4, US5, & US10B	\$1,330.00
PDL4175IC	US26D	\$1,280.00
	US26, US3, US4, US5, & US10B	\$1,340.00
PDL4100SK	Mounted PDL4100 demo	Call Factory
AL-PCI2	Computer interface cable for serial connection Includes DL-Windows	\$125.00
ALPCI2-U	Computer interface cable for serial and USB connection Includes DL-Windows	\$230.00
MX1130 USB Adapter		\$115.00
AL-IR1	Infra-red Printer	\$505.00
AL-DTMIII	Data Transfer Module	\$435.00
AL-PRE	Prox Card Enroller	\$575.00
ALHID1326	Proximity Access Cards 100 Per Box	\$490.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
	Proximity and Photo ID Card 100 per box	
ALHID1386		\$900.00
ALHID1391	MicroProx Tag 10 per box	\$80.00
ALHID1346	Proximity keyfob 10 per box	\$115.00

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever.



TRILOGY CYLINDRICAL LOCK PARTS

Part Number	Description	List Price
S6054	Complete Outside housing for DL2700WP available finishes 26, 26D, 3, 4, 5, & 10B	\$315.00
S6126	Complete outside housing for DL2800WP available finishes 26, 26D, 3, 4, 5, & 10B	\$400.00
S6047	Complete outside housing for DL3000WP available finishes 26, 26D, 3, 4, 5, & 10B	\$610.00
S6122	Complete outside housing for PDL3000 available finishes 26, 26D, 3, 4, 5, & 10B	\$950.00
S6163	Complete outside housing for DL4100 available finishes 26, 26D, 3, 4, 5, & 10B	\$460.00
S6164	Complete outside housing for PDL4100 available finishes 26, 26D, 3, 4, 5, & 10B	\$760.00
S6045	Standard key override lock body complete	\$285.00
S6046	Best prep interchangeable core lock body complete	\$285.00
S6045-C/R	Corbin/Sargent prep interchangeable core lock body complete	\$315.00
S6045-Y/M	Yale/Medeco prep interchangeable core lock body complete	\$315.00
S6045-S	Schlage prep interchangeable core lock body complete	\$315.00
HW614	Outside lever standard prep available finishes 26, 26D, 3, 4, 5, & 10B	\$30.00
HW616C	Outside lever Best IC prep available finishes 26, 26D, 3, 4, 5, & 10B	\$30.00
HW615	Inside lever for all cylindrical locks available finishes 26, 26D, 3, 4, 5, & 10B	\$30.00
HW592D	Battery Cover available finishes 26, 26D, 3, 4, 5, & 10B	\$15.00
P5849	Latch bolt 2 3/4" available finishes 26, 26D, 3, 4, 5, & 10B	\$20.00
S5980-1	Latch bolt 2 3/8" 26D finish	\$20.00
S5980-2	Latch bolt 2 3/8" US5 finish	\$20.00
HW470	4 7/8" strike available finishes 26, 26D, 3, 4, 5, & 10B	\$10.00
HW577	2 3/4" strike available finishes 26, 26D, 3, 4, 5, & 10B	\$10.00
HW596F	Standard cylinder w/2 keys available finishes 26D, 3, & 10B	\$20.00
S6148	Lever return spring	\$3.00
S6061	Replacement battery pack cylindrical	\$40.00
S6172	Replacement battery pack Double sided	\$25.00
HW580	Schlage® key override tailpiece for Cylindrical locks	\$6.00
HW620B	Lori® key override tailpiece for Cylindrical locks	\$6.00
HW597C	Alarm Lock cylindrical key override tailpiece	6.00
HW598D	Cylindrical Interchangeable core Tailpiece Best prep	6.00



Price Book 2011

TRILOGY CYLINDRICAL LOCK PARTS (con't)

Part Number	Description	List Price
WA160C	Washer used on HW620, HW597C & HW598D	\$3.00
S6072	Set of spacers for doors 1 3/8" or less	\$60.00
CW-27AB	Wrap around plate in US5	\$60.00
CW-27PB	Wrap around plate in US3	\$60.00
CW-27S	Wrap around plate US32D	\$60.00
DL2700DJ	Drilling Jig for cylindrical locks	\$360.00

TRILOGY LOCK ACCESSORIES

AL-PCI2	Computer interface cable for serial Connection includes DL-Windows Software	\$125.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows Software	\$230.00
MX1130 USB Adapter		\$115.00
AL-IR1	Infra-red Printer	\$505.00
AL-DTMIII	Data Transfer Module	\$435.00
AL-PRE	Prox Card Enroller	\$575.00
ALHID1326	Proximity Access Cards 100 Per Box	\$490.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$900.00
ALHID1391	MicroProx Tag 10 per box	\$80.00
ALHID1346	Proximity keyfob 10 per box	\$115.00
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how to connect and bring Networx on line.	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com

TRILOGY ELECTRONIC DIGITAL MORTISE LOCKS

DL3500 SERIES - Electronic battery operated digital mortise lock. Holds up to 300 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).
 Backset: 2 3/4" standard
 Strike: 1 1/4" x 4 7/8" strike included
 Handing: Specify RH or LH when ordering, lock is reversible
 In the field
 Power: 5 AA alkaline batteries (included)
 Keypad: All metal, 12 button. All functions programmed through keypad.
 Door prep: Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
 Compliances: Steelcase lockbody meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA compliant levers
 Functions: Classroom function feature stainless steel latchbolt With 3/4" (1.91cm) projection and deadlocking latch Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or turn-piece from inside door
 Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight Cam and deadbolt function supplied with cloverleaf Cam
 Cams: Cams for other manufacturer's cylinders are available See "Mortise Lock accessories" for part numbers & Manufacturers



**ALL DL3500 MORTISE LOCKS ARE WEATHER-RESISTANT
 PLEASE CHECK WITH FACTORY ON LEAD TIMES FOR SPECIAL FINISHES**

PRODUCT	FINISH	LIST PRICE
DL3500CRR Straight lever classroom function Right hand	US26D US26, US3, US4, US5, & US10B	\$1,275.00 \$1,340.00
DL3500CRL Straight lever classroom function Left Hand	US26D US26, US3, US4, US5, & US10B	\$1,275.00 \$1,340.00
DL3500DBR Straight lever deadbolt function Right hand	US26D US26, US3, US4, US5, & US10B	\$1,275.00 \$1,340.00
DL3500DBL Straight lever deadbolt function Left Hand	US26D US26, US3, US4, US5, & US10B	\$1,275.00 \$1,340.00
DL3575CRR Regal (curved) lever classroom Function right hand	US26D US26, US3, US4, US5, & US10B	\$1,290.00 \$1,355.00
DL3575CRL Regal (curved) lever classroom Function left hand	US26D US26, US3, US4, US5, & US10B	\$1,290.00 \$1,355.00
DL3575DBR Regal (curved) lever deadbolt Function right hand	US26D US26, US3, US4, US5, & US10B	\$1,290.00 \$1,355.00
DL3575DBL Regal (curved) lever deadbolt Function left hand	US26D US26, US3, US4, US5, & US10B	\$1,290.00 \$1,355.00



TRILOGY ELECTRONIC DIGITAL MORTISE LOCKS (con't)

PRODUCT	DESCRIPTION	LIST PRICE
DL3500SK	Mounted sales kit, straight lever. Available in classroom or deadbolt function.	Call Factory
AL-DTMIII	Data Transfer Module	\$435.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	\$125.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows software	\$230.00
MX1130	USB Adapter	\$115.00
AL-IR1	Infra red Printer	\$505.00
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how to connect and bring Networx on line.	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com

MORTISE LOCK PARTS

CLASSROOM FUNCTION CAMS	DESCRIPTION	LIST PRICE
HW956-L	Alarm Lock Standard Straight Cam	\$3.00
HW956-M	Marks Straight Cam	\$3.00
HW956-C	Corbin-Russwin Straight Cam	\$3.00
HW956-S	Schlage Straight Cam	\$3.00
HW956-A	Arrow Straight Cam	\$3.00
HW956-R	Sargent Straight Cam	\$3.00
DEADBOLT FUNCTION CAMS		
HW957-L	Alarm Lock Standard Cloverleaf Cam	\$3.00
HW957-M	Marks Cloverleaf Cam	\$3.00
HW957-C	Corbin-Russwin Cloverleaf Cam	\$3.00
HW957-S	Schlage Cloverleaf Cam	\$3.00
HW957-A	Arrow Cloverleaf Cam	\$3.00
HW957-S	Sargent Cloverleaf Cam	\$3.00
HW1141	Schlage IC Cloverleaf Cam	\$3.00

S6123	Mortise lock complete outside housing available in 26, 26D, 3, 4, 5, & 10B	\$885.00
HW1221D	Outside lever support spring	\$3.00
HW838E	Inside Lever support spring	\$3.00
HW820C	Inside & outside regal lever available in 26, 26D, 3, 4, 5, & 10B	\$35.00
HW819C	Inside & outside straight lever available in 26, 26D, 3, 4, 5, & 10B	\$35.00
HW904DBR	Right hand deadbolt lock body	\$150.00
HW903DBL	Left hand deadbolt lock body	\$150.00
HW870CRL	Left Hand Classroom lock body	\$150.00
HW875CRR	Right hand Classroom lock body	\$150.00
S6065	Replacement Battery Pack	\$30.00



**TRILOGY ELECTRONIC DIGITAL MORTISE LOCKS
WITH PRIVACY & RESIDENCY FEATURES**

DL4500 SERIES - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Privacy feature will lock out all users for programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).
 Backset: 2 3/4" standard
 Strike: 1 1/4" x 4 7/8" strike included
 Handing: Specify RH or LH when ordering, lock is reversible
 In the field
 Power: 5 AA alkaline batteries (included)
 Keypad: All metal, 12 button. All functions programmed through keypad.
 Door prep: Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
 Compliances: Steelcase lockbody meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA compliant levers
 Functions: Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or turn-piece from inside door
 Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Deadbolt function supplied with cloverleaf Cam
 Cams: Cams for other manufacturer's cylinders are available See "Mortise Lock accessories" for part numbers & Manufacturers



**ALL DL4500 LOCKS ARE WEATHER-RESISTANT
PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES**

PRODUCT	FINISH	LIST PRICE
DL4500DBR Straight lever deadbolt function Right hand	US26D US26, US3, US4, US5, & US10B	\$950.00 \$1,010.00
DL4500DBL Straight lever deadbolt function Left Hand	US26D US26, US3, US4, US5, & US10B	\$950.00 \$1,010.00
DL4575DBR Regal (curved) lever deadbolt Function right hand	US26D US26, US3, US4, US5, & US10B	\$965.00 \$1,025.00
DL4500SK	Mounted sales kit, straight lever. Available in classroom or deadbolt function.	Call Factory
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	\$125.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows software	\$230.00
MX1130	USB Adapter	\$115.00
AL-IR1	Infra-red Printer	\$505.00
AL-DTMIII	Data Transfer Module	\$435.00



TRILOGY ELECTRONIC PROXIMITY MORTISE LOCKS

PDL3500/PL3500 - Electronic battery operated digital mortise lock. Holds up to 2000 user codes, Master, Management, Supervisor & basic user. 500 scheduled events, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).
 Backset: 2 3/4" standard
 Strike: 1 1/4" x 4 7/8" strike included
 Handing: Specify RH or LH when ordering, lock is reversible
 In the field
 Power: 5 AA alkaline batteries (included)
 Keypad: Weatherproof all metal, 12 button. All functions programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
 Door prep: Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
 Compliances: Steelcase lockbody meets BHMA specifications
 For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA compliant levers
 Functions: Classroom function feature stainless steel latchbolt
 With 3/4" (1.91cm) projection and deadlocking latch
 Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch
 Deadbolt may be projected from key cylinder from outside door or turn-piece from inside door
 Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will Accept 1 1/4" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight Cam and deadbolt function supplied with cloverleaf Cam
 Cams: Cams for other manufacturer's cylinders are available
 See "Mortise Lock accessories" for part numbers & Manufacturers



**ALL PDL3500 LOCKS ARE WEATHER-RESISTANT
 PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES**

PRODUCT	FINISH	LIST PRICE
PDL3500CRR		
Straight lever classroom function	US26D	\$1,630.00
Right hand	US26, US3, US4, US5, & US10B	1,700.00
PDL3500CRL		
Straight lever classroom function	US26D	\$1,630.00
Left Hand	US26, US3, US4, US5, & US10B	\$1,700.00
PDL3500DBR		
Straight lever deadbolt function	US26D	\$1,630.00
Right hand	US26, US3, US4, US5, & US10B	\$1,700.00
PDL3500DBL		
Straight lever deadbolt function	US26D	\$1,630.00
Left Hand	US26, US3, US4, US5, & US10B	\$1,700.00
PDL3575CRR		
Regal (curved) lever classroom	US26D	\$1,650.00
Function right hand	US26, US3, US4, US5, & US10B	\$1,715.00
PDL3575CRL		
Regal (curved) lever classroom	US26D	\$1,650.00
Function left hand	US26, US3, US4, US5, & US10B	\$1,715.00



Price Book 2011

TRILOGY ELECTRONIC PROXIMITY MORTISE LOCKS (con't)
PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	DESCRIPTION	LIST PRICE
PDL3575DBR Regal (curved) lever deadbolt Function right hand	US26D US26, US3, US4, US5, & US10B	\$1,650.00 \$1,715.00
PDL3575DBL Regal (curved) lever deadbolt Function left hand	US26D US26, US3, US4, US5, US10B	\$1,650.00 \$1,715.00
PDL3500SK/26D	Mounted sales kit, straight lever. Available in classroom or deadbolt function.	Call Factory
PL3500CRR Straight lever classroom function Right hand	US26D US26, US3, US4, US5, & US10B	\$1,630.00 \$1,695.00
PL3500CRL Straight lever classroom function Left Hand	US26D US26, US3, US4, US5, & US10B	\$1,630.00 \$1,695.00
PL3500DBR Straight lever deadbolt function Right hand	US26D US26, US3, US4, US5, & US10B	\$1,630.00 \$1,695.00
PL3500DBL Straight lever deadbolt function Left Hand	US26D US26, US3, US4, US5, & US10B	\$1,630.00 \$1,695.00
PL3575CRR Regal (curved) lever classroom Function right hand	US26D US26, US3, US4, US5, & US10B	\$1,650.00 \$1,715.00
PL3575CRL Regal (curved) lever classroom Function left hand	US26D US26, US3, US4, US5, & US10B	\$1,650.00 \$1,715.00
PL3575DBR Regal (curved) lever deadbolt Function right hand	US26D US26, US3, US4, US5, & US10B	\$1,650.00 \$1,715.00
PL3575DBL Regal (curved) lever deadbolt Function left hand	US26D US26, US3, US4, US5, & US10B	\$1,650.00 \$1,715.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	\$125.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows software	\$230.00
MX1130	USB Adapter	\$115.00
AL-IR1	Infra-red Printer	\$505.00
AL-DTMIII	Data Transfer Module	\$430.00
AL-PRE	Prox Card Enroller	\$575.00
ALHID1326	Proximity Access Cards 100 Per Box	\$490.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$900.00
ALHID1391	MicroProx Tag 10 per box	\$80.00
ALHID1346	Proximity keyfob 10 per box	\$115.00
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how to connect and bring Networx on line.	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com

TRILOGY ELECTRONIC DIGITAL PROXIMITY MORTISE LOCKS WITH PRIVACY & RESIDENCY FEATURES

PDL4500 - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats. Privacy feature will lock out all users for a programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness:	Fits 1 3/8" to 1 7/8" (4.46cm).
Backset:	2 3/4" standard
Strike:	1 1/4" x 4 7/8" strike included
Handing:	Specify RH or LH when ordering, lock is reversible In the field
Power:	5 AA alkaline batteries (included)
Keypad:	Weatherproof all metal, 12 button. All functions programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
Door prep:	Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
Compliances:	Steelcase lockbody meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA compliant levers
Functions:	Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or turn-piece from inside door
Cylinder:	1 3/8" (3.5cm) mortise cylinder supplied. Will Accept 1 1/4" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Deadbolt function supplied with cloverleaf cam
Cams:	Cams for other manufacturer's cylinders are available See "Mortise Lock accessories" for part numbers & Manufacturers



**ALL PDL4500 LOCKS ARE WEATHER-RESISTANT
PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES**

PRODUCT	FINISH	LIST PRICE
PDL4500DBR		
Straight lever deadbolt function	US26D	\$1,380.00
Right hand	US26, US3, US4, US5, & US10B	\$1,450.00
PDL4500DBL		
Straight lever deadbolt function	US26D	\$1,380.00
Left Hand	US26, US3, US4, US5, & US10B	\$1,450.00
PDL4575DBR		
Regal (curved) lever deadbolt	US26D	\$1,395.00
Function right hand	US26, US3, US4, US5, & US10B	\$1,460.00
PDL4575DBL		
Regal (curved) lever deadbolt	US26D	\$1,395.00
Function right hand	US26, US3, US4, US5, & US10B	\$1,460.00
PDL4500SK/26D	Mounted Sales Demo	Call Factory
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	\$125.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows software	\$230.00
MX1130 USB Adapter		\$115.00
AL-IR1	Infra-red Printer	\$505.00
AL-DTMIH	Data Transfer Module	\$430.00
AL-PRE	Prox Card Enroller	\$575.00



ALARM LOCK

Price Book 2011

MORTISE LOCK ACCESSORIES

ALHID1326	Proximity Access Cards 100 Per Box	\$490.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$900.00
ALHID1391	MicroProx Tag 10 per box	\$80.00
ALHID1346	Proximity keyfob 10 per box	\$115.00
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how to connect and bring Networx on line.	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com

MORTISE LOCK PARTS

CLASSROOM FUNCTION CAMS		
HW956-L	Alarm Lock Standard Straight Cam	\$3.00
HW956-M	Marks Straight Cam	\$3.00
HW956-C	Corbin-Russwin Straight Cam	\$3.00
HW956-S	Schlage Straight Cam	\$3.00
HW956-A	Arrow Straight Cam	\$3.00
HW956-R	Sargent Straight Cam	\$3.00
DEADBOLT FUNCTION CAMS		
HW957-L	Alarm Lock Standard Cloverleaf Cam	\$3.00
HW957-M	Marks Cloverleaf Cam	\$3.00
HW957-C	Corbin-Russwin Cloverleaf Cam	\$3.00
HW957-S	Schlage Cloverleaf Cam	\$3.00
HW957-A	Arrow Cloverleaf Cam	\$3.00
HW957-S	Sargent Cloverleaf Cam	\$3.00
HW1141-S	Schlage IC Cloverleaf Cam	\$3.00

S6123	Mortise lock complete outside housing available in 26, 26D, 3, 4, 5, & 10B	\$895.00
HW1221D	Outside lever support spring	\$3.00
HW838E	Inside Lever support spring	\$3.00
HW820C	Inside & outside regal lever available in 26, 26D, 3, 4, 5, & 10B	\$35.00
HW819C	Inside & outside straight lever available in 26, 26D, 3, 4, 5, & 10B	\$35.00
HW904DBR	Right hand deadbolt lock body	\$150.00
HW903DBL	Left hand deadbolt lock body	\$150.00
HW870CRL	Left Hand Classroom lock body	\$150.00
HW875CRR	Right hand Classroom lock body	\$150.00
S6065	Replacement Battery Pack	\$30.00



TRILOGY NARROW STYLE LOCK PRODUCTS

DL1200 SERIES – Aluminum door retrofit outside trim. Works with Adams Rite® 4500, 4700 & 4900 series deadlatch. 4070, MS18505 & MS19505 series deadbolts. 100 user codes, master, Manager, basic user and 3 “one-time” user codes.



SPECIFICATIONS:

- Door thickness:** supports style 1 3/4” only
- Backset:** supports 31/32”, 1 1/8”, & 1 1/2”
- Latch:** works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 Series spring latch and MS1850S & MS1950S series deadbolts
- Handing:** non-handed
- Power:** uses 2 DL123A lithium batteries
- Keypad:** all metal, vandal resistant 12 button keypad supports 3-5 digit PIN codes
- Cylinder:** supplied with 6 pin mortise standard mortise cylinder SC1 Keyway. Use 1 3/8” or 1 1/2” cylinders
- Cams:** cam supplied works with generic Alarm Lock cylinder. Other Standard cams available for Corbin-Russwin, Marks, Arrow, Sargent & Schlage. IC type cams for Best, Corbin-Russwin, Medeco, Schlage & Yale are also available

ALL DL1200 SERIES LOCKS ARE WEATHER-RESISTANT

PRODUCT	DESCRIPTION	LIST PRICE
DL1200/26D1	Lever set works with Adams Rite® 4500, 4700, & 4900 series deadlatch 26D finish	\$565.00
DL1200/10B1	Lever set works with Adams Rite® 4500, 4700 & 4900 series deadlatch 10B finish	\$565.00
DL1225/26D2	Thumb turn works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS18505, MS1950 series deadbolt 26D finish	\$565.00
DL1225/10B2	Thumb turn works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS18505, MS1950 series deadbolt 10B finish	\$565.00
DL1250/26D2	Knob works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS18505, MS1950 series deadbolt 26D finish	\$565.00
DL1250/10B2	Knob works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS18505, MS1950 series deadbolt 10B finish	\$565.00
DL1200/26D3	Lever set includes Adams Rite® 4900 latch 26D finish supports 1 1/8” backset	\$770.00
DL1200/26D4	Lever set includes Adams Rite® 4900 latch 26D finish supports 1 1/2” backset	\$770.00

TRILOGY NARROW STYLE LOCK PRODUCTS

DL1300 SERIES – Aluminum door retrofit outside trim. Works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 series spring latch and MS18505 & MS19505 series deadbolts. 2,000 user codes, master, Manager, basic user and multiple “one-time” user codes. 500 event schedule, real time clock & 40,000 event audit trail.



SPECIFICATIONS:

Door thickness: supports style 1 3/4" only
Backset: supports 31/32", 1 1/8", & 1 1/2"
Latch: works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 Series spring latch and MS1850S & MS1950S series deadbolts
Handing: non-handed
Power: uses 2 DL123A lithium batteries
Keypad: all metal, vandal resistant 12 button keypad supports 3-5 digit PIN codes
Cylinder: supplied with 6 pin mortise standard mortise cylinder SC1 Keyway. Use 1 3/8" or 1 1/2" cylinders
Cams: cam supplied works with generic Alarm Lock cylinder. Other Standard cams available for Corbin-Russwin, Marks, Arrow, Sargent & Schlage. IC type cams for Best, Corbin-Russwin, Medeco, Schlage & Yale are also available



ALL DL1300 SERIES LOCKS ARE WEATHER RESISTANT

PRODUCT	DESCRIPTION	LIST PRICE
DL1300/26D1	Lever set works with Adams Rite® 4500, 4700, & 4900 series deadlatch 26D finish	\$710.00
DL1300/10B1	Lever set works with Adams Rite® 4500, 4700, & 4900 series deadlatch 10B finish	\$710.00
DL1325/26D2	Thumb turn works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS18505, MS1950 series deadbolt 26D finish	\$710.00
DL1325/10B2	Thumb turn works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS18505, MS1950 series deadbolt 10B finish	\$710.00
DL1350/26D2	Knob works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS18505, MS1950 series deadbolt 26D finish	\$710.00
DL1350/10B2	Thumb turn works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS18505, MS1950 series deadbolt 10B finish	\$710.00
DL1300/26D3	Lever set includes Adams Rite® 4900 latch 26D finish supports 1 1/8" backset	\$780.00
DL1300/26D4	Lever set includes Adams Rite® 4900 latch 26D finish supports 1 1/2" backset	\$780.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	\$125.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows software	\$230.00
AL-IR1	Infra-red Printer	\$505.00
AL-DTMIII	Data Transfer Module	\$435.00



TRILOGY NARROW STILE LOCK PRODUCTS

PDL1300 SERIES – Aluminum door retrofit outside trim. Works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 series spring latch and MS1850S & MS1950S series deadbolts. 2,000 user codes, master, Manager, basic user and multiple “one-time” user codes. Proximity capabilities. 500 event schedule, real time clock & 40,000 event audit trail.



SPECIFICATIONS:

Door thickness: supports style 1 3/4” only
Backset: supports 31/32”, 1 1/8”, & 1 1/2”
Latch: works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 Series spring latch and MS1850S & MS1950S series deadbolts
Handing: non-handed
Power: uses 2 DL123A lithium batteries
Keypad: all metal, vandal resistant 12 button keypad supports 3-5 digit PIN codes and HID proximity cards and fobs. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
Cylinder: supplied with 6 pin mortise standard mortise cylinder SC1 Keyway. Use 1 3/8” or 1 1/2” cylinders
Cams: cam supplied works with generic Alarm Lock cylinder. Other Standard cams available for Corbin-Russwin, Marks, Arrow, Sargent & Schlage. IC type cams for Best, Corbin-Russwin, Medeco, Schlage & Yale are also available

ALL NARROW STILE LOCKS ARE WEATHER RESISTANT

PRODUCT	DESCRIPTION	LIST PRICE
PDL1300/26D1	Lever set works with Adams Rite® 4500, 4700, & 4900 series deadlatch 26D finish	\$1,000.00
PDL1300/10B1	Lever set works with Adams Rite® 4500, 4700, & 4900 series deadlatch 10B finish	\$1,000.00
PDL1325/26D2	Thumb turn works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 26D finish	\$1,000.00
PDL1325/10B2	Thumb turn works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 10B finish	\$1,000.00
PDL1350/26D2	Knob works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 26D finish	\$1,000.00
PDL1350/10B2	Knob works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 26D finish	\$1,000.00
PDL1300/26D3	Lever set includes Adams Rite® 4900 latch 26D finish supports 1 1/8” backset	\$1,180.00
PDL1300/26D4	Lever set includes Adams Rite® 4900 latch 26D finish supports 1 1/2” Backset	\$1,180.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	\$125.00



TRILOGY NARROW STYLE LOCK PRODUCTS (con't)

ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows Software	\$230.00
MX1130 USB Adapter	Computer interface cable for serial and USB connection includes DL-Windows software	\$115.00
AL-IR1	Infra-red Printer	\$505.00
AL-DTMIII	Data Transfer Module	\$425.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$505.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$900.00
ALHID1391	MicroProx Tag 10 per box	\$80.00
ALHID1346	Proximity keyfob 10 per box	\$115.00

PARTS

STANDARD MORTISE CAMS	DESCRIPTION	LIST PRICE
HW1344	Corbin-Russwin standard cam	\$3.00
HW1346	Marks standard cam	\$3.00
HW1348	Arrow & Sargent standard cams	\$3.00
HW1349	Schlage standard cam	\$3.00
IC MORTISE CAMS		
HW1345	Corbin-Russwin IC cam	\$5.00
HW1347	Medeco IC cam	\$5.00
HW1350	Schlage IC cam	\$5.00
HW1343	Best IC cam	\$5.00
S6169-26D	Best IC housing with cam attached	\$35.00
Replacement Battery		
S6161	Inside Battery Kit	\$50.00
S6170	Replacement Battery	\$30.00

HOW TO ORDER THE TRILOGY NARROW STILE LOCKS

Last two digits of the part number are

Used with Adams Rite Product

00 Straight Lever

4500, 4700 & 4900 Series Only

25 Thumb turn

**4500, 4700 & 4900 Series
MS1850, MS1950 & 4070 Series**

50 Knob

**4500, 4700 & 4900 Series
MS1850, MS1950 & 4070 Series**



TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS

DL1200ET, DL1300ET & PDL1300ET SERIES - Aluminum door retrofit outside trim. Works with Arrow, DCI, Von Duprin, Corbin, Dor-o-matic, Dorma & Jackson. DL1200ET has 100 user codes, master, Manager, basic user and 3 "one-time" user codes. DL1300ET & PDL1300ET have 2,000 user codes, multiple "one-time" user codes. 500 event schedule, real time clock & 40,000 event audit trail. PDL1300ET also has proximity capabilities.

SPECIFICATIONS:



Door thickness: supports style 1 3/4" only
Handing: non-handed
Power: uses 2 DL123A lithium batteries
Keypad: all metal, vandal resistant 12 button keypad supports 3-5 digit PIN codes
Cylinder: supplied with 6 pin mortise standard mortise cylinder SC1 Keyway. Use 1 3/8" or 1 1/2" cylinders
Cams: cam supplied works with generic Alarm Lock cylinder. Other Standard cams available for Corbin-Russwin, Marks, Arrow, Sargent & Schlage. IC type cams for Best, Corbin-Russwin, Medeco, Schlage & Yale are also available



**Must order separate tailpiece for specific ET being installed
 (See page 31)**

Note: ET Trim works w/V33 LH (RHR) only

ALL NARROW STILE/EXIT LOCKS ARE WEATHER RESISTANT

PRODUCT	DESCRIPTION	LIST PRICE
DL1200ET/26D STRAIGHT LEVER 100 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 panic LH (RHR) devices only	\$565.00
DL1200ET//10B STRAIGHT LEVER 100 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 panic LH (RHR) devices only	\$565.00
DL1225ET/26D TURNPIECE 100 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$565.00
DL1225ET/10B TURNPIECE 100 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$565.00
DL1250ET/26D KNOB 100 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$565.00



Price Book 2011

TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS (CON'T)

DL1250ET/10B KNOB 100 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$565.00
DL1300ET/26D STRAIGHT LEVER 2,000 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 LH (RHR) devices only	\$740.00
DL1300ET/10B STRIGHT LEVER 2,000 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 LH (RHR) devices only	\$740.00
DL1325ET/26D TURNPIECE 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$740.00
DL1325ET/210B TURNPIECE 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$740.00
DL1350ET/26D KNOB 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$740.00
DL1350ET/10B KNOB 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$740.00
PDL1300ET/26D STRAIGHT LEVER 2,000 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 LH (RHR) devices only	\$1,000.00
PDL1300ET/10B STRAIGHT LEVER 2,000 user codes	Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 LH (RHR) devices only	\$1,000.00
PDL1325ET/26D TURNPIECE 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$1,000.00
PDL1325ET/10B TURNPIECE 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$1,000.00
PDL1350ET/26D KNOB 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$1,000.00
PDL1350ET/10B KNOB 2,000 user codes	Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices	\$1,000.00



Price Book 2011

TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS (CON'T)

Tailpieces must be used with the Panic Devices as shown below

TAILPIECE PART NUMBER	PANIC DEVICE	LIST PRICE
TP-1691	Used with Arrow S1200/1250, DCI 1200/1300, Von Duprin 22 & Dorma 5300 Panic Devices	\$45.00
TP-1692	Used with Dor-o-Matic 2090 Panic Device	\$45.00
TP-1693	Used with Corbin ED8200 Panic Device	\$45.00
TP-1694	Used with Von Duprin 33 LH (RHR) devices only	\$45.00
TP-1698	Used with Jackson 1095 Panic Device	\$45.00

TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS

PARTS AND ACCESSORIES

ACCESSORIES	DESCRIPTION	LIST PRICE
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	\$125.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows Software	\$230.00
MX1130	USB Adapter	\$120.00
AL-IR1	Infra-red Printer	\$505.00
AL-DTMIII	Data Transfer Module	\$435.00
AL-PRE	Prox Card Enroller	\$590.00
ALHID1326	Proximity Access Cards 100 Per Box	\$490.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$900.00
ALHID1391	MicroProx Tag 10 per box	\$80.00
ALHID1346	Proximity keyfob 10 per box	\$115.00

PARTS

STANDARD MORTISE CAMS	DESCRIPTION	LIST PRICE
HW1344	Corbin-Russwin standard cam	\$3.00
HW1346	Marks standard cam	\$3.00
HW1348	Arrow & Sargent standard cams	\$3.00
HW1349	Schlage standard cam	\$3.00
IC MORTISE CAMS		
HW1345	Corbin-Russwin IC cam	\$5.00
HW1347	Medeco IC cam	\$5.00
HW1350	Schlage IC cam	\$5.00
HW1343	Best IC cam	\$5.00
S6169-26D	Best IC housing with cam attached	\$35.00
Replacement Battery		
S6161	Inside Battery Kit	\$50.00
S6170	Replacement Battery	\$30.00

TRILOGY EXIT TRIM PRODUCTS

Battery operated Trilogy outside trim works with Von Duprin 99, Corbin ED5000, Yale 7100, Dorma 9300, Arrow 3800, Sargent 8800, Precision 1100, 2100 & Cal Royal 9800 series panic devices. Available in DL series (keypad) or PDL (prox/keypad) formats. Features include 2,000 user codes, 500 scheduled events and 40,000 event audit trail.

SPECIFICATIONS:

Cylinder:	Uses standard rim cylinder to operate key override function. Will accept 6 or 7 pin interchangeable core cylinders – see below.
Handing:	Non-handed
Power:	5 AA alkaline batteries (included) mounted on inside of door.
Keypad:	Weather-resistant all metal, 12 button. All functions Programmable through the keypad. PDL version proximity antenna housing molded of ultra high strength, impact resistant Lexan®



ALL ET SERIES LOCKS ARE WEATHER-RESISTANT
PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	DESCRIPTION	LIST PRICE
ETDL series	26D Finish	\$1,110.00
ETDL series	US3, US4, US5, US26, 10B Finish	\$1,170.00
ETDL series w/Regal lever	26D Finish	\$1,130.00
ETDL series w/Regal lever	US3, US4, US5, US26, 10B Finish	\$1,180.00
ETPDL series	26D Finish	\$1,450.00
ETPDL series	US3, US4, US5, US26, 10B Finish	\$1,510.00
ETPDL series w/Regal lever	26D Finish	\$1,470.00
ETPDL series w/Regal lever	US3, US4, US5, US26, 10B Finish	\$1,525.00
ETPL series	26D Finish	\$1,450.00
ETPL series	US3, US4, US5, US26, 10B Finish	\$1,510.00
ETPL series w/Regal lever	26D Finish	\$1,470.00
ETPL series w/Regal lever	US3, US4, US5, US26, 10B Finish	\$1,525.00
Specify finish on adapter kit	Alarm Lock Standard Rim Cylinder Adapter kit (Schlage C keyway)	\$45.00
ET- AR Finish = 26, 26D, 3, 4, 5, 10B	Arrow Standard Rim Cylinder Adapter kit	\$45.00
ET- AS Finish = 26, 26D, 3, 4, 5, 10B	ASSA Standard Rim Cylinder Adapter kit	\$45.00
ET - C Finish = 26, 26D, 3, 4, 5, 10B	Corbin Standard Rim Cylinder Adapter kit	\$45.00
ET - M Finish = 26, 26D, 3, 4, 5, 10B	Medeco Standard Rim Cylinder Adapter kit	\$45.00
ET - R Finish = 26, 26D, 3, 4, 5, 10B	Sargent Standard Rim Cylinder Adapter kit	\$45.00
ET - S Finish = 26, 26D, 3, 4, 5, 10B	Schlage Standard Rim Cylinder Adapter kit	\$45.00
ET - Y Finish = 26, 26D, 3, 4, 5, 10B	Yale Standard Rim Cylinder Adapter kit	\$45.00
ET - ARIC Finish = 26, 26D, 3, 4, 5, 10B	Arrow IC 6 & 7 Pin Rim Cylinder Adapter kit	\$65.00
ET - BIC Finish = 26, 26D, 3, 4, 5, 10B	Best IC 6 & 7 Pin Rim Cylinder Adapter kit	\$65.00
ET - CIC Finish = 26, 26D, 3, 4, 5, 10B	Corbin IC Rim Cylinder Adapter kit	\$65.00
ET - MIC Finish = 26, 26D, 3, 4, 5, 10B	Medeco IC 6 & 7 Pin Rim Cylinder Adapter kit	\$65.00



TRILOGY EXIT TRIM PRODUCTS (CONT'D)

Product	Description	LIST PRICE
ET - RIC Finish = 26, 26D, 3, 5, 10B	Sargent IC Rim Cylinder Adapter kit	\$65.00
ET - SIC Finish = 26, 26D, 3, 5, 10B	Schlage IC Rim Cylinder Adapter kit	\$65.00
ET - YIC Finish = 26, 26D, 3, 5, 10B	Yale IC 6 Pin Rim Cylinder Adapter kit	\$65.00
ETDLSKZ/26D V99, C50, A38, D93, Y71, S88, CR8, P11	Mounted sales kit For demo purposes	Call Factory
ETPDLSKZ/26D V99, C50, A38, D93, Y71, S88, CR8, P11	Mounted sales kit For demo purposes	Call Factory
AL-PCI2	Computer interface cable for serial connection Includes DL-Windows software	\$125.00
ALPCI2-U	Computer interface cable for serial and USB connection Includes DL-Windows Software	\$ 230.00
AL-IR1	Infra-red Printer	\$505.00
AL-DTMIII	Data Transfer Module	\$430.00
AI-PRE	Prox Card Enroller	\$575.00
ALHID1326	Proximity Access Cards 100 per box	\$470.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$900.00
ALHID1346	Proximity keyfob packed 10 per box	\$115.00
ALHID1391	MicroProx Tag 10 per box	\$80.00

TRILOGY EXIT TRIM PRODUCTS PARTS

EXTENDED SPINDLES CAN BE PURCHASED SEPARATELY

HW970J-5 Extended Spindle	Will fit 2 - 2 3/4" doors	\$45.00
HW970J-6 Extended Spindle	Will fit 3 - 4" doors	\$50.00
HW970J-7 Extended Spindle	Will fit 4 1/4 - 5" doors	\$55.00
SC544	Extended screws with adjustable Lengths 4 per unit	\$15.00
9ETBATCASE	Replacement Battery	\$40.00
S6175	Lever return spring for ET	\$3.00

PLEASE SEE "HOW TO ORDER" CHART ON PAGE 18 TO PROPERLY ORDER YOUR TRILOGY EXIT TRIM.

IF YOU REQUIRE THE LOCK TO BE PREPPED FOR A THICKER DOOR, YOU MUST ORDER BASED ON THE SELECTIONS SHOWN. THE BASIC MODEL IS PREPPED FOR A 1 5/8" TO 1 7/8" DOOR.

****** PRECISION 2100 SERIES WILL WORK WITH THE VON DUPRIN 99 PREP. YOU MUST GET A MOUNTING PLATE PART # 2141208 FROM PRECISION******




HOW TO ORDER YOUR TRILOGY EXIT LOCK

Below is a "How to Order" guide for the Trilogy Exit Trim products. Please follow this guide when placing orders to avoid any delay in processing your order.

All units are sold with a generic cylinder adapter installed. When you are using a specific Brand of rim cylinder, you must purchase a Cylinder Adapter Kit from the chart below.

ETPDLS1G/26DV99





TRILOGY ELECTRONIC DIGITAL KEYPAD

DK3000/PDK3000 Series - Electronic digital keypad. Available in keypad only and keypad plus prox. Holds up to 2,000 user codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Prox unit will read most HID cards and keyfobs.

Specifications:

- Wall mount :** Single gang box mounting .
- Wiring :** Unit provides flying leads for power, relays, tamper and remote Release.
- I/O Specs:** 2 form C relays 5AMP minimum contact rating. Red & green LED Indicators. 1 remote release input. Sounder and tamper.
- Power:** Operating voltage 12-24VAC/DC field selectable.



ALL DK3000/PDK3000 ARE WEATHER-RESISTANT

PRODUCT	FINISH	LIST PRICE
DK3000	Metallic silver (MS) Metallic bronze (MB)	\$575.00
	US26, US26D, US3, US5 & US10B	\$705.00
PDK3000	Metallic silver (MS) Metallic bronze (MB)	\$900.00
	US26, US26D, US3, US5 & US10B	\$1,020.00
AL-PCI2	Computer interface cable for serial connection includes DL-Windows software	\$125.00
ALPCI2-U	Computer interface cable for serial and USB connection includes DL-Windows software	\$230.00
MX1130	USB Adapter	\$115.00
AL-IR1	Infra-red Printer	\$505.00
AL-DTMIII	Data Transfer Module	\$435.00
AL-PRE	Prox Card Enroller	\$575.00
ALHID1326	Proximity Access Cards 100 per box	\$490.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$900.00
ALHID1346	Proximity keyfob packed 10 per box	\$115.00
ALHID1391	MicroProx Tag 10 per box	\$80.00
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how to connect and bring Networx on line.	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com



TRILOGY NETWORK DIGITAL LOCKS

DL6100 SERIES — Digital cylindrical lock supporting 5,000 pin user codes (3-6 digits), 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory
 Backset: 2 3/4" (2 3/8" also available)
 Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8" ASA strike included
 Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible
 Handing: Non-handed
 Power: 4 C-cell batteries (included)
 Keypad: All metal, 12 button. Basic functions programmed through the keypad.
 Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
 Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed UL Listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
 Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
 Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL NETWORK LOCKS ARE WEATHER RESISTANT

PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
DL6100	26D	\$1,365.00
Standard key override	10B	\$1,440.00
DL6175		
Standard Key override	26D	\$1,385.00
Regal (curved)	10B	\$1,490.00
DL6100IC*	26D	\$1,380.00
Interchangeable core	10B	\$1,455.00
DL6175IC*		
Interchangeable core	26D	\$1,410.00
Regal (curved)	10B	\$1,470.00
AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$490.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$690.00
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$590.00
S6181	Networkx Replacement Battery Pack	\$44.00

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

Networkx training options available. See page 38 for details.



TRILOGY NETWORK PROXIMITY DIGITAL LOCKS

PDL6100 SERIES — Prox and digital cylindrical lock supporting 5,000 PIN user codes (3-6 digits), and/or HID Proximity cards. 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8" ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible

Handing: Non-handed

Power: 4 C-cell batteries (included)

Keypad: All metal, 12 button. Basic functions programmed through the keypad.

Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed UL Listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL NETWORK LOCKS ARE WEATHER RESISTANT

PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
PDL6100	26D	\$1,750.00
Standard key override	10B	\$1,820.00
PDL6175		
Standard Key override	26D	\$1,775.00
Regal (curved)	10B	\$1,830.00
PDL6100IC*	26D	\$1,765.00
Interchangeable core	10B	\$1,825.00
PDL6175IC*		
Interchangeable core	26D	\$1,785.00
Regal (curved)	10B	\$1,840.00
PDL6100SK	Mounted PDL6100 demo w/ mounted sales/demo kit including IME gateway and router mounted on plexi-glass for plug and play demonstrations with Alarm Lock carrying bag.	\$2,0000
AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$490.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$690.00
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$590.00
AL-PRE	Prox Card Enroller	\$575.00
ALHID1326	Proximity Access Cards 100 Per Box	\$490.00

ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$900.00
ALHID1391	MicroProx Tag 10 per box	\$80.00
ALHID1346	Proximity keyfob 10 per box	\$115.00
S6181	Networx Replacement Battery Pack	\$44.00

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

Networx training options available. See page below for details.

Note:

Training and education options available for Networx products:

- 1. FREE On-Line certification Software and Networx connectivity video training available at: <http://alarmlock.com/trainingvideos-list.asp>**
- 2. On site training may be available thru our in field rep agencies on a quote-by-quote basis. The minimum charge is \$500. For a listing of the reps in your area, please go to our website at: <http://alarmlock.com/contactn.html>**

AL Training DVD

ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how to connect and bring Networx on line.	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com
------------	---	---



ALARM LOCK

Price Book 2011

TRILOGY NETWORKX PROXIMITY DIGITAL LOCKS

PL6100 SERIES — Prox only cylindrical lock supporting 5,000 PIN user codes (3-6 digits), and/or HID Proximity cards. 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory
 Backset: 2 3/4" (2 3/8" also available)
 Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8" ASA strike included
 Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible
 Handing: Non-handed
 Power: 4 C-cell batteries (included)
 Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
 Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed UL Listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
 Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
 Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL NETWORKX LOCKS ARE WEATHER RESISTANT

PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES AND IC PREPS

PRODUCT	FINISH	LIST PRICE
PL6100	26D	\$1,750.00
Standard key override	10B	\$1,820.00
PL6175		
Standard Key override	26D	\$1,775.00
Regal (curved)	10B	\$1,830.00
PL6100IC*	26D	\$1,765.00
Interchangeable core	10B	\$1,825.00
PL6175IC*		
Interchangeable core	26D	\$1,785.00
Regal (curved)	10B	\$1,840.00
AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$490.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$690.00
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$590.00
AL-PRE	Prox Card Enroller	\$575.00
ALHID1326	Proximity Access Cards 100 Per Box	\$490.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$900.00
ALHID1391	MicroProx Tag 10 per box	\$80.00
ALHID1346	Proximity keyfob 10 per box	\$115.00
S6181	Networkx Replacement Battery Pack	\$44.00

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

Networkx training options available. See page 38 for details.



Price Book 2011

TRILOGY NETWORK ELECTRONIC DIGITAL MORTISE LOCKS

DL6500 SERIES – Digital mortise lock supporting 5,000 PIN user codes (3-6 digits), 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8” to 1 7/8” (4.46cm).
 Backset: 2 3/4” standard
 Strike: 1 1/4” x 4 7/8” strike included
 Handing: Specify RH or LH when ordering, lock is reversible
 In the field
 Power: 4 C- cell batteries (included)
 Keypad: All metal, 12 button. Basic functions programmed through keypad.
 Door prep: Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
 Compliances: Steelcase lock body meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA compliant levers
 Functions: Classroom function feature stainless steel latchbolt With 3/4” (1.91cm) projection and deadlocking latch Deadbolt function feature stainless steel deadbolt with 1” (2.55cm) projection, latchbolt with 3/4” (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or turn-piece from inside door
 Cylinder: 1 3/8” (3.5cm) mortise cylinder supplied. Will Accept 1 3/8” to 1 1/2” (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight Cam and deadbolt function supplied with cloverleaf Cam
 Cams: Cams for other manufacturer’s cylinders are available See “Mortise Lock accessories” for part numbers & Manufacturers



ALL DL6500 MORTISE LOCKS ARE WEATHER-RESISTANT

PLEASE CHECK WITH FACTORY ON LEAD TIMES FOR SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
DL6500CRR Straight lever classroom Right hand	26D 10B	\$1,490.00 \$1,555.00
DL6500CRL Straight lever classroom Left Hand	26D 10B	\$1,490.00 \$1,555.00
DL6575CRR Regal (curved) lever classroom Function right hand	26D 10B	\$1,505.00 \$1,570.00
DL6575CRL Regal (curved) lever classroom Function left hand	26D 10B	\$1,505.00 \$1,570.00



Price Book 2011

TRILOGY NETWORKX ELECTRONIC DIGITAL MORTISE LOCKS (con't)

AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$490.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$690.00
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$590.00
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how to connect and bring Networx on line.	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com

MORTISE LOCK PARTS

CLASSROOM FUNCTION CAMS	DESCRIPTION	LIST PRICE
HW956-L	Alarm Lock Standard Straight Cam	\$3.00
HW956-M	Marks Straight Cam	\$3.00
HW956-C	Corbin-Russwin Straight Cam	\$3.00
HW956-S	Schlage Straight Cam	\$3.00
HW956-A	Arrow Straight Cam	\$3.00
HW956-R	Sargent Straight Cam	\$3.00
DEADBOLT FUNCTION CAMS		
HW957-L	Alarm Lock Standard Cloverleaf Cam	\$3.00
HW957-M	Marks Cloverleaf Cam	\$3.00
HW957-C	Corbin-Russwin Cloverleaf Cam	\$3.00
HW957-S	Schlage Cloverleaf Cam	\$3.00
HW957-A	Arrow Cloverleaf Cam	\$3.00
HW957-S	Sargent Cloverleaf Cam	\$3.00
HW1141	Schlage IC Cloverleaf Cam	\$3.00
HW1221D	Outside lever support spring	\$3.00
HW838E	Inside Lever support spring	\$3.00
HW820C	Inside & outside regal lever available in 26, 26D, 3, 4, 5, 10 & 10B	\$35.00
HW819C	Inside & outside straight lever available in 26, 26D, 3, 4, 5, 10 & 10B	\$35.00
HW870CRL	Left Hand Classroom lock body	\$150.00
HW875CRR	Right hand Classroom lock body	\$150.00
S6181	Networx Replacement Battery Pack	\$44.00

Networx training options available. See page 38 for details.



Price Book 2011

TRILOGY NETWORKX ELECTRONIC PROXIMITY DIGITAL MORTISE LOCKS PDL6500/PL6500 SERIES – Prox and Digital mortise lock supporting 5,000 PIN user codes (3-6 digits) and HID Proximity cards. 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

Door Thickness:	Fits 1 3/8" to 1 7/8" (4.46cm).
Backset:	2 3/4" standard
Strike:	1 1/4" x 4 7/8" strike included
Handing:	Specify RH or LH when ordering, lock is reversible In the field
Power:	4 C- cell batteries (included)
Keypad:	All metal, 12 button. Basic functions programmed through keypad.
Door prep:	Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
Compliances:	Steelcase lock body meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA compliant levers
Functions:	Classroom function feature stainless steel latchbolt With 3/4" (1.91cm) projection and deadlocking latch Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or turn-piece from inside door
Cylinder:	1 3/8" (3.5cm) mortise cylinder supplied. Will Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight Cam and deadbolt function supplied with cloverleaf Cam
Cams:	Cams for other manufacturer's cylinders are available See "Mortise Lock accessories" for part numbers & Manufacturers



ALL PDL6500 MORTISE LOCKS ARE WEATHER-RESISTANT

PLEASE CHECK WITH FACTORY ON LEAD TIMES FOR SPECIAL FINISHES

PRODUCT	FINISH	LIST PRICE
PDL6500CRR		
Straight lever classroom function	26D	\$1,830.00
Right hand	10B	\$1,895.00
PDL6500CRL		
Straight lever classroom function	26D	\$1,830.00
Left Hand	10B	\$1,895.00
PDL6575CRR		
Regal (curved) lever classroom	26D	\$1,845.00
Function right hand	10B	\$1,910.00
PDL6575CRL		
Regal (curved) lever classroom	26D	\$1,845.00
Function left hand	10B	\$1,910.00
PL6500CRR (prox only)		
Straight lever classroom function	26D	\$1,830.00
Right hand	10B	\$1,895.00
PL6500CRL (prox only)		
Straight lever classroom function	26D	\$1,830.00
Left Hand	10B	\$1,895.00
PL6575CRR (prox only)		
Regal (curved) lever classroom	26D	\$1,845.00
Function right hand	10B	\$1,910.00
PL6575CRL (prox only)		
Regal (curved) lever classroom	26D	\$1,845.00
Function left hand	10B	\$1,910.00



Price Book 2011

TRIOLOGY NETWORKX ELECTRONIC DIGITAL MORTISE LOCKS (con't)

AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$490.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$690.00
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$590.00
AL-PRE	Prox Card Enroller	\$575.00
ALHID1326	Proximity Access Cards 100 Per Box	\$490.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$900.00
ALHID1391	MicroProx Tag 10 per box	\$80.00
ALHID1346	Proximity keyfob 10 per box	\$115.00
ALTRAINDVD	Trilogy DL-Windows and Network Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how to connect and bring Networkx on line.	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com

MORTISE LOCK PARTS

CLASSROOM FUNCTION CAMS	DESCRIPTION	LIST PRICE
HW956-L	Alarm Lock Standard Straight Cam	\$3.00
HW956-M	Marks Straight Cam	\$3.00
HW956-C	Corbin-Russwin Straight Cam	\$3.00
HW956-S	Schlage Straight Cam	\$3.00
HW956-A	Arrow Straight Cam	\$3.00
HW956-R	Sargent Straight Cam	\$3.00
DEADBOLT FUNCTION CAMS		
HW957-L	Alarm Lock Standard Cloverleaf Cam	\$3.00
HW957-M	Marks Cloverleaf Cam	\$3.00
HW957-C	Corbin-Russwin Cloverleaf Cam	\$3.00
HW957-S	Schlage Cloverleaf Cam	\$3.00
HW957-A	Arrow Cloverleaf Cam	\$3.00
HW957-S	Sargent Cloverleaf Cam	\$3.00
HW1141	Schlage IC Cloverleaf Cam	\$3.00
HW1221D	Outside lever support spring	\$3.00
HW838E	Inside Lever support spring	\$3.00
HW820C	Inside & outside regal lever available in 26D & 10B	\$35.00
HW819C	Inside & outside straight lever available in 26D & 10B	\$35.00
HW870CRL	Left Hand Classroom lock body	\$150.00
HW875CRR	Right hand Classroom lock body	\$150.00
S6181	Networkx Replacement Battery Pack	\$44.00

Networkx training options available. See page 38 for details.

Price Book 2011

TRILOGY NETWORKX EXIT TRIM PRODUCTS

Battery operated Trilogy outside trim works with Von Duprin 99, Corbin ED5000, Yale 7100, Dorma 9300, Arrow 3800, Sargent 8888, Precision 1100, 2100 & Cal Royal 9800 series panic devices. Available in DL series (keypad) or PDL (prox/keypad) formats. Features include 5,000 user codes, 500 scheduled events and 35,000 event audit log.

SPECIFICATIONS:

- Cylinder: Uses standard rim cylinder to operate key override function. Will accept 6 or 7 pin interchangeable core cylinders – see below.
- Handing: Non-handed
- Power: 4 C-cell batteries (included) mounted on inside of door.
- Keypad: Weather-resistant all metal, 12 button. Basic functions Programmable through the keypad. PDL version proximity antenna housing molded of ultra high strength, impact resistant Lexan®



ALL ET SERIES LOCKS ARE WEATHER-RESISTANT

PLEASE CHECK WITH FACTORY FOR LEAD TIMES ON SPECIAL FINISHES

PRODUCT	DESCRIPTION	LIST PRICE
ETDLN series	26D Finish	\$1,340.00
ETDLN series	10B Finish	\$1,400.00
ETDLN series w/Regal lever	26D Finish	\$1,360.00
ETDLN series w/Regal lever	10B Finish	\$1,410.00
ETPDN series	26D Finish	\$1,660.00
ETPDN series	10B Finish	\$1,715.00
ETPDN series w/Regal lever	26D Finish	\$1,675.00
ETPDN series w/Regal lever	10B Finish	\$1,730.00
ETPLN series	26D Finish	\$1,660.00
	10B Finish	\$1,715.00
	26D Finish	\$1,675.00
ETPLN series w/Regal lever	10B Finish	\$1,730.00
Specify finish on adapter kit ET- AL Finish = 26D, 10B	Alarm Lock Standard Rim Cylinder Adapter kit (Schlage C keyway)	\$45.00
ET- AR Finish = 26D, 10B	Arrow Standard Rim Cylinder Adapter kit	\$45.00
ET- AS Finish = 26D, 10B	ASSA Standard Rim Cylinder Adapter kit	\$45.00
ET – C Finish = 26D, 10B	Corbin Standard Rim Cylinder Adapter kit	\$45.00
ET – M Finish = 26D, 10B	Medeco Standard Rim Cylinder Adapter kit	\$45.00
ET – R Finish = 26D, 10B	Sargent Standard Rim Cylinder Adapter kit	\$45.00
ET - S Finish = 26D, 10B	Schlage Standard Rim Cylinder Adapter kit	\$45.00
ET - Y Finish = 26D, 10B	Yale Standard Rim Cylinder Adapter kit	\$45.00
ET – ARIC Finish = 26D, 10B	Arrow IC 6 & 7 Pin Rim Cylinder Adapter kit	\$65.00
ET - BIC Finish = 26D, 10B	Best IC 6 & 7 Pin Rim Cylinder Adapter kit	\$65.00
ET - CIC Finish = 26D, 10B	Corbin IC Rim Cylinder Adapter kit	\$65.00
ET – MIC Finish = 26D, 10B	Medeco IC 6 & 7 Pin Rim Cylinder Adapter kit	\$65.00



Price Book 2011

TRILOGY NETWOX EXIT TRIM PRODUCTS (CONT'D)

Product	Description	LIST PRICE
ET - RIC Finish = 26D, 10B	Sargent IC Rim Cylinder Adapter kit	\$65.00
ET - SIC Finish = 26D, 10B	Schlage IC Rim Cylinder Adapter kit	\$65.00
ET - YIC Finish = 26D, 10B	Yale IC 6 Pin Rim Cylinder Adapter kit	\$65.00
AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$490.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$690.00
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$590.00
AL-PRE	Prox Card Enroller	\$575.00
ALHID1326	Proximity Access Cards 100 Per Box	\$490.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$900.00
ALHID1391	MicroProx Tag 10 per box	\$80.00
ALHID1346	Proximity keyfob 10 per box	\$115.00
S6181	Networx Replacement Battery Pack	\$44.00

Networx training options available. See page 38 for details.

TRILOGY EXIT TRIM PRODUCTS PARTS

EXTENDED SPINDLES CAN BE PURCHASED SEPARATELY

HW970J-5 Extended Spindle	Will fit 2 - 2 3/4" doors	\$45.00
HW970J-6 Extended Spindle	Will fit 3 - 4" doors	\$50.00
HW970J-7 Extended Spindle	Will fit 4 1/4 - 5" doors	\$55.00
SC544	Extended screws with adjustable Lengths 4 per unit	\$15.00
S6175	Lever return spring for ET	\$3.00

PLEASE SEE "HOW TO ORDER" CHART ON PAGE 46 TO PROPERLY ORDER YOUR TRILOGY EXIT TRIM.

IF YOU REQUIRE THE LOCK TO BE PREPPED FOR A THICKER DOOR, YOU MUST ORDER BASED ON THE SELECTIONS SHOWN. THE BASIC MODEL IS PREPPED FOR A 1 5/8" TO 1 7/8" DOOR.

****** PRECISION 2100 SERIES WILL WORK WITH THE VON DUPRIN 99 PREP. YOU MUST GET A MOUNTING PLATE PART # 2141208 FROM PRECISION******



Price Book 2011

HOW TO ORDER YOUR TRILOGY NETWORKX EXIT LOCK

Below is a “How to Order” guide for the Trilogy Exit Trim products. Please follow this guide when placing orders to avoid any delay in processing your order.

All units are sold with a generic cylinder adapter installed. When you are using a specific brand of rim cylinder, you must purchase a Cylinder Adapter Kit from the chart below.

ETPDNS1G/26DV99

TYPE
 PDN Digital w/Prox
 PLN Prox only
 DLN Keypad only

HANDLE
 R-Regal
 S-Straight

DOOR THICKNESS
 1=1 3/4" + 1/8"
 2=2" to 2 3/4"
 3=3" to 4"

G= generic rim
 Cylinder & adapter
 kit included in all
 locks

COMPATABLE PANIC DEVICES
 V99 – VonDuprin 99(P21)
 C50 – Corbin ED5000 and
 Y71 - Yale 7100
 D93 – Dorma 9300
 A38 – Arrow 3800
 S88 – Old Style Sargent 8800
 NS8 – New Style Sargent 8888
 P11 - Precision 1100
 CR8 – Cal Royal 9800

FINISH
 26D = satin chrome
 10B = duronodic

CYLINDER ADAPTER KITS
 You must choose one of the cylinder adapter kits below if you are using a name brand cylinder in the lock.

ET - AL	- Alarm Lock standard (Schlage C keyway)
ET - BIC	- Best IC 6 & 7 pin
ET - S	- Schlage standard rim
ET - SIC	- Schlage IC
ET - R	- Sargent standard rim
ET - RIC	- Sargent IC
ET - Y	-Yale standard rim
ET - YIC	-Yale IC 6 pin
ET - C	- Corbin standard rim
ET - CIC	- Corbin IC
ET - M	- Medeco standard rim
ET - MIC	- Medeco IC 6 & 7 pin
ET - AR	- Arrow standard rim
ET - ARIC	- Arrow IC 6 & 7 pin
ET - AS	- ASSA standard rim

Please note that Precision 2100 series will match up to the Von Duprin 99 series Trilogy. You must get a mounting plate #2141208 from Precision.



Price Book 2011

TRILOGY NETWORKX WIRELESS KEYPADS AND NETPANEL

Trilogy Networkx Wireless Keypads and Netpanel combine to provide the ideal wireless keypad solution for use with mag locks, strikes and electrified exit devices in a smart access system with advanced features and functions, like automatic schedules, event logs and supports for 2000 doors and 5000 existing Prox ID Cards/Badges.

SPECIFICATIONS:

Networkx Keypads NETDK / NETPDK

- Power Requirements: 12VDC supplied by NETWORKXPANEL
- Idle Current: 10mA
- Maximum Wire Length: 200 feet (61m)
- Proximity Card Formats Supported: Alarm Lock
- standard 36 bit format or HID standard 26 bit format (for use with the model NETPDK only)

Networkx Panel NETWORKXPANEL

- Input Power: 16.5VAC via Class 2 Plug-In 50VA Transformer (supplied model TRF-14)
- Maximum Lock Power Output Current: 1.5A @12VDC
- Maximum Wiegand Power Output Current: 250mA @ 12VDC
- Maximum Wiegand Red and Green LED Current: 20mA each output
- Maximum Sounder Current: 100mA
- Maximum Keypad Power Output Current: 200mA@ 12VDC
- Primary and Secondary Relays: SPDT Form C, N/O, N/C 8A @ 30VAC or VDC
- Supplied Backup Battery: Sealed Lead Acid 4AH
- Battery Backup Time: Approximately 2 hours at full load



Note: In order for NETDK OR NETPDK to operate you MUST include a NETWORKXPANEL

ALL NETDK/PDK KEYPADS ARE WEATHER RESISTANT

PRODUCT	FINISH	LIST PRICE
NETDK Digital wireless keypad only	26D, 10B	\$290.00
NETPDK Digital & Prox wireless keypad only	26D, 10B	\$595.00
NETDKPAK Digital wireless wall mounted keypad kit, includes wall mounted reader, control panel w/door position switch with RX, remote release, battery backup and plug in transformer.	26D, 10B	\$985.00
NETPDKPAK Digital & HID wireless wall mounted keypad kit, includes wall mounted reader, control panel w/door position switch with RX, remote release, battery backup and plug in transformer.	26D, 10B	\$1,290.00



Price Book 2011

TRILOGY NETWORX WIRELESS KEYPADS AND NETPANEL (con't)

NETWORXPANEL	NETWORX wireless control panel only, used with Networx NETDK and NETPDK readers and approved wiegand input readers.	\$695.00
NETHIDNSPAK Networx Narrow Stile Pak	HID Narrow Stile Prox point reader, control panel w/door position switch with RX, remote release, and battery backup and plug in transformer.	\$900.00
NETHIDNS Networx Narrow Stile Reader	HID Narrow Stile Prox Point Reader Only	\$150.00
AL-IME	Ethernet connected gateway w/AC adapter to plug into standard wall outlet	\$490.00
AL-IM80211	Wi-Fi gateway to connect to 802.11 network w/AC adapter to plug into standard wall outlet.	\$690.00
AL-IMEPOEP	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required.	\$590.00
AL-PRE	Prox Card Enroller	\$575.00
ALHID1326	Proximity Access Cards 100 Per Box	\$490.00
ALHID1336	Proximity, Magnetic Stripe and Photo ID cards 100 per box	\$1,000.00
ALHID1386	Proximity and Photo ID Card 100 per box	\$900.00
ALHID1391	MicroProx Tag 10 per box	\$80.00
ALHID1346	Proximity keyfob 10 per box	\$115.00
S6181	Networx Replacement Battery Pack	\$44.00
ALTRAINDVD	Trilogy DL-Windows and Networx Connectivity software training videos divided into 4 easy to follow sections conducted into a classroom style environment. Training videos cover basics, getting started, schedules and times zones, programming Trilogy locks via a laptop and the DTM along with how to connect and bring Networx on line.	\$0.00 + \$15.95 shipping and handling charge. Please contact customer service at 1-800-ALA-LOCK to place your order via credit card, or email sales@alarmlock.com

Networx training options available. See page 38 for details.




WEATHER-RESISTANT ALARMED PANIC LOCKS

Models 250, 260, 700, 710

Battery operated alarmed panic locks. All models (except 11A) feature deadbolt & deadlatch for extra security. Selectable 2-minute or constant alarm. 260/710. All models (except 11A) feature a 2-minute auto re-set on the alarm.

SPECIFICATIONS:

- Cover: Die-cast metal
- Push Bar: Extruded Aluminum channel and push bar
- Handed: All models non-handed except 11A
- Installation: Surface mounted for single or double doors
- Cylinder: Accepts most standard size rim cylinders for inside And outside key control (not included)
- Power: Uses 1 9v battery (included). Normal battery life 1 Year. Can be powered by AC power by using either PP100 or AC9.
- Lock bolt: 1" throw heavy die cast with reinforced Steel inserts.
- Alarm: Dual piezo siren measured at 95db




PRODUCT	FINISH	LIST PRICE
250WP (PADDLE)	US28	\$455.00
700WP (36" BAR)	US28, US312 & Red	\$540.00
700X48WP (48" BAR)	US28 & US312	\$550.00
710WP (36" BAR)	US28	\$570.00
CER-KD CER-12345 Rim Cylinder for Outside & Inside Key Control	Solid Brass Body Satin Chrome Face	\$25.00
730 Single Door Strike for 250,260,700 & 710	US28 & US312	\$40.00
732 Double Door Strike for 250,260,700 & 710	US28 & US312	\$40.00
44 Double Door Holder	Aluminum	\$110.00
707 Exterior Door Pull use on 250,260 700 & 710 only	Metallic Silver (MS) Metallic Bronze (MB)	\$115.00
711 Exterior Finger Pull	US28 & US312 Use on 250,260,700 & 710 only	\$25.00
767 Mounting Plate for Aluminum Glass Door	US28 & US312 Use on 250,260,700 & 710 only	\$15.00
PP100 Optional AC Power Supply	Aluminum	\$230.00
AC9 Optional AC Power Supply	Aluminum	\$65.00
S6173	Replacement WP battery	\$30.00




ALARMED PANIC DEVICES

Models 250, 260, 700, 710 & 11A– Battery operated alarmed panic locks. All models (except 11A) feature deadbolt & deadlatch for extra security. Selectable 2-minute or constant alarm. 260/710. All models (except 11A) feature a 2-minute auto re-set on the alarm.



- SPECIFICATIONS:**
- Cover: Die-cast metal
 - Push Bar: Extruded Aluminum channel and push bar
 - Handed: All models non-handed except 11A
 - Installation: Surface mounted for single or double doors
 - Cylinder: Accepts most standard size rim cylinders for inside And outside key control (not included)
 - Power: Uses 1 9v battery (included). Normal battery life 1 Year. Can be powered by AC power by using either PP100 or AC9.
 - Lock bolt: 1" throw heavy die cast with reinforced Steel inserts.
 - Alarm: Dual piezo siren measured at 95db



PRODUCT	FINISH	LIST PRICE
250 (PADDLE)	US28	\$400.00
260 (PADDLE)	US28	\$435.00
700 (36" BAR)	US28, US312 & Red	\$485.00
700X48 (48" BAR)	US28 & US312	\$515.00
710 (36"BAR)	US28	\$515.00
710X48 (48"BAR)	US28	\$525.00
11A	Deadbolt only exit lock. Handed order 11A or 11ALH. Use BP6 Battery.	\$500.00

ACCESSORIES

CER-KD CER-12345 Rim Cylinder for Outside & Inside Key Control	Solid Brass Body Satin Chrome Face	\$25.00
730 Single Door Strike for 250,260,700 & 710	US28 & US312	\$40.00
732 Double Door Strike for 250,260,700 & 710	US28 & US312	\$40.00
K24A	11A Single door strike	\$30.00
K28	11A Double door strike	\$35.00
K210A	11A Strike for in-swing doors	\$45.00
44 Double Door Holder	Aluminum	\$110.00
22 Emergency Exit Pull (250/260/11A)	Aluminum	\$80.00
707 Exterior Door Pull use on 250,260 700 & 710 only	Metallic Silver (MS) Metallic Bronze (MB)	\$115.00
711 Exterior Finger Pull	US28 & US312 Use on 250,260,700 & 710 only	\$25.00
767 Mounting Plate for Aluminum Glass Door	US28 & US312 Use on 250,260,700 & 710 only	\$15.00
PP100 Optional AC Power Supply	Aluminum	\$230.00
AC9 Optional AC Power Supply	Aluminum	\$65.00
9936	Used to mount 11A on 36" glass door	\$80.00
9948	Used to mount 11A on 48" glass door	\$85.00
261	Current Transfer	\$60.00
BP6	Replacement battery for 11A	\$30.00




DOOR ALARMS

PG10, PG21 & PG30 SERIES – Battery operated surface mounted door alarms. Alarms magnetically activated. Easy to install. Convenient plug-in “No cut” jumpers.

SPECIFICATIONS:

- Power: PG21, PG30 use 9v battery (supplied). PG10 & LL1 use BP6 (supplied). BP6 must be purchased from Alarm Lock. AC power supply can also be used as a battery back up (see below).
- Alarm: Dual piezo siren measured at 95db.
- Cylinder: Accepts most 1 1/4” mortise cylinder used for interior activation (not supplied) and standard size rim cylinder used for exterior activation (not supplied).
- Installation: Surface mounted for single or double doors.
- Cover: Die cast metal.



PRODUCT	DESCRIPTION	LIST PRICE
PG10	Available in aluminum finish uses BP6 Battery replaced only through Alarm Lock	\$250.00
LL1	Same as PG10 with strobe light on top.	\$260.00
PG21MS PG21MB	Available in metallic silver and metallic bronze. Uses 9v battery.	\$250.00
PG21MSS	Available in metallic silver and metallic bronze. Uses 9v battery with yellow strobe on top for noisy areas	\$310.00
PG30MS PG30MB	Available in metallic silver and metallic bronze. No cylinders required. All exit, entry and security levels programmed through keypad. 3 security levels, master, management and passage. Use 9v battery.	\$300.00
PG30KPD	Exterior keypad used with PG30 only.	\$175.00
CEM-KD CEM-12345	Standard mortise cylinder for interior activation. Solid brass body, satin chrome face	\$25.00
CER-KD CER-12345	Standard rim cylinder for exterior activation. Solid brass body, satin chrome face.	\$25.00
PP100	AC battery back-up complete with armored cable and housing.	\$230.00
AC9	AC battery back-up housing only	\$65.00
BP6	Replacement battery for PG10 & LL1	\$30.00




DELAYED EGRESS PANIC LOCKS

715 Series - Stand alone delayed egress panic lock. 15 second delayed latch, instant alarm. Instant egress in case of emergency or fire. Meets NFPA 101 Life Safety Code. Includes monitoring output for secondary siren , CCTV or remote monitoring. Smoke detector input.

SPECIFICATIONS:

- Cover: Die cast metal
- Push bar: Extruded aluminum push bar and channel
- Handed: Non-handed
- Installation: Surface mounted for single or double doors
- Cylinder: Accepts most standard size rim cylinder used for Inside and outside key control
- Power: AC powered with 9v battery back-up for siren. Transformer And armored cable included
- Lock bolt: 1" throw heavy die cast with reinforced steel inserts
- Alarm: Dual piezo siren measured at 95db




PRODUCT	DESCRIPTION	LIST PRICE
715X28X88	15 second delayed egress lock. Aluminum finish with monitoring output. 33" bar.	\$880.00
715x28x88x48	15 second delayed egress lock. Aluminum finish with monitoring output. 48" bar	\$890.00
CER-KD CER-12345	Standard rim cylinder	\$24.00
725x28	Single door strike (included with unit)	\$41.00
735x28	Double door strike (not included with unit)	\$41.00
SWK-715	Surface wiring kit for wood or glass doors	\$78.00
767x28	Metal mounting plate for glass doors	\$12.00
277-12	277v transformer to wire 715 from Exit Sign	\$52.00
271	Armored cable	\$41.00

ELECTRIC DEADBOLTS

Models 103 & 104 Fail-safe or fail-secure electric deadbolts. Available In 12v or 24v AC or DC. Perfect for use on narrow stile Doors. Complete with angle, mortise or flush mount strikes. Use with standard key or push button switch.

SPECIFICATIONS:

- Cover: Molded aluminum
- Power : Requires 400 mA for 24v, 800mA for 12v unit
- Deadbolt: Powered by a continuous duty solenoid. 5/8" diameter And 5/8" projection.



PRODUCT	DESCRIPTION	LIST PRICE
103	24v AC or DC. Includes three strikes and magnets. Fail-safe	\$295.00
103x12	12v AC or DC. Includes three strikes and magnets. Fail-safe	\$345.00
104RA	24v AC or DC. Includes three strikes and magnets. Fail-secure	\$350.00
104x12	12v AC or DC. Includes three strikes and magnets. Fail-secure	\$390.00
221 / 241	24v Plug-in style transformers	\$41.00
222	24v Wire-in style transformer	\$41.00



Price Book 2011

REMOTE RELEASE MAGNET

RR-PM1200 SERIES – Stand alone remote operated infra-red mag lock. Allows remote Lock control by a transmitting keyfob. Infra-red signal is detectable From interior and exterior sides of the door. Keyfob will operate From 10 feet on exterior side and 35 feet from interior side.

SPECIFICATIONS:

Magnet: 1200lb 12v DC magnet
 Power: Includes 12v AC plug in transformer. A 12v DC power supply
 Can be utilized (not included)
 Keyfob: Single button, dual LED infra-red transmitting. Up to 100 keyfobs
 Can be programmed into a single magnet.
 Programming: Each keyfob must be presented to the magnet to enroll keyfob ID into Software.



PRODUCT	DESCRIPTION	LIST PRICE
RR-PM1200PAK	Includes 1 1200lb remote magnet, one AL-REMOTE keyfob and one 12v AC transformer	\$545.00
RR-PM1200	1200lb remote magnet	\$480.00
AL-REMOTE	Remote keyfob	\$55.00

POWER MAGNETS AND REQUEST TO EXIT BUTTONS

PRODUCT	DESCRIPTION	LIST PRICE
PM600BI	600lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish	\$280.00
PM600L	600lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish L.E.D. indicator & door bond sensor for remote monitoring	\$330.00
PM1200	1200lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish	\$295.00
PM1200SL	1200lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish L.E.D. indicator & door bond sensor for remote monitoring	\$345.00
PM1200SLBI	1200lb magnetic lock field selectable 12/24v DC 21" x 1 11/16" x 1" Aluminum finish L.E.D. indicator & door bond sensor for remote monitoring for use on double doors	\$620.00
PM120040	1200lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" dark bronze finish	\$295.00
PM1200SLBI40	1200lb magnetic lock field selectable 12/24v DC 21" x 1 11/16" x 1" dark bronze finish L.E.D. indicator & door bond sensor for remote monitoring for use on double doors	\$345.00
PE1	Round red exit button non illuminate Standard switch plate	\$115.00
PE2	Square green illuminated exit button Standard switch plate	\$115.00
PE2S	Square green illuminated exit button Narrow switch plate	\$110.00
PMA-ANGL1	Angle bracket 1 1/2 x 10 1/2	\$40.00
PMA-ANGL2	Angle bracket adjustable 1 1/2 x2 3/8x 10 1/2	\$80.00
PMA-ANGL3	Angle bracket adjustable 1 3/8x2 3/8x10 1/2	\$80.00
PMA-FILL1	Filler plate 10 1/2 x 3/4 x 5/8	\$30.00



POWER MAGNETS AND REQUEST TO EXIT BUTTONS (cont'd)

PRODUCT	DESCRIPTION	LIST PRICE
PMA-FILL2	Filler plate 10 ½ x ¾ x ½	\$30.00
PMA-Z1	Z bracket adjustable use with PM600BI Series	\$155.00
PMA-Z2	Z bracket adjustable use with PM1200 series	\$250.00
PMA-ARMH1	Armature plate 7 ¼" x 1 ½" x 19/32"	\$150.00
PMA-ARMH2	Armature plate 7 ½" x 2 7/16" x 19/32"	\$165.00

ALARM LOCK SYSTEMS, INC. WARRANTY/RETURN POLICY

Alarm Lock Systems Inc. warrants its products to be free from manufacturing defects in material and workmanship. The length of said warranty is 24 months on all products from the date of manufacture.

Any customer may get an over-the-counter exchange with the original seller (distributor) for any Alarm Lock product failing to operate properly.

For those customers who have direct accounts with Alarm Lock, please follow this procedure to return product for inspection:

- 1. Call Customer Service at 1 800 252-5625 ext 149 to obtain a return authorization number. Or you can fax a request to 631 842-3574.**
- 2. Advise your customer that upon receipt of said product, Alarm Lock will inspect that product.**
- 3. If said product is found not to be operating properly because of a factory defect and is within the warranty period, Alarm Lock will at the customer's request, either issue a product replacement or a credit to the customer's account.**
- 4. If said product is found not to be operating properly because, it has been repaired by others, improperly installed, improperly used, abused, altered, defaced in any way, or is out of warranty, there will be a charge incurred to repair the product.**

Any customer, who does not have a direct account, can return their product for inspection if it is not operating properly. Upon inspection, the customer will be contacted and advised of the results of the inspection. If the product is found not to be operating properly because of a manufacturing defect, Alarm Lock can repair or replace the product. If the product is found not to be operating properly because, it has been repaired by others, improperly installed, improperly used, abused, altered, defaced in any way, or is out of warranty, there will be a charge incurred to repair the product.

If you experience a problem with any Alarm Lock product, you may contact Alarm Lock's Technical Support directly at 1 800 252-5625.

NOTES

NOTES

NOTES

Alarm Lock Systems, Inc.
345 Bayview Ave
Amityville, NY 11701
1 800 252-5625
1 631 789-3383
www.alarmlock.com

ALA132T
07/11