



Security Solutions



KEYING AND LOCKING SYSTEMS

PRICE LIST 60CC

Effective: April 4, 2011

Please note:

Receipt or possession of this price book does not grant approval to quote or purchase Stanley products. Please contact your sales representative for further details.





Price List Index

Series Index

Series	Description	Page
	Sales Policies	3-4
	Warranty	5-6
A	Keys	8-11
B	Padlocks	12-13
BV	B.A.S.I.S.® V offline locks	74-78
C	Cores	14-18
D	Service and combining equipment	19-24
E	Cylinders	25-27
G	B.A.S.I.S.® G offline locks	71-73
H	Mortise locks	29-36
J	Semi-trailer kingpin	37
K	Light/Medium-duty tubular levers	38
K	Standard-duty cylindrical knobs	39
K	Standard-duty cylindrical levers	40
K	Heavy-duty cylindrical knobs	41-42
K	Heavy-duty cylindrical levers	43-44
KA	Knob adaptations	45
KS	Keystone 600® Key control software	28
L	Cabinet locks	46
M	IDH Max® electromechanical locks	79-81
N	NT500 locks & accessories	65-70
P	Push locks	47
Q	Wi-Q™ Technology Software, Accessories and Locks	84-91
S	Sliding door locks	48
SPSL	Stanley patient safety lever	49-50
SSRL	Stanley seclusion room lock	51
T	Tubular locks	52
SEDA	Stanley emergency door alarm	53
1W	Electric switch locks	54
W	Electromechanical locks	55-59
	Lock software & accessories	60-61
Z	Electronic keypad locks	62-64
	ID Express Station Station®	82
	Stanley Datalink Services	83
	Electronic lock inside escutcheon conversion kits	92

Alphabetical Index

Description	Page
B.A.S.I.S.® G & V offline locks	71-78
Blockout blades	8-11
Cabinet locks	46
Cable padlocks	13
Cam locks	25-27
Combining equipment	19-22
Cores	14-18
Cylinders – mortise / rim / dummy	25-27
Cylindrical/Tubular locks – knobs / levers	38-44
Deadbolts – mortise	32
Deadbolts – tubular	52
Electric switch locks	54
Electromechanical locks	55-59
Electronic Keypad locks	62-64
Eurocylinders	27
File Cabinet Locks	47
ID Express Station	82
IDH Max® electromechanical locks	79-81
Key and Core Control Software	28
Keys	8-11
Key retaining devices	23
Knob adaptations	45
Mail box locks	46
Mortise locks	29-36
NT500 locks & accessories	65-70
B.A.S.I.S. Lock software & accessories	60-61
Padlocks	12-13
Pin segments	21
Sales policies	3-5
Semi-trailer kingpin locks	37
Service and combining equipment	19-23
Sliding door locks	48
Stanley Datalink Services	83
Stanley emergency door alarm	53
Stanley patient safety lever	49-50
Stanley seclusion room lock	51
Warranty	6-7
Wireless software, accessories and locks	84-91
Wi-Q™ Technology Software & Accessories	84-85
Wi-Q™ Technology locks	86-91

Note: Please contact us for price information on specialty items or options not shown in this price list.

Stanley Security Solutions, Inc. reserves the right to make changes in designs and specifications or to make additions or improvements to its products without notice and without incurring any obligation to incorporate them on products previously manufactured.



Sales policies

A Contract Construction Project involves:

- An architect, or someone performing that function
- A general contractor, or someone performing that function
- Various items of Builder's Hardware to go on the opening that will require engineering expertise and a hardware schedule.

Orders which do not meet these criteria are generally non-contract and do not qualify for Contract Construction pricing by Stanley Security Solutions, Inc. ("Stanley"). These orders would qualify for standard Stanley pricing within our Retro-Construction organization.

All three requirements will be present on a contract construction project.

Academic institutions and other large organizations have internal architectural services and those institutional groups perform the function of an architect. The same is also true of the general contractor function. Larger organizations have the capacity to manage their own projects.

A Stanley employee cannot directly perform the function of either role.

PRICES: All previous prices are superseded by this List Price. All prices are subject to change without notice. Orders for users outside the continental United States will be by quotation from the International Department to cover any additional import duties, freight, communications, and insurance cost.

All valid orders must either be accompanied by a valid quote or be part of a current and registered buying program. If an order is received that does not meet either of these conditions, it will not be entered and will be forwarded to the local Stanley contract construction representative for resolution.

Prices for all key-operated locks ordered with combined cores include two (2) operating keys.

All orders will be filled at prices in effect at the time of order.

SPSL/SEDA/SSRL PRODUCT QUOTES: Normal discount structures do not apply to the published list prices for SPSL, SEDA, or SSRL products. Net price quotes for these products must be obtained from the local Stanley Contract Construction Representative. In the case of SEDA, two (2) quotes will be provided: one for product only, and another for product and installation as it is highly recommended a trained Stanley technician installs this product to ensure trouble-free performance.

ORDERS: Stanley reserves the right to decline orders in which the price or quantity of goods is not satisfactory. Stanley will not be bound to fill any orders unless or until they have been accepted at the Indianapolis office. Stanley will accept orders via phone, email, fax or courier.

Note: Receipt or possession of this price book does not grant approval to quote or purchase Stanley products. Please contact your Stanley sales representative for further details.

For customers who have been issued a valid quote: **The quote number and price list number used must be clearly referenced in the order.** A \$100 service fee will be deducted from any credit issued on an order in which the quote number and proper price list number was not referenced.

KEYING SYSTEM ORDERS: All orders of keying systems specifying delayed fulfillment shall be requested by the customer for fulfillment within twelve (12) months of the order date. Said request for fulfillment must include complete keying instructions for the order to be acknowledged with an estimated delivery date. Failure to properly request fulfillment of the order within twelve (12) months of the order date will make the order void and nonrefundable.

SPECIAL ORDERS: Any modification to a standard product configuration is considered a special order. No credits will be issued for returned special orders unless authorized by Customer Service (800) 711-6814.

PHONE ORDERS: Accuracy of phone orders will be determined by receipt of a written confirmation or acceptance of our acknowledgment.

SAMPLES: Please contact your local Contract Construction Representative (CR) for sample requests.

TO PLACE ORDER: The following information must be provided in order for Stanley to process a Contract Construction Project order:

If factory keying is required:

- Purchase Order
- Stanley quote or buying program number
- Contract Construction Order Fulfillment cover letter
- Hardware Schedule (1 copy)

If no factory keying is required:

- Purchase Order
- Stanley quote number

Orders not meeting the conditions above will be rejected.



Sales policies

Incomplete order: An order that is not fully specified according to the appropriate nomenclature required for that product. Any incomplete order will not be entered and will be referred to the local Contract Construction Representative for resolution.

Hardware schedule: A hardware schedule is a listing of all builders hardware items related to a particular construction job. It is approved by the architect, then submitted to dealers, bidders, and contractors. An acceptable hardware schedule of BEST products is one in which the material ordered is compatible for installation as required in the schedule.

SPLIT FINISHES: When ordering locksets with split finish (outside finish different from inside), specify the outside finish first, then the inside finish. Specify the hand of the door so the proper face and strike plate finish may be supplied; otherwise, the finish will be supplied for doors opening inward.

CANCELLATIONS: After orders are entered for manufacturing, cancellations cannot be accepted without our permission, and may be subject to a cancellation charge equivalent to 30% of the purchase price.

Cancellation of only the core portion of an order is subject to a partial cancellation fee equivalent to 30% of the core purchase price.

MINIMUM CHARGE: The expense of handling an order necessitates a minimum charge of \$50.00 net per invoice.

TERMS: Thirty (30) days net. Stanley reserves the right to add a service charge to all invoices past due. International sales are accepted with a confirmed irrevocable letter of credit.

DELIVERY: We endeavor to make prompt shipment of all orders, but we shall not be held responsible for any loss or damage resulting from delay in filling orders due to causes beyond our control, including delivery of material to us.

FREIGHT ALLOWANCES: All shipments are F.O.B. factory via carrier we select. Goods in transit are at the risk of the buyer. Single or combined shipments including Stanley lock sets, exit devices, and door closers will be considered for free freight with orders at or above \$6,000 net (product combination must be on same purchase order). These freight terms apply only to a single destination within the contiguous United States.

CONSTRUCTION CORES: All keyed locks shipped from Stanley for new construction projects in which cores have been ordered will receive disposable black plastic (non-keyed) construction cores at no additional charge. Disposable black plastic cores for less-core orders may be purchased separately for \$1.50 net. Brass (keyed-alike) construction cores may be purchased for a net price of \$7.50 each. No further discount

will be applied. Brass construction cores shall be 7-pin, A keyway, and have a GREEN face. Brass construction cores are shipped with one operating key per ten (10) cores and one control key per twenty (20) cores; additional keys may be purchased for \$4.40 list. Construction cores do not have the degree of security that the owner's permanent masterkeyed cores provide. Construction cores are used for controlling access to premises during construction and ARE NOT INTENDED FOR USE WHEN PREMISES ARE OCCUPIED OR FURNISHED IN ANY MANNER. When increased security is needed please contact your local Stanley sales office for masterkey services.

Return of construction cores: Brass construction cores may be returned for a \$2.50 credit per re-usable core to be applied toward the next purchase. An RGA must be obtained and accompany the returned material. **Stanley is not responsible for collection or return of construction cores.**

MASTERKEYING: Complete keying instructions must be given before a masterkeyed order can be properly acknowledged with an estimated delivery date. All codes or combinations required by users shall be generated by Stanley, remains the property of Stanley, and are proprietary and confidential. Codes are available only to authorized personnel and are not for sale. To assist in reducing the possibility of duplication within a keying system and ensure security, all extensions should be made or approved by Stanley Masterkey personnel. **Duplication or release of Stanley codes to non-authorized people or organizations including, but not limited to, hardware dealers, wholesalers, private locksmiths, other lock manufacturers, architects, or contractors violates Stanley's ownership rights and is strictly prohibited.**

MASTERKEY SERVICES: The value-added service of a customized masterkey security solution is included at no additional charge with the purchase of a complete BEST lock. A masterkey service charge will be assessed, based on quantity, for each incomplete order. An incomplete order includes BEST cylinders or cores for use in non-BEST manufactured locks for which Stanley has an equivalent product. BEST key system products shall not be provided without the associated masterkey services.

PROTECTIVE HANDLING: Security materials (i.e. service equipment, codes, control, grandmaster, master, and submaster keys) are sent to the customer's designated authorized personnel with return signature requested, even though a third-party may have originated the order.



Sales policies

EXPORT REGULATIONS: Purchaser agrees to conform to, and abide by, the export laws and regulations of the United States, including, but not limited to, the Export Administration Act of 1979 as amended and its implementing regulations. Diversion contrary to US laws and regulations is prohibited.

CLAIMS: All claims due to errors or defects must be submitted, in writing, within thirty (30) days after receipt of goods. When Stanley is responsible, adjustments will be made.

PROPER INSTALLATION: Current installation instructions for any BEST product should be carefully followed for proper operation of the installed unit. If improperly installed, malfunction of the unit may result.

BACK CHARGES: Stanley is not responsible for, does not authorize, and will not accept any back charges for the cost of any labor or material incurred by anyone other than Stanley Security Solutions (Stanley) for any repair, service, installation or replacement unless approved with Stanley's prior written consent.

RETURNED GOODS: Customer has up to one (1) year from date of invoice to return goods except for warranty returns. All materials returned to Stanley, regardless of the reason, must have a correct Return Goods Authorization (RGA) number applied to the outside of the shipping carton. All goods must be returned in original packaging and be in resalable condition except for warranty returns. Transportation charges of returned goods must be prepaid by the customer. A re-stocking charge of 30% of the purchase price will be applied to the customer's account except for warranty returns. **All goods must be returned within sixty (60) days of RGA issue date.** Product not returned in saleable condition or after sixty (60) days of the RGA number issue date is subject to disposal by Stanley with no credit issued. Use fax number 888-214-1918 for returned goods authorization only.



Warranty

LIMITED WARRANTY

Except as otherwise provided below, STANLEY warrants that all Products manufactured by STANLEY and sold under its trade names "BEST" and "STANLEY" are free of defects in materials, workmanship and operation, normal wear and tear excepted, for a period of three (3) years from the date of sale to the original purchaser. The liability of STANLEY under this warranty is limited to the repair or replacement of any Product covered by the warranty. Written notice of a claim under this warranty should be mailed to STANLEY SECURITY SOLUTIONS, P.O. Box 50444, Indianapolis, IN 46250. The notice should include information as to the identity of the Product and its defect along with a customer contact name, company name, address, and phone number. STANLEY will then provide shipping directions, with all shipping charges prepaid by you. STANLEY will then cause the Product to be examined and, if found defective and covered under this warranty, will repair or replace said Product at the sole discretion of STANLEY. Warranty service shall only be provided in the United States.

9K Mechanical Cylindrical Lock warranty term shall be seven (7) years from the date of sale to the original purchaser.

45H/47H Mechanical Mortise Lock Warranty term shall be limited lifetime. 48H/49H Mortise Deadlock and all 45HW and 47HW Electromechanical Mortise Lock warranty term shall be five (5) years from the date of sale to the original purchaser.

BEST 93KQ, 45HQ and EXQ locks using the Stanley Wi-Q™ Wireless Technology shall be three (3) years from the date of sale to the original purchaser. Stanley Portal Gateways, Wireless Access Controllers, Antennas and other products using Stanley Wi-Q™ Wireless Technology not specifically mentioned shall be one (1) year from the date of sale to the original purchaser.

Software

NT500, Stanley Wi-Q™ Technology, and B.A.S.I.S. Software Warranty - STANLEY warrants that all CD ROM and hardware keys shall be free from defects in material and workmanship and will function in substantial accordance to the specifications for a period of one (1) year from the date of installation.

Specific Limitations:

The warranty for all NT500, Stanley Wi-Q™ Technology, and B.A.S.I.S. Software Products does not cover, free-of-charge, any post-sales technical support during the warranty under the following circumstances:

- Calls from sub-contractors not authorized by STANLEY
- Problems caused by misuse of software or hardware.
- Failure to provide a network connection or site phone line for a modem connection, if deemed necessary by STANLEY.

- Technical support for third party software or hardware products.
- Technical support for network software products.

Support for the items above during normal technical support hours will be provided at an hourly rate of \$150, billable in one (1) hour increments. For pre-arranged, after-hours support, please call for quote.

GENERAL LIMITATIONS OF WARRANTY

This warranty specifically excludes, and STANLEY shall not be held responsible for, damage caused by Product malfunction or failure attributable to acts of God, improper use or installation, poor or no maintenance, work performed by other than an Authorized STANLEY technician; failure to follow STANLEY's operating instructions or environmental specifications, modification, vandalism, shipping and/or handling, improper storage, accident, abuse or any other cause not within the control of STANLEY other than ordinary wear and tear.

STANLEY provides no warranty or guarantee that its cores and/or cylinders will function properly or be mechanically compatible with products not manufactured by STANLEY.

THIRD PARTY WARRANTY

Except as otherwise provided above, STANLEY makes no warranty, express or implied, with regard to third party hardware or software and expressly disclaims the implied warranties or conditions of merchantability or merchantable quality, fitness for a particular purpose, title, infringement and those arising by statute or otherwise in law. Customer's sole recourse for warranty claims is with the manufacturer of the Product. However, STANLEY agrees to pass through any third party warranty that STANLEY receives from the manufacturer of the Products to buyer. The extent of any third party warranty details, terms and conditions, remedies and procedures may be expressly stated on, or packaged with, or otherwise accompanying the Products.





Warranty

EXCEPT AS SET FORTH HEREIN, STANLEY MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, AND BUYER ACKNOWLEDGES THAT NO REPRESENTATIONS, WARRANTIES, PROMISES OR STATEMENTS HAVE BEEN MADE BY STANLEY, WITH RESPECT TO THIS PRODUCT, OR ANY PART OR PORTION THEREOF. IN ADDITION, STANLEY MAKES NO WARRANTY OF MERCHANTABILITY OF THIS PRODUCT OR ANY PART OR PORTION THEREOF, FOR ANY PURPOSE, NOR ANY WARRANTY WHICH EXTENDS BEYOND THE DESCRIPTION ON THE FACE HEREOF. STANLEY SHALL NOT, IN ANY EVENT, BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL

DAMAGES SUFFERED BY BUYER OR ANYONE CLAIMING BY, THROUGH OR UNDER BUYER, AS A RESULT OF THE CONDITION OF THIS PRODUCT, OR ANY PART OR PORTION THEREOF, AND THERE ARE NO ORAL OR WRITTEN UNDERTAKINGS OR AGREEMENTS OF ANY TYPE PROVIDED BY STANLEY EXCEPT AS EXPRESSLY SET FORTH HEREIN. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR PROHIBIT THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION AND EXCLUSIONS MAY NOT APPLY IN YOUR STATE

Architectural Finishes

BHMA No.	U.S. No.	Description
605	3	Bright brass, clear coated
606	4	Satin brass, clear coated
611	9	Bright bronze, clear coated
612	10	Satin bronze, clear coated
613	10B	Oxidized satin bronze, oil rubbed
618	14	Bright nickel plated, clear coated
619	15	Satin Nickel Plated, Clear Coated
622	19	Flat Black, Coated
625	26	Bright Chromium Plated
626	26D	Satin Chromium Plated
627	27	Satin Aluminum, Clear Coated
628	28	Satin Aluminum, Clear Anodized
629	32	Bright Stainless Steel
630	32D	Satin Stainless Steel
690	20	Dark Bronze Coated



BEST Standard & Premium Keys


How To Order

1A	1	A	1		
Key Shape (Bow)	Key Type	Keyway	Cut Code	Key Stamp	Options
1A – Standard 1AP – Premium 2A – Large round 3A – Large rectangular 4A – Access bow 9A – Blockout blade	0 – Blockout blade 1 – Operating or blank 2 – Control 3 – Master 4 – Submaster 5 – Grandmaster 9 – Extractor key	Designate specific keyway (A, E, etc.) or multiple keyways if ordering a multi-milled key.	1 – Blank 2 – Cut 4 – Special A4	KS654 x KS292 – BEST logo full embossing with stars (1A & 1AP only) KS112 – "U.S. Gov't do not duplicate" KS567 – Premium Specify KS#. Price for most custom design stamps available upon request.	B* – Long blade (1A only) H* – No hole (2A only) N* – Long nose (1A only) NKW – No keyway designation (standard on 1AP) P* – Plastic insert (4A only) S* – Key serialization


*Indicates extra cost option; see below.

If keys are cut, you must specify keymark and number of each marking.


Description	Premium	Standard
1A Series		
Blanks	3.35	1.40
Operating-cut	7.30	5.15
Control, Master, SM or GM-cut	11.00	6.90
2A, 3A & 4A Series		
Blanks	N/A	3.00
Operating-cut	N/A	6.90
Control, Master SM or GM-cut	N/A	9.35
9A Series		
Blockout blades (9A0)	9.25	7.30
Extractor key (9A9)	9.25	7.30



1A
Standard




1AP
Premium




1A
Long blade (B)*


*Extra cost options	Option code	Add-on
Double milling	Specific keyways	2.25
Triple milling		3.75
Quadruple milling		5.70
Five milled		7.80
Long blade (1A only)	B	2.25
No hole (2A only)	H	1.45
Long nose (1A only)	N	4.45
Plastic insert (4A only)	P	2.25
Key serialization / key	S	1.45




1A
Long nose (N)*




2A




3A




4A*



9A0
Blockout blade



9A9
Extractor key*



BEST Peaks® Keys

BEST Peaks Keying System's patent expired on June 8, 2010 making the system vulnerable. It is highly recommended BEST Peaks keys/cores be replaced with BEST CORMAX™ Patented or Preferred Patented keys/cores to ensure patented key control.

How To Order

1AK	1	B1	1	7	150	
Key Shape (Bow)	Key Type	Keyway	Cut Code	Pin Size	Key Series	Options
1AK – Patented 9AK – Blockout blade	0 – Blockout blade 1 – Operating 2 – Control 3 – Master 4 – Submaster 5 – Grandmaster 9 – Extractor key	B1 B2 B3 B4 B5 B6 B7 B8 B9 B10	1 – Blank 2 – Cut	6 – 6-pin (140 & 150 series) 7 – 7-pin (150 series only) 140 Series = 1CK cores 150 Series = 1CB cores	150 140	N* – Long nose (6-pin only) CS* – Custom stamp for key bow

*Indicates extra cost option; see below.

**If keys are cut, you must specify keymark and number of each marking.

Description	Patented
1AK Series	
Patented blanks	5.40
Operating-cut	12.00
Control, Master, SM or GM-cut	13.00
9AK Series	
Blockout blade (9AK0)	45.00
Extractor key (9AK9)	45.00

*Extra cost options	Option code	Add-on
Long nose cut blade (6-pin only)	N	22.00
One-time die stamping cost (Note 1)	CS	692.00
List price add-on per key blank (Note 2)		1.20

Note 1: Graphics and company logos are available upon request.

Note 2: Minimum 200 key blanks per order.



BEST Preferred Patented Keys

How To Order


1AF	1	1P	1	7	150	
Key Shape (Bow)	Key Type	Keyway	Cut Code	Pin Size	Key Series	Options
1AF – Preferred Patented	0 – Blockout blade	1P	1 – Blank	6 – 6-pin (140 series 1CKF cores only)	150	N* – Long nose (6-pin only)
9AF – Preferred Blockout Blade	1 – Operating	2P	2 – Cut	7 – 7-pin (150 series 1CF cores only)	140	CS* – Custom stamp for key bow
	2 – Control	7P				
	3 – Master	8P				
	4 – Submaster	9P				
	5 – Grandmaster	10P				
	9 – Extractor key					

Description	Patented
1AF Series	
Patented blanks	5.65
Operating-cut	12.00
Control, Master, SM or GM-cut	14.00
9AF Series	
Blockout blade (9AF0)	46.00
Extractor key (9AF9)	46.00

*Extra cost options	Option code	Add-on
Long nose cut blade (6-pin only)	N	22.00
One-time die stamping cost (Note1)	CS	686.00
List price add-on per key blank (Note 2)		1.20

Note 1: Graphics and company logos are available upon request.
Note 2: Minimum 200 key blanks per order.

Note:
 Best Preferred series keyways are backwards compatible with Best Peaks series keyways of the same number.



BEST CORMAX™ Patented Keys

How To Order

1AM	1	X1	2	1	KS697	
Key Shape (Bow)	Key Type	Keyway	Level	Cut Code	Key Stamp	Options
1AM – M series key	0 – Blockout blade	MJ X1 X15	1 – Non-exclusive	1 – Blank	KS697 - 1AM Front KS800 - 1AM Back KS698 - 1AX Front KS699 - 1AX Back	B* – Long blade (1AM series only) H* – No hole (2AM series only) N* – Long nose (1AM series only) S* – Key serialization
1AX – X series key	1 – Operating or blank	MK X2 X16	2 – Two-digit zipcode exclusive	2 – Cut		
2AM – Large round	2 – Control	ML X3 X17	3 – One digit zipcode exclusive			
3AM – Large rectangular	3 – Master	MM X4 X18	4 – National exclusive			
4AM – Access bow	4 – Submaster	XA X8				
9AM – Blockout blade	5 – Grandmaster	XB X9				
9AX – Blockout blade	9 – Extractor key	XC X10				
		XD X11				
		Designate multiple keyways if ordering a multi-milled key.				

*Indicates extra cost option; see below.

If keys are cut, you must specify keymark and number of each marking.

Description	CORMAX
1AM Series	
Blanks	3.05
Operating-cut	6.70
Control, Master, SM or GM-cut	8.50
1AX Series	
Blanks	3.05
Operating-cut	6.70
Control, Master, SM or GM-cut	8.50
2AM, 3AM & 4AM Series	
Blanks	3.15
Operating-cut	7.75
Control, Master SM or GM-cut	11.00
9AM & 9AX Series	
Blockout blades (9AM0) (9AX0)	8.50
Extractor key (9AX9) (9AM9)	8.50

Notes:

- 1 M Series keyways are backward compatible with standard keyways of the same letter.
- 2 X series keyways are not backward compatible.
- 3 Please contact factory for information regarding all security levels for the "M" and "X" Series. Levels 2, 3, and 4 require Masterkey Dept authorization.
- 4 Match key keyway level to core keyway level.

*Extra cost options	Option code	Add-on
Double milling	Specific keyways	2.25
Quadruple milling		5.70
Long blade (1AM only)	B	2.25
No hole (2AM only)	H	1.45
Long nose (1AM only)	N	4.45
Key serialization / key	S	1.45



B Series Padlocks

How To Order

41B	7	2	L	Chain Option	Special Stamp No.	Options
Shackle Diameter	Core Housing	Shackle Height	Function	Chain Option	Special Stamp No.	Options
11B – Brass 1/4" dia. 21B – Brass 5/16" dia. 41B – Brass 3/8" dia. 12B – Aluminum 1/4" dia. 22B – Aluminum 5/16" dia. 42B – Aluminum 3/8" dia.	7 – 7-pin housing; accepts all BEST cores	Steel shackle 2 – 3/4" 21 – 1" w/ shroud (21B only) 22 – 1 1/2" 72 – 2" 82 – 4" Bronze shackle (brass padlock only) 0 – 3/4" 20 – 1 1/2" 70 – 2" 80 – 4"	T – Key retained L – Non- key retained	M – Case drilled for clevis only M1* – Bronze chain (available for brass padlocks only) M5* – Galvanized steel chain	Blank – Best logo PS1010 – Safety first (11B & 21B) (Available for brass padlocks only) Specify PS# or describe stamp. (Available for brass padlocks only.) Price for special stamps available upon request.	F3 – Frangible shackle (11B720 only) O* – Lockout/tagout S* – Car seal (41B only) ZZ* – Double lockout (11B only) XSPL* – Cut resistant shackle (21B & 22B & 41B & 42B only) WC* – Weather cover (21B & 22B & 41B & 42B only) SH – Shrouded padlock w/cut resistant shackle (21B only) 606* – Satin Brass finish (brass only) Red – Anodized finish (alum only) Black – Anodized finish (alum only)

*Indicates extra cost; see the last page of B Series.



Must specify keymark and number of keys or designate L/C for less core.

Shackle Height	BRASS				ALUMINUM				
	Complete with Combinated Core			Less Core	Complete with Combinated Core			Less Core	
	Patented**	Premium	Standard		Patented**	Premium	Standard		
11B Series					12B Series				
3/4"	77.00	85.00	72.00	31.00	68.00	76.00	63.00	22.00	
1-1/2"	77.00	85.00	72.00	31.00	68.00	76.00	63.00	22.00	
2"	78.00	86.00	73.00	32.00	69.00	77.00	64.00	23.00	
4"	82.00	90.00	77.00	36.00	72.00	80.00	67.00	26.00	
21B Series					22B Series				
3/4"	78.00	86.00	73.00	32.00	69.00	77.00	64.00	23.00	
1-1/2"	78.00	86.00	73.00	32.00	69.00	77.00	64.00	23.00	
2"	79.00	87.00	74.00	33.00	70.00	78.00	65.00	24.00	
4"	83.00	91.00	78.00	37.00	73.00	81.00	68.00	27.00	
41B Series					42B Series				
3/4"	79.00	87.00	74.00	33.00	70.00	78.00	65.00	24.00	
1-1/2"	79.00	87.00	74.00	33.00	70.00	78.00	65.00	24.00	
2"	80.00	88.00	75.00	34.00	71.00	79.00	66.00	25.00	
4"	84.00	92.00	79.00	38.00	74.00	82.00	69.00	28.00	
21B Series with Shroud*									
1"	108.00	116.00	103.00	62.00					

*Pricing includes stainless steel shroud and cut-resistant shackle. Must include "SH" option when ordering

**Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

Note: 626 finish is standard on brass padlocks series. Clear anodized finish is standard on aluminum padlock series.



B Series Padlocks

Description	Catalog Number	Complete with Combined Core			Less Core
		Patented	Premium	Standard	
Cable Padlocks					
Jacketed – 24" cable	21JB7-24T	105.00	98.00	85.00	44.00
Jacketed – 36" cable	21JB7-36T	110.00	103.00	90.00	49.00
Jacketed – 48" cable	21JB7-48T	114.00	107.00	94.00	53.00
Extra cable per ft. or fraction thereof jacketed	Add-on	4.70	4.70	4.70	4.70


*Extra cost options	Option code	Add-on
Bronze chain	M1	5.60
Galvanized steel chain	M5	8.60
Lockout / tagout	O	6.60
Padlock weather covers (21B-41B only)	WC	3.70
Cut resistant shackle	XSPL	13.00
Car seal slot (41B only)	S	9.80
Satin Brass Finish	606	9.80
Double lockout (11B only)	ZZ	12.00

Accessories	Catalog number	Price
Frangible shackle kit*	11B2OFFK	108.00
Frangible shackle only	11B2OFF	5.60

*Includes: padlock disassembly tool, three shackles and springs.

Repairs	Series	Price
Includes all new parts, even a shackle, if necessary, but not a core or a new chain.	11B	20.00
	21B	20.00
	41B	20.00



Note: Chain options are not available on cable padlocks or padlocks with shroud.



M1



M5



BEST Standard & Premium Cores

How To Order

1C	7	A	1	Options	606
Core Type	Core Size	Keyway	Combining Code		Finish
1C – Standard 1CD – Drill resistant 1CDP – Drill resistant Premium 1CP – Premium 2C** – Core for 8L mailbox 3C – Core for 8E cylinder 5C** – High security 6C – Core for 4S cylinders 6CP – Premium core for 4S cylinder	5 – 5-pin (1C only) 6 – 6-pin (1C only) 7 – 7-pin	Designate specific keyway (A, E, etc.)	1 – Uncombined 2 – Combined	B* – Pick & drill resistant (1CD only) D* – Drill resistant (1CD only) K* – Key trap (1C only) P* – Pick resistant T* – Key retained (6C & 6CP only) W* – Wear resistant	605 606 611 612 613 625 626 690

*Indicates extra cost option; see below. **Requires long blade key.
 If combined, you must specify keymark and number of keys.


Description	Combining Code	Premium	Standard
1C & 1CP Series			
Uncombined	1	Call local Contract Construction Sales Representative	
Combined	2		
1CD & 1CDP Series			
Uncombined	1	Call local Contract Construction Sales Representative	
Combined	2		
2C & 3C Series			
Uncombined	1	Call local Contract Construction Sales Representative	
Combined	2		
5C Series			
Uncombined	1	Call local Contract Construction Sales Representative	
Combined	2		
6C & 6CP Series			
Uncombined	1	Call local Contract Construction Sales Representative	
Combined	2		

*Extra cost options	Option code	Add-on
Pick and/or drill resistant	B, D, P	14.00
Key trap (1C only)	K	6.90
Key retained	T	6.90
Wear resistant	W	6.90


Part Description	Part Number	Quantity Per Pkg.	Price Per Pkg.
Standard pin segments	A0, A1 etc.	100	Call for quote**
Spool pin segments (Note 1)	A6, A7, etc.	100	
Stainless steel segments	A0, A1, etc.	100	
Core caps (500 per pkg.)	21C	500	
Core springs (500 per pkg.)	22S	500	
Core springs (bulk pkg.)	22S20M	20,000	

**Call your local Contract Construction Sales Representative


Note 1: Standard spool pin segments are available in the following sizes: A6; A7; A8; A9; B6; B8; B10; C3; C4; C5; C6; D6; D8; E3; E4; E5; F6; F7; & F8. (B6 spool pin segments should not be used with 5C core.)



1C – 7-pin



2C
(Requires long blade key)




3C





5C
(Requires long blade key)



6C



6CP



BEST Peaks® Cores

BEST Peaks Keying System's patent expired on June 8, 2010 making the system vulnerable. It is highly recommended BEST Peaks keys/cores be replaced with BEST CORMAX™ Patented or Preferred Patented keys/cores to ensure patented key control.

How To Order

1CB	7	B1	1	626	
Core Type	Core Size	Keyway	Combining Code	Finish	Style
1CB – 150 Series Patented	6 – 6-pin (140 & 150 series)	B1 B6	1 – Uncombined	626 – Simulated	3840 - BEST I/C 6 pin 140 series See the list below for other options.
1CK – 140 Series Patented	7 – 7-pin (150 series only)	B2 B7	2 – Combined	606 – Simulated	
		B3 B10		612 – Simulated 613 – Simulated	

*If combined, you must specify keymark and number of keys.



1CB Series Cores		
Description	Combined	Uncombined
Interchangeable cores		
BEST I/C 6-pin brass 150 Series	Call your local Contract	
BEST I/C 7-pin brass 150 Series	Construction Sales Rep	

1CK Peaks Patented Cores			
Series Style	Description	Combined	Uncombined
Interchangeable cores			
3840	BEST I/C 6-pin brass 140 Series	Call for quote**	
Conventional cylinders (KIK = Key in Knob)			
3404	Corbin Russwin CK4200 grade, 1 knob & UT5200 unit lock	Call your local Contract Construction Sales Representative	
3406	Arrow, LSDA, Schlage "06" kit includes 2 security bushings, 3 faced tailpieces		
3408	Sargent 7, 8 & 9 line knob		
3410	Sargent Kit for 6,10, 65 line and 2000 exit device line; includes security bushing and 2 fixed tailpieces (Use A and E bottom pins only)		
3454	Yale 5300 grade 2 & 5400 grade 1 knob		
3455	Corbin Russwin CL3900 & Yale 5400LN grade 1 lever		
3476	Sargent 7600 Integra Lock		
3495	Falcon, Sargent & Weiser cyl. kit for small dia. plug faces; 3 fixed & 3 lost motion tailpiece (Use J or K bottom pins only)		
3499*	Peaks Universal "99" cyl. kit includes 3 fixed & 3 lost motion tailpieces (Use J or K bottom pins only)		

*The 3499 universal cylinder should be used for all Key-in-Knob applications except Falcon, Sargent, & Weiser locks, and specialty applications listed above. **Refer to the BEST Peaks Technical Manual for various KIK Tailpiece Configurations.**

**Call your local Contract ConstructionSales Representative

Removable core		
6140	6-pin Corbin Russwin R/C	Call your local Contract Construction Sales Representative
6240-6	6-pin Yale R/C	
6240-7	6-pin for 7-pin housing Yale R/C	
6340	6-pin Medeco R/C	
6440	6-pin Schlage R/C	
6540	6-pin Sargent R/C	



BEST Preferred Patented Cores

How To Order

1CF	7	1P	1			626
Core Type	Core Size	Keyway	Combining Code	Style	Options	Finish
1CF – 150 Series Patented 1CDF - 150 Series Drill Resistant Patented 1CKF – 140 Series Patented 3CF - Core for 8E Cylinder 150 Series 6CF - Core for 4S Cylinders 150 Series	6 – 6-pin (140 series only) 7 – 7-pin (150 series only)	1P 2P 7P 8P 9P 10P	1 – Uncombined 2 – Combined	See list below for style options	B* – Pick & drill resistant (1CDF only) D* – Drill resistant (1CDF only) K* – Key trap P* – Pick resistant T* – Key retained (6CF only) W* – Wear resistant	626 – Simulated 606 – Simulated 612 – Simulated 613 – Simulated

*Indicates extra cost option.

If combined, you must specify keymark and number of keys.



1CF, 1CDF, 3CF, and 6CF Preferred Patented Cores		
Description	Combined	Uncombined
Interchangeable cores		
1CF - BEST Preferred I/C 7-pin brass 150 series	Call your local Contract Construction Sales Representative	
1CDF - BEST Preferred drill resistant I/C 7-pin brass 150 series		
3CF - BEST Preferred I/C for 8E cylinder 7-pin brass 150 series		
6CF - BEST Preferred I/C for 4S cylinder 7-pin brass 150 series		

1CKF Preferred Patented Cores			
Series	Description	Combined	Uncombined
Interchangeable cores			
3840	BEST I/C 6-pin brass 140 Series	Call for quote**	
Conventional cylinders (KIK = Key in Knob)			
3404	Corbin Russwin CK4200 grade, 1 knob & UT5200 unit lock	Call your local Contract Construction Sales Representative	
3406	Arrow, LSDA, Schlage "06" kit includes 2 security bushings, 3 faced tailpieces		
3408	Sargent 7, 8 & 9 line knob		
3410	Sargent Kit for 6,10, 65 line and 2000 exit device line; includes security bushing and 2 fixed tailpieces (Use A and E bottom pins only)		
3454	Yale 5300 grade 2 & 5400 grade 1 knob		
3455	Corbin Russwin CL3900 & Yale 5400LN grade 1 lever		
3476	Sargent 7600 Integra Lock		
3495	Falcon, Sargent & Weiser cyl. kit for small dia. plug faces; 3 fixed & 3 lost motion tailpiece (Use J or K bottom pins only)		
3499*	Peaks Universal "99" cyl. kit includes 3 fixed & 3 lost motion tailpieces (Use J or K bottom pins only)		

*The 3499 universal cylinder should be used for all Key-in-Knob applications except Falcon, Sargent, & Weiser locks, and specialty applications listed above. Refer to the BEST Peaks Technical Manual for various KIK Tailpiece Configurations.



**Call you local Contract Construction Sales Representative.

Removable core		
6140	6-pin Corbin Russwin R/C	Call your local Contract Construction Sales Representative
6240-6	6-pin Yale R/C	
6240-7	6-pin for 7-pin housing Yale R/C	
6340	6-pin Medeco R/C	
6440	6-pin Schlage R/C	
6540	6-pin Sargent R/C	



BEST Preferred Patented Cores

Extra Cost Options	Option Code	Add-on
Pick and/or drill resistant	B, D, P	Call your local Contract Construction Sales Representative
Key Trap	K	
Key Retained	T	
Wear Resistant	W	



BEST CORMAX™ Patented Cores

How To Order

1CM	7	X1	3	1		626		
Core Type	Core Size	Keyway	Level	Combining Code	Options	Finish		
1CM – CORMAX Core M Series	6 – 6-pin (1CM only)	MJ X1 X15	1 – Non-exclusive	1 – Uncombined	B* – Pick & drill resistant (1CDM or 1CDX only)	605 606		
1CX – CORMAX Core X Series		MK X2 X16				611 612		
1CDM – CORMAX Drill resistant (M Series only)	7 – 7-pin	ML X3 X17	2 – Two-digit zipcode exclusive	2 – Combined	D* – Drill resistant (1CDM or 1CDX only)	613 625		
1CDX – CORMAX Drill resistant (X Series only)		MM X4 X18				626 690		
5CM*** – CORMAX for High security (M Series only)		XA X8	3 – One digit zipcode exclusive		K* – Key trap (1CM only)			
6CM – CORMAX Core for 4S cylinder (M Series only)		XB X9		4 – National exclusive			P* – Pick resistant	
		XC X10				T* – Key retained (6CM only)		
		XD X11						W* – Wear resistant
		Note**						

*Indicates extra cost option; see below. **Designate multiple keyways if ordering a multi-milled key.

***Requires long blade key. Available in M series keyways only.

If combined, you must specify keymark and number of keys.



Description	Combining Code	CORMAX
1CM Series & 1CX Series		
Uncombined	1	Call for quote**
Combined	2	
1CDM Series & 1CDX Series		
Uncombined	1	Call for quote**
Combined	2	
5CM Series		
Uncombined	1	Call for quote**
Combined	2	
6CM Series		
Uncombined	1	Call for quote**
Combined	2	

**Call your local Contract Construction Sales Representative

Note:

- 1 M Series keyways are backward compatible with standard keyways of the same letter
- 2 X series keyways are not backward compatible
- 3 Please contact factory for information regarding all security levels for the "M" and "X" Series. Levels 2, 3, and 4 require Masterkey Dept authorization.
- 4 Match key keyway level to core keyway level.

*Extra cost options	Option code	Add-on
Pick and/or drill resistant	B, D, P	Call your local Contract Construction Sales Representative
Key trap	K	
Key retained	T	
Wear resistant	W	




D Series Service Equipment

The security items in this series are available only to registered BEST Masterkey System owners. This restriction is for the purpose of avoiding proliferation of equipment that could be used to compromise the security of such systems.

Description	Catalog Number	Price
AD Series – Key Equipment		
Key combinator (Standard & CORMAX)	AD433*	3,591.00
Key combinator—Premium	AD433P*	4,123.00
Key carriage (Standard & CORMAX M series keyways)	AD434	531.00
Key carriage—Premium	AD434P	557.00
Key combinator system conversion	Call to Order	460.00
Key cut indicator (in CD431 Kit)	AD501*	24.00
Key calibrator (mechanical)	AD502	573.00
Key calibrator (digital)	AD502D	1,475.00
Key stamping plate (55 standard keys)	AD504A	1,270.00
BD Series – Padlock Equipment		
Assembly kit complete	BD640	299.00
Tweezers—6" (in BD640 Kit)	BD641	15.00
Shackle plug tool (in BD640 Kit)	BD642	216.00
Holding plate (in BD640 Kit)	BD643	69.00
Rivet flaring tool	BD650	180.00
Storage hook (41B & 61B)	BD651	9.85
Padlock disassembly tool (11B, 21B, 41B)	BD654	126.00
Lockout	BD655	13.00
Lockout ties (pkg. of 50)	BD656A	22.00
Lockout name tag	BD657	4.70
Lockout / tagout	BD658	4.70
Corrosion-free aerosol lubricant	BD660	19.00
CD Series – Core Equipment		
Combinating kit complete	CD431*	712.00
Combinating bin	CD433	285.00
Core stamping plate—face only (87 cores)	CD504B	1,270.00
Core stamping plate—side only (50 cores)	CD504C	1,270.00
Core capping / decapping press	CD517	1,928.00
Graphite gun	CD535	20.00
Graphite—1 lb. container	CD535A	37.00
Core capping / decapping block for 1C 150 (in CD431 Kit)	CD540	143.00
Hand capping pin for use with capping block (in CD431 Kit)	CD547	16.00
Ejector pin (in CD431 Kit)	CD548	11.00
Tweezers—3" (in CD431 Kit)	CD549	4.00
Combinating bin kit	CD435	1,439.00
DD Series – Combinating Equipment		
Letter dies—1/16" or 3/32"	DD502	180.00
Number dies—1/16" or 3/32"	DD503	61.00
Core / key marking block (1 core & key)	DD513	143.00
Core / key marking plate (5 cores & 10 keys)	DD514	370.00
Magnetic strip (2 ea. in DD514)	DD514A	3.35
LPS lubricant	DD537	16.00
Combinating hammer with plastic head	DD550	84.00
Plastic heads (for DD550)	DD551	23.00

*Specify A2, A3, or A4 keying system.



D Series Service Equipment continued



The security items in this series are available only to registered BEST Masterkey System owners. This restriction is for the purpose of avoiding proliferation of equipment that could be used to compromise the security of such systems.

Description	Catalog Number	Price
ED Series – Cylinder Equipment		
Mortise cylinder wrench	ED211	31.00
Mortise cylinder assembly tool	ED212	55.00
Thread repair die 1E cylinder	ED221	395.00
Cylinder cam testing tool	ED222	32.00
3E Cylinder hole tap	ED224	339.00
1E Cylinder hole tap	ED225	339.00
Eurocylinder wrench	ED801	114.00
5E Combining kit complete (Note 1)	5ED250	762.00
5E Thread tap—3/4" x 24	5ED253	151.00
5E Capping block (in 5ED250 Kit)	5ED261	221.00
5E Cap depressor (in 5ED250 Kit)	5ED262	58.00
5P Capping fixture	5PD655	482.00
KA Series – Door Adaptor Kits (Note 2)		
Mortise to cylindrical 1" faceplate	62KA2A	64.00
Mortise to cylindrical 1-1/8" faceplate	83KA2A	64.00
Wrap-around 2-3/8" backset (160)	62KA2B	64.00
Wrap-around 2-3/4" backset (161)	83KA2B	64.00
KD Series – Cylindrical/Tubular Equipment		
9K Throughbolt drill jig	KD303	5.70
Boring jig kit complete (Note 3)	KD304A	853.00
Drill bit—2-1/8"	KD308	285.00
Faceplate marking chisel (160)	KD312	76.00
Faceplate marking chisel (161) 1-1/8"	KD315	76.00
8K Spanner wrench	KD316	5.70
9K Spanner wrench	KD317	5.70
Drill bit—1" x 9"	KD318	61.00
Strike plate locating pin	KD325	23.00
Return spring loading tool	KD340	51.00
Knob Adaptation Cut-Off Fixtures For:		
Schlage D Series	KD352S	146.00
Yale #5400	KD351Y	146.00

Note 1: Specify A2, A3, or A4 Keying System.

Note 2: Specify the door thickness (630 finish only).


Note 3: KD304A includes a boring jig and a 3/8" adaptor chuck. (The boring jig and 3/8" adaptor chuck are not sold separately).



D Series Service Equipment continued

For Servicing BEST Peaks® and Preferred® Cores

140 Series Bottom Pins		
A2 Bottom pins (except for 6140, 6440, & 6540 RC, and KIK cylinders)	A2A0 thru A2A9	9.85 per 100
A2 Bottom pins for 6140 & 6540 RC, and KIK cylinders	A2J0 thru A2J9	9.85 per 100
A4 Bottom pins (except for 6140, 6440, & 6540 RC, and KIK cylinders)	A4E0 thru A4E5	9.85 per 100
A4 Bottom pins for 6140 & 6540 RC, and KIK cylinders	A4K0 thru A4K5	9.85 per 100
A2 Bottom pins for 6440 removable cores	A2X0 thru A2X9	9.85 per 100
140 Series Top Pins		
A2 Top pins for all products (except 6440 removeable core)	Use BEST top pins (see page 12)	N/A
A4 Top pins for all products (except 6440 removeable core)	Use BEST top pins (see page 12)	N/A
A2 Top pins for 6440 removeable core	A2W2 thru A2W19	9.85 per 100
Patent Top & Bottom Pins		
Patent top pins for all IC and RC cylinders	PT1	35.00 per 100
Patent top pins for KIK cylinders	PT2	35.00 per 100
Patent bottom pins (except for 6140, 6440, & 6540 RC, and KIK cylinders)	PB1	35.00 per 100
Patent bottom pins for 6140 & 6540 RC, and KIK cylinders	PB2	35.00 per 100
Timing Pins		
Timing pin for 6340 and 6540 RC cylinders	TP6312	35.00 per 100
Segment Springs		
Springs for all products except Schlage 6440 RC	SS4220	48.00 per 500
Springs for Schlage 6440 RC	SS4010	48.00 per 500
Spring Slide Covers		
Spring cover for all KIK cylinders and 6440 RC	SC2000	35.00 per 100
Spring cover for 6140 & 6240 RC, mortise, and rim cylinders	SC2005	35.00 per 100
Spring cover for 6340 and 6540 RC cylinders	SC2001	35.00 per 100
Caps for 3840 IC core	Use BEST 21C caps (see page 12)	N/A
C-Clips		
C-clip for IC and KIK cylinders	CR4002	1.65 each
C-clip for 6140 RC cylinders	CR4003	1.65 each
C-clip for 6240 RC cylinder	CR4004	1.65 each
C-clip for 6340 RC cylinder	CR4005	1.65 each
Capping Tools		
Staking fixture for KIK, mortise, and rim cylinders	CD4000	376.00
Staking fixture for IC, and all RC cylinders (except 6440 RC)	CD6840	376.00
Staking tool for KIK, and all RC cylinders (except 6440 RC)	CD4001	175.00
Staking fixture for 6440 RC cylinder	CD6440	188.00
Staking tool for 6440 RC cylinder	CD6401	175.00
Plug follower	CD4003	30.00
140 & 150 key gage for both A2 and A4	AD4050	46.00
Pin Kits		
Peaks universal A2 pin kit complete (Manufactured by KABA)	CD5012	964.00
Peaks universal A4 pin kit complete (Manufactured by KABA)	CD5004	964.00
Peaks Schlage 6440 RC A2 pin kit complete (Manufactured by KABA)	CD5002	964.00





D Series Service Equipment continued

AD Series – Key Equipment (You must purchase directly from BEST)		
Key combinator – Peaks® 6-pin	AD436*	4,373.00
Key combinator – Peaks® 7-pin	AD437*	4,373.00
Key carriage – Peaks® 6-pin	AD436K	724.00
Key carriage – Peaks® 7-pin	AD437K	724.00
Capping Tools (You must purchase directly from BEST)		
140 Series IC Capper/Decapper press	CD517P	1,899.00
140 IC Capping block only (order CD540 for 150 IC)	CD540P	140.00
140 & 150 Key cut indicator (Peaks equipment)	AD4050	46.00
140 & 150 IC Capping tool (for use with capping block)	CD547	16.00

All 140 Series keys and 150 Series keys using B3 through B6 keyways require a key milling machine.

*Specify A2 or A4 keying system.



KRD Series Key Retaining Devices



How To Order

KRD-2	UL-KRD-2	S
Device type	Part number	Option

Description	Catalog number	Price
BEST core models		
KRD-2 BEST SFIC Model	UL-KRD-2	345.00
KRD-2H Hybrid (Sargent LFIC/BEST SFIC Model)	UL-KRD-2H SAR/BEST	397.00
KRD-2H Hybrid (BEST SFIC/Schlage LFIC Model)	UL-KRD-2H BEST/SCH	397.00
KRD-3 BEST SFIC Dual Function Model	UL-KRD-3	515.00
Non-BEST Full size core models		
KRD-2 Corbin Russwin 6-pin LFIC	UL-CR6-KRD-2	397.00
KRD-2 Corbin Russwin 7-pin LFIC	UL-CR7-KRD-2	397.00
KRD-2 Medeco LFIC	UL-MED-KRD-2	397.00
KRD-2 Sargent LFIC	UL-SAR-KRD-2	397.00
KRD-2 Schlage LFIC	UL-SCH-KRD-2	397.00
KRD-2 Yale 6-pin LFIC	UL-YA6-KRD-2	397.00
KRD-2 Yale 7-pin LFIC	UL-YA7-KRD-2	397.00

*Extra cost options	Option code	Add-on
Switch	S	122.00
Security seal	SS	107.00

*Add option code to part number shown above.



QU-I.C-SYSTEM Combining Tool Packages

For Servicing BEST Standard, Premium, Peaks®, Preferred®, and CORMAX™ Cores



How To Order

	BQDP	A2	7	Example: GM 8301836 CTL 4189250
	Package description	System Type	Core size	System Code Information REQUIREMENT
Dedicated	BQDP – Basic QU-I.C-KEY Dedicated Package PQDP – Professional QU-I.C-KEY Dedicated Package EQDP – Expert QU-I.C-KEY Dedicated Package	A2 – A2 System A3 – A3 System A4 – A4 System	6 – 6-pin 7 – 7-pin	YES System Grand Master and Control codes must be supplied
Universal	BQUP – Basic QU-I.C-KEY Universal Package PQUP – Professional QU-I.C-KEY Universal Package EQUP – Expert QU-I.C-KEY Universal Package	A2 – A2 System A4 – A4 System	6 – 6-pin 7 – 7-pin	NO Code information is not necessary.

Description	Catalog number	Price
Dedicated packages		
These QU-I.C-KEYS are permanently factory built specifically for just one key system. Grand Master & Control codes are required. These tools are intended for long-term use by Institutional Locksmiths and others who continuously work with the same key system(s).		
Basic dedicated package, includes: QKD, QLT-6 or QLT-7, QTT, QCT, QTJ, and QPT (see individual components listed below).	BQDP-A?-?-pin/GM & CTL *	1,450.00
Professional dedicated package, includes all components in the basic package, plus QTA, QPP and CKT-12 (see individual components listed below).	PQDP-A?-?-pin/GM & CTL *	1,813.00
Expert dedicated package, includes all components in the professional package, plus QBT and CKT-60 (see individual components listed below).	EQDP-A?-?-pin/GM & CTL *	2,395.00
Universal packages		
Using a blank QU-I.C-KEY and code strips you get to custom build a QU-I.C-KEY for any A2 key system that you are working with. These kits are better suited for temporary use and re-use – not for long-term or continuous key system use. A4 System kits are also available.		
Basic universal package, includes: QKD, QLT-6 or QLT-7, QTT, QCT, QTJ, and QPT (see individual components listed below).	BQUP-A?-?-pin *	1,816.00
Professional universal package, includes all components in the basic package, plus QPP, QTA and CKT-12 (see individual components listed below).	PQUP-A?-?-pin *	2,176.00
Expert universal package, includes all components in the professional package, plus QBT and CKT-60 (see individual components listed below).	EQUP-A?-?-pin *	2,758.00

Individual components		
Dedicated QU-I.C-KEY with viewing base (system information required)	QKD-A?-?-pin/GM & CTL	466.00
Dedicated QU-I.C-KEY tool only (system information required)	QKDT-A?-?-pin/GM & CTL	350.00
Universal QU-I.C-KEY with viewing base (specify A2 or A4 system)	QKU-A?	864.00
Universal QU-I.C-KEY tool only (specify A2 or A4 system)	QKUT-A?	342.00
QU-I.C-LOAD tool (specify 6 or 7-pin cores)	QLT-6 * or QLT-7 *	357.00
QU-I.C-TEST tool	QTT *	494.00
QU-I.C-CHEX Tool	QCT *	81.00
QU-I.C-Tweez-jector	QTJ	131.00
QU-I.C-Preamer	QPT	109.00
QU-I.C-Power preamer	QPP	81.00
QU-I.C-TEST Adapter (must be used with QTT)	QTA	187.00
QU-I.C-BLOCK tool	QBT*	357.00
12 Position Core & key tray	CKT-12	159.00
60 Position Core & key tray	CKT-60	335.00

*Not compatible with the special 140 Series.



E Series Cylinders

How To Order

1E	7	4	Length Code	C4	RP3	626
Cylinder Diameter	Core Housing	Function Code	Length Code	Cam or Spindle	Rings	Finish
1E – 1-5/32" 3E – 1-1/2"	0 – Dummy 6 – 6-pin 7 – 7-pin housing; accepts all BEST cores	See below	Blank – Standard 22 – 1-3/8" 24 – 1-1/2" up to 6" (See length code below)	C4 – Standard cam C181 – Adams Rite MS cam S2 – Standard spindle For a complete list of cams, see the next page.	RP – Rim cylinder RP1 – Tapered cylinder RP2 – 6-pin mortise RP3 – 7-pin mortise RP4 – 3E mortise For special rings, see the catalog.	626 690 Satin* 606 612 613 619 Bright* 605 611 625

*Indicates extra cost; see below.

Must specify keymark and number of keys or designate L/C for less core.

Description	Function or Length Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
1E Series					
Standard rim	2	87.00	95.00	82.00	41.00
Standard mortise	4	87.00	95.00	82.00	41.00
Tapered mortise	6	87.00	95.00	82.00	41.00
Dummy rim / mortise (6-pin**)	02/04	N/A	N/A	N/A	21.00
Turn knob-rim / mortise (6-pin**)	A2/A4	N/A	N/A	N/A	32.00
Rim / mortise with dust cover	B2/B4	112.00	120.00	107.00	66.00
Square head mortise	C4	112.00	120.00	107.00	66.00
Slabbed direct motion (7-pin**)	D4	112.00	120.00	107.00	66.00
Slabbed lost motion (7-pin**) (Specify RH or LH hand.)	E4	112.00	120.00	107.00	66.00
Standard lost motion (Note 1)	F4	112.00	120.00	107.00	66.00
Hotel shifting cam	G4	112.00	120.00	107.00	66.00
High security—UL-listed (7-pin**)	J4	175.00	N/A	170.00	N/A
High security—Non-UL (7-pin**)	K4	115.00	N/A	110.00	N/A
Special Length 1E Mortise Cylinders					
1-3/8"	22	103.00	111.00	98.00	57.00
Each additional 1/8" (1-1/2" to 6")	24 to 96	2.75	2.75	2.75	2.75
3E Series					
Mortise-1-1/2" diameter (7-pin**)	4	112.00	120.00	107.00	66.00



* Patented pricing shown is for CORMAX patented keying. Add \$18.00 for Best Preferred patented keying.

*Extra cost options	Add-on
Satin finish—606, 612, 613, etc.	2.35
Bright finish—605, 611, 625, etc.	3.80

Part Description	Part Number	Part Price	With lock add-on
Cams	1EC4, etc.	3.45	0.00
Standard rings	1ER2, 3, 4, 5	3.00	0.00
Straight rings (Specify lengths.)	1ER7	9.05	4.65
Tapered rings (Specify lengths.)	1ER8	14.00	8.95
Security rings (Specify lengths.)	1ESR	47.00	0.00
Spindles	1ES2, 3	3.00	0.00
Hex nut for 1E	A00836	2.75	0.00
Standard throw pins	A40095	0.30	0.00
Throw pins—Adams Rite MS Cam	A20924	0.30	0.00

Note 1: Specify the stop pin on the right or left of the cam from the back view.

Length code	Cyl length
22	1 3/8"
24	1 1/2"
26	1 5/8"
28	1 3/4"
30	1 7/8"
32	2"
34	2 1/8"
36	2 1/4"
38	2 3/8"
40	2 1/2"
42	2 5/8"
44	2 3/4"
46	2 7/8"
48	3"
50	3 1/8"
52	3 1/4"
54	107.3
56	3 1/2"
58	3 5/8"
60	3 3/4"
62	3 7/8"
64	4"
66	4 1/8"
68	4 1/4"
70	4 3/8"
72	4 1/2"
74	4 5/8"
76	4 3/4"
78	4 7/8"
80	5"
82	5 1/8"
84	5 1/4"
86	5 3/8"
88	5 1/2"
90	5 5/8"
92	5 3/4"
94	5 7/8"
96	6"





E Series Cylinders continued

Use the following table to determine the kinds of cams available for 1E, 3E and 5E cylinders.

Cams listing

Cam type	Cams by cylinder type		
	1E Cyl	3E Cyl	5E Cyl
Cabinet	C199 C224 C225 C228 C229 C235 C238 C241 C246 C248 C249 C250 C253 C500 thru C509 (C500, C501, C502, etc) A04607 A08854 A10281 A14154		C2A C245 C4A C3 C2B C4B A10281 A21198 A26344
Cloverleaf	C118 C161 C204 C222 C243 C254 C256 C258 C265 C281	C118 C161	
Roller	C142 C221 C227 C240 C251 A04533	A04533	
Straight	C101 C103 C110 C115 C121 C123 C124 C127 C128 C129 C130 C131 C134 C136 C137 C143 C148 C152 C162 C165 C169 C171 C173 C177 C178 C179 C181 C182 C185 C186 C187 C191 C193 C200 C203 C208 C209 C210 C211 C220 C223 C226 C231 C233 C234 C239 C242 C247 C252 C4	C127 C136 C208 C210 C3 C4	
Thumbturn	C140 C401 thru C450 (C401, C402, etc)		
Two-point	C102 C114		



5E and 8E Series Utility Cylinders (Cam Locks)

How To Order

5E	7	A	1	C	R708	4B	21	12	R	90	626
Series	Lock Body	Keyway	Combining Code	Cam Motion	Ring Length	Cam Type*	Cam Length	Mounting Position	Cam Direction	Degree of Rotation	Finish
5E – 3/4"	6 – 6-pin 7 – 7-pin	Designate specific keyway (A, E, etc.)	1 – Uncombined 2 – Combined	A – Direct B – Limited C – Lost motion D – Throw member drive	R701 – 1/16" R702 – 1/8" R703 – 3/16" R704 – 1/4" R705 – 5/16" R706 – 3/8" R707 – 7/16" R708 – 1/2" etc.	1 – Fixed Straight 2A – Fixed offset in 2B – Fixed offset out 3 – Lost motion 4A – Lost motion offset in 4B – Lost motion offset out D – Direct throw member	10 – 5/8" 12 – 3/4" 14 – 7/8" 16 – 1" and so forth in 16ths of an inch	3 – 3 o'clock 6 – 6 o'clock 9 – 9 o'clock 12 – 12 o'clock	R – Right L – Left	90 – 90° 180 – 180° 360 – 360°	626 – Standard


*See the previous page for other compatible 5E cams.

If combined, you must specify keymark and number of keys.

5E cylinders available in Standard, Premium, and CORMAX keyways. Peaks and Preferred keyways not available.

Description	Combining Code	Price
5E—Uncombined	1	46.00
5E—Combined	2	62.00

Part Description	Part Number	Part Price
Cams	5EC1, etc.	3.55
Slide cap—6-pin	5ECP6	0.55
Slide cap—7-pin	5ECP7	0.55
Cam screws	5ECS	1.50
Hex nut 3/4"	5EH	3.15
Cam screw lock washer	5ELW	1.50
Rings (Specify length.)	5ER7	4.30
Springs (box of 500)	5ES1	24.00
Telephone lock plate	5ETL1	27.00
Lock body washer	5EW	1.50



5E – Offset in

5E – Offset out

Description	Catalog Number	Complete with Core			Less Core
		Patented**	Premium	Standard	
8E Series Eurocylinders (619 Finish only)					
Single cylinder – elliptical	8E7A5	N/A	N/A	111.00	67.00
Double cylinder – elliptical	8E7A6	N/A	N/A	168.00	80.00
Single cylinder – profile	8E7E4	N/A	N/A	174.00	130.00
Double cylinder – profile	8E7E5*	N/A	N/A	228.00	140.00
Cylinder x turnknob – profile	8E7E8	N/A	N/A	174.00	130.00
Union single cylinder	8E7H5	152.00	160.00	147.00	106.00
Union double cylinder	8E7H6	229.00	245.00	219.00	137.00
Union cylinder x turnknob	8E7H7	167.00	175.00	162.00	121.00
Union cylinder x leverturn	8E7H8	211.00	219.00	206.00	165.00

ATTENTION: Locksets that secure both sides of the door are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.

*To order 8E7E5, you must specify the ring length and critical dimensions. Refer to the catalog section "Cylinders."

**Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.



Keystone® 600N5 Key Control Software

How To Order

KS	600N	2	1
Series	Product	# of Logins	# of Databases
KS – Key Control Software	600N – Full install for KS600 software 600NUP – Upgrade from KS600 version 3.53 to 5.11* 600N5UD – Upgrade from Keystone 600N version 4.x to 5.0 600UD – Upgrade from older version of KS600 version 3.52 to 3.53** 600NLU – Increase the number of logins for existing KS600N Program 600NDB – Add more Facility Databases to an existing KS600N program	1 – 5 logins (default) 2 – 10 logins 3 – 15 logins etc.	1 – One Facility database (default) 2 – Two Facility Databases 3 – Three Facility Databases

*To find your version click Help > About.

**Only recommended for an additional upgrade to 5.0.

KS	600IMP	1
Series	Product	Quantity of Files to be Imported
KS – Key Control Software	600IMP – Import / Append of Masterkey codes and other data	Price per File Imported (see below)



Software Packages	Price
KS600N complete program with 5 logins	3,096.00

Upgrades	Price
KS600NUP version 3.53 to 5.0***	1,551.00
KS600UD version 3.52 to 3.53	409.00
KS600N5UD version 4.x to 5.0***	490.00

*** All 5.0 version upgrades come with 5 logins standard

*Extra cost options	Option code	Add-on
Number of Logins purchased with KS600N or KS600NUP	10 total logins	490.00
	15 total logins	979.00
	20 total logins	1,468.00
	25 total logins	1,957.00
Number of facility databases purchased with KS600N & KS600NUP	Single additional facility database	490.00
Number of login upgrades purchased after installation	KS600NLU-1 (5 additional logins)	490.00
	KS600NLU-2 (10 additional logins)	979.00
	KS600NLU-3 (15 additional logins)	1,468.00
Number of facility database upgrades purchased after installation	KS600NDB- (1 added facility db)	490.00
	KS600NDB- (2 additional facility db)	979.00
	KS600NDB- (3 additional facility db)	1,468.00
Number of files to be imported (masterkey codes, other data)****	KS600IMP-1	681.00
	KS600IMP-2	1,362.00
	KS600IMP-3	2,042.00

****Note: Each keyway system will normally be an additional file charge.



45H Series Mortise Locks

Federal Spec. 86

How To Order

ANSI Series 1000



45H	7	R	14	H	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45H – Standard mortise lock	0** – Less cylinder (non-keyed or dummy trim) 7 – 7-pin housing accepts all BEST cores	A – Office D – Storeroom L – Privacy N – Passage R – Classroom T – Dormitory etc. See below	3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17R* – Gull wing RH 17L* – Gull wing LH Knobs: 4 – Round Decorative* 50-91	H – 2-3/4" dia. R – 2-3/4" dia. S – 3-1/2" dia J* – wrought M* – forged N* – forged (concealed cylinder)	618 626 630*** 690 622 626AM* 630AM* Satin* 606 612 613 619 Bright* 605 611 625 629***	RH RHR LH LHR	7/8 LTC* – 7/8" lip-to-center strike LL* – Lead lined MNT* – Mounted sample SH* – Security head screws Thick Door* – Specify thickness if other than 1-3/4" TAC/B* – Tactile both levers/knobs TAC/O* – Tactile outside lever/knob TAC/I* – Tactile inside lever/knob VIN* – Visual Indicator VT* – Vandal trim

*Indicates extra cost option. **Indicates cost deduction. Must specify keymark and number of keys or designate L/C for less core.

***629 and 630 available only for H & J trim.

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Single Keyed					
Latch	A, AT, D, R	622.00	630.00	617.00	576.00
Deadbolt	AB,B,BA,BW T,TA,TD,B5,B7	639.00	647.00	634.00	593.00
Holdback	RHB	633.00	641.00	628.00	587.00
Hotel	H, HJ	N/A	N/A	692.00	651.00
Deadlock	AD, YD	277.00	285.00	272.00	231.00
Deadlock-Classroom	RD	311.00	319.00	306.00	265.00
Double Keyed					
Latch	C, INL, W	720.00	736.00	710.00	628.00
Deadbolt	G, IND, S, INA	739.00	755.00	729.00	647.00
Holdback	CHB	739.00	755.00	729.00	647.00
Deadlock	WD	373.00	389.00	363.00	281.00
Keyless					
Passage	N	N/A	N/A	N/A	455.00
Privacy (Latch)	LT	N/A	N/A	N/A	523.00
Privacy (Deadbolt)	L, LB	N/A	N/A	N/A	539.00
Exit	NX	N/A	N/A	N/A	523.00
Single Dummy	1DT	N/A	N/A	N/A	167.00
Double Dummy	2DT	N/A	N/A	N/A	334.00
Universal					
Latch	UNR	662.00	670.00	657.00	616.00
Deadbolt	UNT, UNAB	675.00	683.00	670.00	629.00

*Patented pricing shown is for CORMAX patented keying. Add \$18.00 for Best Preferred patented keying.



45H Series Mortise Locks continued

* Extra Cost Options	Option Code	Per Lock
Satin finishes (per lock)	606, 612, 613, 619	23.00
Bright finishes (per lock)	605, 611, 625, etc.	37.00
UltraShield antimicrobial finish	626AM, 630AM	40.00
Wrought trim	J	7.35
Thick door	Specify thickness	59.00
Tactile both levers/knobs**	TAC/B	88.00
Tactile outside lever/knob**	TAC/O	44.00
Tactile inside lever/knob**	TAC/I	44.00
Lead lined	LL	169.00
Forged trim	M, N	67.00
Security head screws	SH	15.00
7/8" Lip-to-center strike	7/8 LTC	15.00
Mounted samples	MNT	Quote



**Not available on #17 levers.

* Extra Cost Options	Option Code	Per Lock
Vandal trim - 630 finish***	VT	97.00
Vandal trim - other finishes***	VT	75.00
Visual Indicator	VIN	30.00
12, 17 Lever Design	12, 17	46.00
Decorative Lever Design	50 to 91	152.00

***Available only with #14 and #15 levers.

Only #14 lever complies with California State Fire Marshal Code.

**Cost Deductions	Option Code	Per Lock
Less cylinder option (Deduct from complete price)	0	49.00



47H Series High Security Mortise Lock

Federal Spec. 86

ANSI Series 1000

How To Order

47H	7	R	14	M	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
47H – Lever/ Knob - High Security mortise lock	7 – 7-pin housing accepts all BEST cores	A – Office D – Storeroom R – Classroom T – Dormitory etc.	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Knobs: 4 – Round Decorative* 50–91	H*** – 2-3/4" dia R*** – 2-3/4" dia S*** – 3-1/2" dia M – Forged	626 630 626AM* 630AM*	RH RHR LH LHR	7/8 LTC* – 7/8" Lip-to-center strike K – Non UL cylinder LL* – Lead lined TAC/B* – Tactile both levers/knobs TAC/O* – Tactile outside lever/knob TAC/I* – Tactile inside lever/knob Thick Door* – specify thickness if other than 1 3/4" VT* – Vandal Trim

*Indicates Extra Cost Options See 45H section.



** Indicates cost deduction; see 45H section. Must specify keymark and number of keys.

***To maintain the UL437 standard for high security locks, order only M trim. Using H, R or S trim does not meet the UL437 standard.

Function Description	Function Code	Complete with Combined Core	
		Patented*	Standard
Single keyed:			
Latch	A, AT, D, R	763.00	758.00
Deadbolt	AB, B, BA, BW, T, TA, TD	785.00	780.00
Deadlock	AD, YD	475.00	470.00
Deadlock-Classroom	RD	512.00	507.00
Double keyed:			
Latch	C, INL, W	934.00	924.00
Deadbolt	G, IND, S, INA	962.00	952.00
Deadlock	WD	654.00	644.00

Note: The 47H Series must be keyed at the factory unless the K option is ordered.

*Patented pricing shown is for CORMAX M Series patented keying system only.



48H and 49H Series Mortise Deadlocks

How To Order

48H	7	K	626	RH	
Series	Core Housing	Function Code	Finish	Hand	Options
48H – Standard 49H** – High security	0 – Less cylinder (48H only) 7 – 7-pin housing 48H accepts all BEST cores 49H accepts 5C core only	See below	622 626 690 626AM* 630AM* Satin* 606 612 613 619 Bright* 605 611 618 625 49H 626	RH LH RHR LHR	K – 1E7K4 high security cylinder (non UL) for 49H only LL* – Lead lined SH* – Security head screws Thick Door* – Specify thickness if other than 1-3/4"

*Indicates extra cost option; see below.

**49H is keyed at the factory unless the K option is ordered.



Must specify keymark and number of keys or designate L/C for less core.

Security Head screws provided standard on 49H.

Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
48H Series					
Single cylinder	K, L	274.00	282.00	269.00	228.00
Single cylinder - Classroom	R	308.00	316.00	303.00	262.00
Double cylinder	M	367.00	383.00	357.00	275.00
49H Series					
Single cylinder	K, L	514.00	N/A	509.00	NA
Single cylinder-Classroom	R	550.00	N/A	545.00	
Double cylinder	M	621.00	N/A	611.00	

*Patented pricing shown is for CORMAX M Series patented keying system only. Add \$18.00 for Best Preferred patented keying.

*Extra cost options	Option code	Add-on
Satin finishes (48H)	606, 612, 613, etc.	23.00
Bright finishes (48H)	605, 611, 625, etc.	37.00
UltraShield antimicrobial finish	626AM, 630AM	40.00
Security head screws (48H)	SH	15.00
Thick door (48H only)	Specify thickness	59.00
Lead lined	LL	169.00



40H Series Mortise Components

Federal Spec. 86

ANSI Series 1000

How To Order Case Only

45HCA	R	626	
Series	Function Code	Finish	Options
45HCA - Mortise lock case only	A - Office	626 630	SH* – Security head screws 7/8 LTC* – 7/8" Lip- to-center strike Clear – Clear case cover
	D - Storeroom	622 690	
	R - Classroom	626AM*	
	T - Dormitory etc.	630AM*	
	Satin*		
	606 612		
	613 619		
	618		
	Bright*		
	605 611		
625 629			

*Indicates extra cost option.

Function Description	Function Code	Price
Single Keyed		
Latch	A, AT, D, R	243.00
Deadbolt	AB, B, B5, B7, BA,BW,T,TA,TD	265.00
Holdback	RHB	250.00
Hotel	H, HJ	265.00
Deadlock	AD, YD	167.00
Deadlock-Classroom	RD	154.00
Double Keyed		
Latch	C, INL, W	243.00
Deadbolt	G, IND, S, INA	265.00
Holdback	CHB	250.00
Deadlock	WD	167.00
Keyless		
Passage	N	190.00
Privacy (Latch)	LT	243.00
Privacy (Deadbolt)	L, LB	265.00
Exit	NX	758.00
Universal Functions		
Latch	UNR	243.00
Deadbolt	UNT, UNAB	265.00

Price includes lock case, faceplate and strike package.

Refer to 45H section for complete mortise cylinder pricing.

How To Order Trim Kits

40HTK	OS2	14	H	626	
Series	Function Code	Knob/Lever Style	Trim Style	Fin	Options
40HTK - Trim Kit	IS1 – inside lever only	Levers: 3-solid tube/return 12* – Solid tube/no return 14-curved return 15-contour/angle return 16-curve/no return 17-RH 17-LH Knobs: 4-round	H-2-3/8" dia. R-2-3/4" dia. S-3-1/2" dia J*-wrought M*-forged N*-forged (concealed cylinder)	605* 606* 611* 612* 613* 618* 619* 622 625* 626 629 630 690 626A M* 630A M*	Thick Door* (specify thickness if other than 1 3/4") SH* – Security head screws TAC/B* – Tactile both levers/knobs TAC/O* – Tactile outside lever/knob TAC/I* – Tactile inside lever/knob
	IS2 – inside lever x turn				
	IS3 – inside lever x cyl				
	IS4 – inside cyl only				
	IS5 – inside turn only				
	IS6 – inside lever x cylinder x visual indicator				
	OS1 – outside lever only				
	OS2 – outside lever x cyl				
	OS3 – outside lever/emergency plate				
	OS4 – outside cyl only				
OS5 – outside lever x visual indicator					
OS6 – outside lever x cylinder x visual indicator					

Kit Number	Price
IS1 - Inside lever only	133.00
IS2 - Inside lever x turn	177.00
IS3 - Inside lever x cylinder	192.00
IS4 - Inside cylinder only	52.00
IS5 - Inside turn only	45.00
IS6 - Inside lever x cylinder x visual indicator	221.00
OS1 - Outside lever only	148.00
OS2 - Outside lever x cylinder	199.00
OS3 - Outside lever x emergency plate	155.00
OS4-Outside cylinder only	52.00
OS5-Outside lever x Visual Indicator	177.00
OS6-Outside lever x cylinder x visual indicator	228.00

*Extra cost options	Option code	Add-on
Satin finishes	606, 612, 613,	23.00
Bright finishes	605, 611, 625,	37.00
UltraShield antimicrobial finish	626AM, 630AM	40.00
J Trim	J	7.35
Forged trim	M, N	67.00
Thick Door	Specify Thickness	59.00
Security head screws	SH	15.00
7/8" Lip-to-center strike	7/8 LTC	15.00
Tactile both levers/knobs**	TAC/B	88.00
Tactile outside lever/knob**	TAC/O	44.00
Tactile inside lever/knob**	TAC/I	44.00



**Not available on #17 levers.

Vandal Trim Retrofit Kit

Series	Lever Style	Finish	Options
45HVTK – Vandal trim kit	14*-curved return 15-contour/angle return	605,606,611,612, 613,618,619,622, 625,626,629,630, 690	Thick door (specify thickness if other than 1 3/4")

Vandal trim kit finish	Price
630	125.00
All others	104.00

*Complies with California Building Code Title 10 and Title 24, part 12.



40H Strike Packages

Federal Spec. 86

ANSI Series 1000

How To Order

40HST	1	626	
Series	Kit number	Finishes	Options
40HST – Strike package	1 – Standard	605 606	Thick Door* – (specify thickness if other than 1-3/4") 7/8 LTC* – 7/8" lip-to-center strike SH* – Security head screws
	5 – Latchbolt only	611 612	
	6 – Latchbolt/deadbolt	613 618	
		619 622	
		625 626	
		629 630	
		626AM*	
		630AM*	
		690	

*Indicates extra cost option.

Parts Description	Parts Number	Price
Strike packages		
Standard strike package	40HST-1-finish	23.00
Latchbolt-only strike package	40HST-5-finish-hand	25.00
Latchbolt/deadbolt strike package	40HST-6-finish-hand	25.00
Strike packages		
Plastic strike box	1547007	1.55
Wrought steel strike box	3126903	4.35

Extra cost options		
Thick door	Specify thickness	15.00
7/8" Lip-to-center strike	7/8 LTC	15.00
Security head screws	SH	15.00
UltraShield antimicrobial finish	626AM, 630AM	40.00

40H Lever Sets

How To Order



40HLS	14	626	
Series	Knob/lever style	Finishes	Options
40HLS – Lever set	Levers:	605 606	Thick door* – (specify thickness if other than 1-3/4") SH* – Security head screws
	3 – Solid tube/return	611 612	
	12* – Solid tube/no return	613 618	
	14 – Curved/return	619 622	
	15 – Contour/angle return	625 626	
	16 – Curved/no return	629 630	
	17* RH – Gull wing right hand	690	
	17* LH – Gull wing left hand	626AM*	
	Knobs:	630AM*	
	4 – Round		

*Indicates extra cost option.

**Decorative lever design sets are not available.

Parts Description	Parts Number	Price
Lever sets		
40H Lever Set #3 design	40HLS -3	209.00
40H Lever Set #12 design	40HLS -12	260.00
40H Lever Set #14 design	40HLS-14	209.00
40H Lever Set #15 design	40HLS-15	209.00
40H Lever Set #16 design	40HLS-16	209.00
40H Lever Set #17 RH design	40HLS -17 RH	260.00
40H Lever Set #17 LH design	40HLS -17 LH	260.00
40H Knob Set #4 design	40HLS-4	209.00

Extra Cost Options		
Thick Door	Specify Thickness	15.00
Security head screws	SH	15.00
UltraShield antimicrobial finish	626AM 630AM	40.00



40H Replacement Spindles

Federal Spec. 86

ANSI Series 1000

How To Order

40HRS	2	
Series	Kit number	Options
40HRS – Replacement spindle kits	2 – 40H Standard spindle 4 – 40H Hook spindle	Thick door* – Specify thickness if other than 1 3/4"

*Indicates extra cost option.

Parts Description	Parts Number	Price
Replacement spindles		
40H Standard spindle assembly	40HRS-2	23.00
40H Hook Spindle assembly	40HRS-4	45.00

*Extra cost options		
Thick door	Specify Thickness	15.00

40H Screw Kits



How To Order

40HSK	1	626	
Series	Kit number	Finishes	Options
40HSK – Screw kits	1 – H, R, S, J trim screw kit 2 – M, N trim screw kit 3 – Special purpose fasteners screw kit 4 – Surface-mounted trim screw kit 5 – Visual indicator screw kit	606 612 613 622 626	Thick door* – Specify thickness if other than 1 3/4" SH* – Security head screws

*Indicates extra cost option.

Parts Description	Parts Number	Price
Screw kits		
H, R, S, J trim screw kit	40HSK-1	15.00
M, N trim screw kit	40HSK-2	15.00
Special purpose fasteners screw kit	40HSK-3	15.00
Surface-mounted trim screw kit	40HSK-4	15.00
Visual indicator screw kit	40HSK-5	15.00

*Extra cost options		
Thick door	Specify Thickness	15.00
Security head screws	SH	15.00



40H Faceplate Kits

Federal Spec. 86

ANSI Series 1000



How To Order

40HFP	3	626	
Series	Kit number	Finishes	Options
40HFP – Faceplate kit	0 – for function: AB	605 606	SH* – Security head screws
	1 – for functions: BW, TD, H, HJ	611 612	
	2 – for function: A	613 618	
	3 – for functions: AT, D, C, INL, NX, R, W	619 622	
	4 – for functions: N, LT	625 626	
	5 – for functions: AD, RD, YD, WD	629 630	
	6 – Blank with logo	690	
	7 – for functions: BA, S, TA		
	8 – for functions: B, G, IND, L, LB, T		
	9 – for functions: CHB, RHB		
10 – Blank without logo			

*Indicates extra cost option.

Description	Price
All faceplate kits	23.00

*Extra cost options:		
Security head screws	SH	15.00



J Series Semi-Trailer Kingpin Locks

How To Order

2J	7	L11	
Series	Core Housing	Function Code	Options
2J – Standard body	7 – 7-pin housing; accepts all BEST cores	See below	TA – Without armor


Must specify keymark and number of keys or designate L/C for less core.

Function Description	Function Code	Complete with Combinated Core			Less Core Price
		Patented*	Premium**	Standard	
Single latch	L11	470.00	478.00	465.00	424.00
Double latch	L21	691.00	707.00	681.00	599.00


*If TA option is not included, only CORMAX M Series patented keying system can be used and pricing shown applies. If TA option is included, Best Preferred patented keying system can be used and \$18.00 must be added to pricing shown.

**Applicable only if TA option is included.

Part Description	Catalog Number	Price
Accessories		
Warning flag assembly	2JOF1	42.00
Storage Racks		
Three post mount	2JOR3	278.00
Three post—cad. plated	2JOR3C	348.00
Five post mount	2JOR5	465.00
Five post—cad. plated	2JOR5C	520.00



2J7L11-TA



2J7L21-TA



5K Series Grade 2 Tubular Locks

Federal Spec. 160

ANSI Series 4000

How To Order

5K	7	A	15	C	STK	626	
Backset	Core Housing	Function Code	Knob Style	Trim Style	Strike Package	Finish	Options
5K – 2 3/8" or 2 3/4" adjustable backset	0 – Keyless 6 – 6-pin non-IC cylinder 7 – 7-pin IC housing; accepts all BEST cores	A – Entrance D – Storeroom L – Privacy N – Passage R – Classroom 1DT – Dummy Trim***	14 – Curved return 15 – Contour angle return	C – 3"	STK – Standard S3* – ANSI FL* – Full lip radius	626 605* 612* 613*	OB** – non-IC zero bitted KA** – non-IC keyed alike KD** – non-IC keyed different OEM**** – non-IC OEM cylinder RL – Radius latch

* Indicates extra cost option.

** Six-pin cylinder in Schlage "C" keyway included with OB, KA, KD. Must specify "6" for core housing.



*** Throughbolt makes it difficult to install two dummy trims on the same door with perfect alignment. Double dummy trimming may result in imperfect alignment

**** Cylinder not included with OEM option. Must specify "0" for core housing.

Function Description	Function Code	Complete with Combined Core			Less core/less cyl (OEM)	With non-IC cyl OB/KA/KD
		Patented*	Premium	Standard		
Single Keyed						
Office	A	130.00	138.00	125.00	84.00	111.00
Storeroom	D	130.00	138.00	125.00	84.00	111.00
Classroom	R	130.00	138.00	125.00	84.00	111.00
Keyless						
Passage	N	N/A	N/A	N/A	64.00	N/A
Privacy	L	N/A	N/A	N/A	64.00	N/A
Single dummy trim	1DT	N/A	N/A	N/A	39.00	N/A

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

*Extra Cost Options	Option Code	Add-On
Bright & Satin finishes (per lock)	605, 612, 613	2.50
Strikes	S3, FL	2.50



6K Series Grade 2 Cylindrical Locks

Federal Spec. 160

ANSI Series 4000

How To Order

63K	7	AB	4	C	STK	626	RH	
Backset	Core Housing	Function Code	Knob Style	Trim Style	Strike Package	Finish	Hand	Options
62K – 2-3/8" 63K – 2-3/4" 64K* – 3-3/4" 65K* – 5"	0 – Keyless 7 – 7-pin housing; accepts all BEST cores	See below	4 – Round 6 – Tulip	C – 2-9/16" D* – 3-3/8" convex	STK – Standard S3 – ANSI LS – Less strike	626 Satin* 606 612 613 Bright* 605 611 625	RH LH RHR LHR	KNL* – Knurled knobs (keyed knob only) L8 – Drive-in latch NF – Narrow face latch (std with 62K) WF – Wide face latch (std with 63K)


*Indicates extra cost option; see below. Must specify keymark and number of keys

Function description	Function code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Single Keyed					
Office	AB	191.00	199.00	186.00	145.00
Storeroom	D	191.00	199.00	186.00	145.00
Service station	E	191.00	199.00	186.00	145.00
Classroom	R	191.00	199.00	186.00	145.00
Keyless					
Passage	N	N/A	N/A	N/A	63.00
Exit	Y	N/A	N/A	N/A	63.00
Privacy	L	N/A	N/A	N/A	86.00
Hospital privacy	LL	N/A	N/A	N/A	86.00
Patio	P	N/A	N/A	N/A	86.00
Single dummy trim	1DT	N/A	N/A	N/A	34.00
Double dummy trim	2DT	N/A	N/A	N/A	67.00


* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

*Extra cost options	Option code	Add-on
Satin finishes (per lock)	606, 612, 613, etc.	7.00
Bright finishes (per lock)	605, 611, 625, etc.	22.00
Special backset	64K / 65K	7.00
3-3/8" rose	D	12.00
Knurled keyed knob	KNL	16.00


Part description	Part number	Price
2-3/8" deadlocking latch	6KL2	27.00
2-3/4" deadlocking latch	6KL3	27.00
3-3/4" deadlocking latch	6KL4	34.00
5" deadlocking latch	6KL5	34.00
2-3/8" drive-in latch	6KL2-8	27.00
2-3/4" drive-in latch	6KL3-8	27.00
Standard strike package	6KS2	4.35
ANSI strike package	6KS3	12.00
Standard throw member	3125559	8.45
Standard strike box	B25640	2.80



4D*



6C



6D*



7KC Series Grade 2 Cylindrical Locks

Federal Spec. 160

ANSI Series 4000

How To Order

73KC	7	AB	15	D	STK	626	
Backset	Core Housing	Function Code	Lever Style	Trim Style	Strike Package	Finish	Options
72KC – 2-3/8" 73KC – 2-3/4" 74KC* – 3-3/4" 75KC* – 5"	0 – Keyless 6 – 6-pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	See below	14 – Curved return 15 – Contour angle return 16 – Curved no return	D – 3-1/2"	STK – Standard S3 – ANSI	626 Satin* 606 612 613 Bright* 605 625	L8 – Drive-in latch (only available on 2-3/8" and 2-3/4" backset). 0B** – Zero bitted KA** – Keyed alike KD** – Keyed different OEM*** – Orig equipment mfg ATB – Alternate through-bolt NF – Narrow face latch

*Indicates extra cost option

**Six-pin cylinder in Schlage "C" keyway included with 0B, KA, & KD options. Must specify 6 for core housing.



***Cylinders not included with OEM option. Must specify "0" for core housing.

Function Description	Function Code	Complete with Combined Core			Less core/cyl OEM	With non-IC cylinder 0B, KA, KD
		Patented*	Premium	Standard		
Single Keyed						
Entrance	AB	247.00	255.00	242.00	201.00	234.00
Storeroom	D	247.00	255.00	242.00	201.00	234.00
Classroom	R	247.00	255.00	242.00	201.00	234.00
Keyless						
Passage	N	N/A	N/A	N/A	148.00	N/A
Exit	Y	N/A	N/A	N/A	148.00	N/A
Privacy	L	N/A	N/A	N/A	167.00	N/A
Single dummy trim	1DT	N/A	N/A	N/A	68.00	N/A

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

*Extra cost options	Option code	Add-on
Satin finishes (per lock)	612, 613, etc.	7.80
Bright finishes (per lock)	605, 625, etc.	24.00
Special backset	74KC / 75KC	6.80

Part description	Part number	Price
2-3/8" deadlocking latch	72KCL2	27.00
2-3/4" deadlocking latch	73KCL3	27.00
3-3/4" deadlocking latch	64KL4	34.00
5" deadlocking latch	65KL5	34.00
Standard strike package	6KS2	4.35
ANSI strike package	6KS3	12.00
Standard strike box	B25640	2.80



8K Series Grade 1 Cylindrical Locks

Federal Spec. 161

ANSI Series 4000

How To Order

83K	7	AB	4	D	STK	626	RH	
Backset	Core Housing	Function Code	Knob Style	Rose Style	Strike Package	Finish	Hand	Options
83K – 2-3/4" 84K* – 3-3/4" 85K* – 5"	0 – Keyless 7 – 7-pin housing; accepts all BEST cores	See below	4 – Round 6 – Tulip	A – 3-3/8" concave, C – 2-9/16" concave, D – 3-3/8" convex	STK – Standard S3 – ANSI S3 7/8* – 7/8" lip-to-center strike LS – Less strike S5 S6	626 690 626AM* Satin* 606 612 613 619 Bright* 605 611 625	RH LH RHR LHR	3/4* – 3/4" throw BRK – Break-away (keyed only) FRL* – Full radius latch LL* – Lead lined (not available in double keyed functions) SH* – Security head screws SPN – Spin free (D & W only) TAC/B* – Tactile both knobs TAC/O* – Tactile outside knob TAC/I* – Tactile inside knob



*Indicates extra cost option; see below. Must specify keymark and number of keys.

Function Description	Function Code	Complete with Combinated Core			Less Core
		Patented*	Premium	Standard	
Single Keyed					
Entrance	AB	415.00	423.00	410.00	369.00
Storeroom	D	415.00	423.00	410.00	369.00
Service station	E	415.00	423.00	410.00	369.00
Classroom	R	415.00	423.00	410.00	369.00
Dormitory	T	415.00	423.00	410.00	369.00
Special	Note**	415.00	423.00	410.00	369.00
Hotel (SPN-standard)	H, HJ	452.00	460.00	447.00	406.00
Double Keyed					
Corridor	C	509.00	525.00	499.00	417.00
Storeroom	G	509.00	525.00	499.00	417.00
Communicating	S	509.00	525.00	499.00	417.00
Institutional	W	509.00	525.00	499.00	417.00
Special	DR, RD	509.00	525.00	499.00	417.00
Keyless					
Passage	N, NX	N/A	N/A	N/A	263.00
Exit	Y	N/A	N/A	N/A	263.00
Privacy	L	N/A	N/A	N/A	305.00
Patio	P	N/A	N/A	N/A	305.00
Special	LL, M, Q, Z	N/A	N/A	N/A	305.00
Single dummy trim	1DT	N/A	N/A	N/A	111.00
Double dummy trim	2DT	N/A	N/A	N/A	222.00

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

**Single-keyed special functions include: A, B, DZ, EA, RH, RZ, XD, XR, YD, YR, YRM and YZ.


ATTENTION: Locksets that secure both sides of the door (e.g., G, DR, M, RD, S, W, XD, YD & YR) are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.




8K Series Grade 1 Cylindrical Locks continued

* Extra Cost Options	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, etc.	13.00
UltraShield antimicrobial finish	626AM	30.00
Bright finishes (per lock)	605, 611, 625, etc.	36.00
3/4" throw latch	3/4	21.00
Special backsets	84K / 85K	14.00
Lead lined	LL	169.00
Security head screws	SH	15.00
Tactile knob both sides	TAC/B	36.00
Tactile knob outside	TAC/O	18.00
Tactile knob inside	TAC/I	18.00
7/8" Lip-to-center strike	S3 7/8	15.00
Full radius latch	FRL	14.00


Part Description	Part Number	Price
2-3/4" deadlocking latch	8KL3	53.00
3-3/4" deadlocking latch	8KL4	66.00
5" deadlocking latch	8KL5	66.00
Standard strike package	8KS2	5.10
ANSI strike package	8KS3	14.00
Throw member 6-pin / 7-pin	B54210 / B54200	1.05
Breakaway knob driver	B54856	5.40




4 – Round




6 – Tulip



**4 – TAC option
(Blind, safety, & handicapped application)**



**A and C Rose
(Concave)**



**D rose
(Convex)**



9K Series Grade 1 Cylindrical Locks

Federal Spec. 161

ANSI Series 4000

How To Order

93K	7	AB	14	C	STK	626	RH	
Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Hand	Options
93K – 2-3/4" 94K* – 3-3/4" 95K* – 5"	0 – Keyless 6 – 6-pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	See below (Contact sales support for special functions and pricing.)	14 – Curved with return 15 – Contour angle with return 16 – Curved without return	C – 3" convex D – 3-1/2" convex K – 3" convex no ring L – 3-1/2" convex no ring	STK – Standard S3 – ANSI S3 7/8*** STK 7/8*** LS – Less strike	626 690 618 622 626AM* Satin* 606 612 613 619 Bright* 605 611 625	RH LH RHR LHR No handing	3/4" – 3/4" throw latch AL/B* – Abrasive lever both sides AL/O* – Abrasive lever outside AL/I* – Abrasive lever inside TL/B* – Tactile lever both sides TL/O* – Tactile lever outside TL/I* – Tactile lever inside ATB – Alternate through-bolt mounting FRL* – Full radius latch LL* – Lead lined (N/A for double keyed functions) LM – Lost motion SH* – Security head screws Thin Door* – 1-3/8" OB* – non-IC zero bitted KA* – non-IC keyed alike KD* – non-IC keyed different COR* – non-IC Corbin-Russwin MED* – non-IC Medico SAR* – non-IC Sargent SCH* – non-IC Schlage YAL* – non-IC Yale SCHRC – Schlage removable core (14 & 15 lever only) WS* – Windstorm (listed for Miami-Dade and Florida Building Code)

*Indicates extra cost. Must specify keymark and number of keys.

**S3 7/8 is the ANSI flat lip strike

***STK 7/8 is the standard flat lip strike

Function Description	Function Code	Complete with Combined Core			Less Core	W/ non-IC cyl
		Patented*	Premium	Standard		
Single Keyed						
Entrance	AB	435.00	443.00	430.00	389.00	419.00
Storeroom	D	435.00	443.00	430.00	389.00	419.00
Service station	E	435.00	443.00	430.00	389.00	419.00
Classroom	R	435.00	443.00	430.00	389.00	419.00
Dormitory	T	435.00	443.00	430.00	389.00	419.00
Special	Note**	435.00	443.00	430.00	389.00	419.00
Hotel (SPN-standard)	H, HJ	473.00	481.00	468.00	427.00	462.00
Double Keyed						
Corridor	C	527.00	543.00	517.00	435.00	496.00
Storeroom	G	527.00	543.00	517.00	435.00	496.00
Intruder	IN	545.00	561.00	535.00	453.00	511.00
Communicating	S	545.00	561.00	535.00	453.00	511.00
Institutional	W	545.00	561.00	535.00	453.00	511.00
Special	DR, RD	545.00	561.00	535.00	453.00	511.00
Keyless						
Passage	N, NX	N/A	N/A	N/A	278.00	NA
Exit	Y	N/A	N/A	N/A	278.00	NA
Privacy	L	N/A	N/A	N/A	321.00	NA
Patio	P	N/A	N/A	N/A	321.00	NA
Special	LL, M, Q,	N/A	N/A	N/A	321.00	NA
Single dummy trim	1DT	N/A	N/A	N/A	116.00	NA
Double dummy trim	2DT	N/A	N/A	N/A	231.00	NA

* Patented pricing shown is for CORMAX patented keying. Add \$18.00 for Best Preferred patented keying.

**Single-keyed special functions include: A, B, DZ, EA, RZ, XD, XR, YD, and YR.

ATTENTION: Locksets that secure both sides of the door (e.g., G, DR, IN, M, RD, S, W, XD, YD & YR) are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.



9K Series Grade 1 Cylindrical Locks continued

*Extra Cost Options	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, etc.	13.00
Bright finishes (per lock)	605, 625, 629, etc.	36.00
UltraShield antimicrobial finish	626AM	30.00
Thin door 1-3/8"	1-3/8"	58.00
3/4" throw latch	3/4	21.00
Windstorm	WS	21.00
Special backsets	94K / 95K	14.00
Lead lined	LL	169.00
Security head screws	SH	15.00
Abrasive lever both sides	AL/B	27.00
Abrasive lever outside	AL/O	14.00
Abrasive lever inside	AL/I	14.00
Tactile lever both sides	TL/B	53.00
Tactile lever outside	TL/O	27.00
Tactile lever inside	TL/I	27.00
7/8" Lip-to-center strike	S3 7/8 or STK 7/8	15.00
Full radius latch	FRL	14.00
Non-IC zero bitted (single keyed)	0B	31.00
Non-IC zero bitted (double keyed)	0B	61.00
Non-IC keyed alike (single keyed)	KA	31.00
Non-IC keyed alike (double)	KA	61.00
Non-IC keyed different (single)	KD	31.00
Non-IC keyed different (double)	KD	61.00


*Extra Cost Options	Option Code	Add-On
Non-IC Corbin-Russwin (single)	COR	31.00
Non-IC Corbin-Russwin (double)	COR	61.00
Non-IC Medico (single keyed)	MED	31.00
Non-IC Medico (double keyed)	MED	61.00
Non-IC Sargent (single keyed)	SAR	31.00
Non-IC Sargent (double keyed)	SAR	61.00
Non-IC Schlage (single keyed)	SCH	31.00
Non-IC Schlage (double keyed)	SCH	61.00
Non-IC Yale (single keyed)	YAL	31.00
Non-IC Yale (double keyed)	YAL	61.00

Part Description	Part Number	Price
2-3/4" deadlocking latch	8KL3	53.00
3-3/4" deadlocking latch	8KL4	66.00
5" deadlocking latch	8KL5	66.00
Standard strike package	8KS2	5.10
ANSI strike package	8KS3	14.00
Throw member 6-pin / 7-pin	B54210 / B54200	1.05


Adaptation Kit

9KA	SCHRCKT	14	626
Family	Kit Type	Lever Style	Finish
9KA – Adaptation Kit	SCHRCKT – Schlage RC Adaptation Kit	14 – Curved return 15 – Contour angle return	606 626 612 613


Kit Type	Price
SCHRCKT	58.00




14 – Curved return




15 – Contour angle return




C and D Roses





16 – Curved no return



15 - Non IC contour angle return



K and L roses



KA SERIES KNOB ADAPTATIONS

How To Order

Adaptation Kit Number	Finish
Please contact BEST for the specific kit number to convert your heavy duty lockset. The name of the manufacturer and model number are required.	626


Must specify keymark and number of keys.

Manufacturer's Name	Complete with Combined Core			Less Core
	Patented*	Premium	Standard	
Corbin	151.00	159.00	146.00	105.00
Sargent	168.00	176.00	163.00	122.00
Schlage	136.00	144.00	131.00	90.00
Russwin	151.00	159.00	146.00	105.00
Yale	168.00	176.00	163.00	122.00


* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

Installation at BEST factory	44.00
-------------------------------------	-------


Kit Components	Knob Only Less Core	Throw Member
Corbin	90.00	19.00
Sargent	102.00	14.00
Schlage	74.00	12.00
Russwin	86.00	19.00
Yale	102.00	15.00





Schlage round



Schlage tulip



Schlage throw member



L Series Cabinet Locks

How To Order

5L	7	R	D	2	606	Options
Series	Core Housing	Mounting Type	Latch Type	Hand	Finish	
3L – Coin box 5L – Standard	5 – 5-pin housing 6 – 6-pin housing 7 – 7-pin housing; accepts all BEST cores	M – Mortise R – Rim	D – Dead-locking L – Latchbolt	2 – Vertical 5 – Inverted	626 690 Satin* 606 612 613 619 Bright* 605 611 625	T – Deadlocking SL* – Square Latch, spring loaded 1-1/8" to 2" – Special cylinder (specify length) TR – Special trim ring A450 – Special strike A451 – Special strike A452 – Special strike A453 – Special strike

*Indicates extra cost option; see below. Must specify keymark and number of keys.


Description	Series	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Cabinet Locks					
Cabinet—mortise & rim	3L	107.00	115.00	102.00	61.00
Cabinet—mortise & rim	5L	89.00	97.00	84.00	43.00

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.


*Extra Cost Options	Option Code	Add-On
Square latch spl. cylinder	SL	11.00
Special cylinders-3L	1-1/2" to 2"	12.00
Special cylinders-5L	1-1/8" to 2"	12.00
Special finishes	See above	3.30

Description	Catalog Number	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
8L Series Mail Box Lock					
Standard mail box lock	8L7SPR-627	121.00	129.00	116.00	75.00


You must specify the name of the manufacturer and the model number.





5L7RD2



5L7MD5



3L7RD2 – Vertical only



P Series Push Locks


How To Order

2P	7	3	626
Series	Lock Body	Mounting slot	Finish
2P – File cabinet	7 – 7-pin body may be keyed 6-pin	3 – Vertical 4 – Horizontal	606 626


Description	Catalog Number	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
2P Series					
Vertical mounting slot	2P73	113.00	121.00	108.00	67.00
Horizontal mounting slot	2P74	113.00	121.00	108.00	67.00

*Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.



Note: You must specify the make, model and year of the filing cabinet for the 2P Series.



2P73



2P74



S Series Sliding Door Locks

How To Order

3S	7	5	627	
Series	Core housing	Function code	Finish	Options
2S – Sliding door push 3S – Sliding panel 4S – Sliding door cyl.	7 – 7-pin housing; accepts all BEST cores (4S requires 6C core)	See below	2S – 626, 605, 606, 622, 625 4S – 625, 605, 606, 626 3S – 627	3S – Strike straps: S1* – 1/4" thick S2* – Standard 1/4" S3 – 5/16" to 1/2" S4 – 1/2" to 11/16" S5 – 3/4" & thicker



*Included in the price of the housing.

Description	Function	Complete with combined core			Less core
		Patented*	Premium	Standard	
2S Series					
Surface mount—1/2" bolt	3	154.00	162.00	149.00	108.00
Through bolt—1/2" bolt	3 TBM	187.00	195.00	182.00	141.00
Through bolt—3/4" bolt	4 TBM	187.00	195.00	182.00	141.00
Surface mount—bolt pin	5	187.00	195.00	182.00	141.00
3S Series					
Straight housing	5	130.00	138.00	125.00	84.00
Captured panel housing	7	130.00	138.00	125.00	84.00
Housing with 1" extension	8	170.00	178.00	165.00	124.00
4S Series**					
Sliding glass door cylinder	3	90.00	98.00	85.00	44.00
Sliding wood door cylinder	4	98.00	106.00	93.00	52.00

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

** 4S Lock requires 6C core (not available with Peaks or Preferred keying).

Description	Catalog number	Separate	With lock add-on
3S Strike straps			
4-1/4" long for 1/4" panel	1	12.00	0.00
6-1/4" long for 1/4" panel	2	15.00	0.00
3S Standard strike straps			
6-1/4" long for 5/16" to 1/2"	3	23.00	7.20
6-1/4" long for 1/2" to 11/16"	4	28.00	13.00
6-1/4" long for 3/4" or thicker	5	19.00	3.75



SPSL – Stanley Patient Safety Lever

How to Order Mortise Safety Levers

SPSL	ML	R		16F	630	RH	SH
Series	Chassis	Function		Lever	Finish	Hand	Options
SPSL – Stanley Patient Safety Lever	ML – Mortise	A – Office privacy	W3 – Asylum deadbolt lever/lever	16F – Anti-ligature lever	630 – Satin stainless steel	RH LH RHR LHR	SH – Includes security head screws
		D – Storeroom	W4 – Asylum deadbolt double cyl lever/lever				
		IND – Intruder deadbolt	W10 – Asylum lever/blank				
		IND2 – Intruder storeroom dblt	W20 – Asylum double cyl lever/blank				
		INL – Intruder latch	W30 – Asylum deadbolt lever/blank				
		LT – Bathroom privacy	W40 – Asylum deadbolt double cyl lever/blank				
		LTF – Female patient privacy					
		R – Classroom					
		RF – Female patient privacy					
		T – Dormitory deadbolt					
		W1 – Asylum lever/lever					
		W2 – Asylum double cyl lever/lever					

Cylindrical Safety Levers



SPSL	CL	ON		16F	630	RH	SH
Series	Chassis	Function		Lever	Finish	Hand	Options
SPSL – Stanley Patient Safety Lever	CL – Cylindrical 2 3/4" backset	ON – Cylindrical passage		16F – Anti-ligature lever	630 – Satin stainless steel	RH LH RHR LHR	SH – Includes security head screws
	CL5 – Cylindrical 5" backset	ONX – Cylindrical passage blank interior					

Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Mortise Safety Lever					
Office privacy	A	1408.00	1416.00	1403.00	1,362.00
Storeroom	D	1301.00	1309.00	1296.00	1,255.00
Intruder deadbolt	IND	1301.00	1309.00	1296.00	1,255.00
Intruder storeroom deadbolt	IND2	1301.00	1309.00	1296.00	1,255.00
Intruder latch	INL	1301.00	1309.00	1296.00	1,255.00
Bathroom privacy	LT	1408.00	1416.00	1403.00	1,362.00
Passage	ON	N/A	N/A	N/A	1,149.00
Female patient privacy (RF)	RF	1408.00	1416.00	1403.00	1,362.00
Female patient privacy (LTF)	LTF	1408.00	1416.00	1403.00	1,362.00
Classroom	R	1301.00	1309.00	1296.00	1,255.00
Dormitory deadbolt	T	1301.00	1309.00	1296.00	1,255.00
Asylum lever/lever	W1	1301.00	1309.00	1296.00	1,255.00
Asylum double cyl lever/lever	W2	1347.00	1363.00	1337.00	1,255.00
Asylum deadbolt lever/lever	W3	1301.00	1309.00	1296.00	1,255.00
Asylum deadbolt double cyl lever/lever	W4	1347.00	1363.00	1337.00	1,255.00
Asylum lever/blank	W10	1301.00	1309.00	1296.00	1,255.00
Asylum double cyl lever/blank	W20	1347.00	1363.00	1337.00	1,255.00
Asylum deadbolt lever/blank	W30	1301.00	1309.00	1296.00	1,255.00
Asylum deadbolt double cyl lever/blank	W40	1347.00	1363.00	1337.00	1,255.00
Cylindrical Safety Lever					
Passage	ON	N/A	N/A	N/A	1,064.00
Passage blank interior	ONX	N/A	N/A	N/A	1,064.00
Dummy Trim					
Dummy Trim	DT	N/A	N/A	N/A	622.00

SPECIAL NOTE

Normal discount structure does NOT apply to list prices on this page. Obtain net price quotes from your local Contract Construction Sales Representative.



* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.



SPSL – Stanley Patient Safety Lever continued

Part description	Kit number	Price
Cylindrical Security head screw kit	SPSL-SH M1	15.00
Mortise Security head screw kit	SPSL-SH C1	15.00
Security head driver kit	SPSL-SH D1	15.00

*Extra cost options	Option code	Add-on
Security head screws	SH	15.00





SSRL – Stanley Seclusion Room/Time Out Room Locks

How to Order

Product description	Product number	Price
3-Point constant supervision	SSRLS-3	1,659.00
3-Point unsupervised	SSRLU-3	1,773.00
Alum. angled strike kit for 4 point outswing doors	SSRL-SK4	412.00
Single point constant supervision	SSRLS-1	979.00
Single point constant supervision, includes strike kit for outswing doors	SSRLS-1-SK1	1,021.00
Single point unsupervised	SSRLU-1	1,092.00
Single point unsupervised, includes strike kit for outswing doors	SSRLU-1-SK1	1,135.00
Strike kit for single point outswing doors	SSRL-SK1	43.00
3-Point constant supervision w/ digital counter	SSRLS-3-C	1,818.00
3-Point unsupervised w/ digital counter	SSRLU-3-C	1,932.00

SPECIAL NOTE

Normal discount structure does NOT apply to list prices on this page. Obtain net price quotes from your local Contract Construction Sales Representative.



T Series Tubular Deadbolts

Federal Spec. 180, 181

Note: 8T=ANSI/BHMA Grade 1 7T=ANSI/BHMA Grade 2

How To Order

83T	7	K	STK	606	
Backset	Core Housing	Function Code	Strike	Finish	Options
82T – 2-3/8" 83T – 2-3/4"	7 – 7-pin housing; accepts all BEST cores	See below	STK – Std deadbolt S1 – ANSI deadbolt S3 – ANSI deadlatch S4 – Lip deadbolt S5* – High security deadbolt (only available in 630 finish)	626 630 690 626AM* 630AM* Satin* 606 612 613 619 Bright* 605 611 625 (8T only) 7T 626 612	CS* – Concealed screws (8T only) D5 – Drive-in bolt LL* – Lead lined (8T only) NF – Narrow face 1" SH* – Security head screws (8T only) Thick Door* – specify thickness (8T only) Thin Door* – specify thickness (8T only)

*Indicates extra cost option; see below.



Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
8T Deadbolts					
Single-keyed—turnknob	K	187.00	195.00	182.00	141.00
Single-keyed—no turnknob	L	187.00	195.00	182.00	141.00
Non-keyed—turnknob	KL	N/A	N/A	N/A	141.00
Double-keyed—CS-standard	M	270.00	286.00	260.00	178.00
Single-keyed—classroom	S	187.00	195.00	182.00	141.00
7T Deadbolts					
Single-keyed—turnknob	K	126.00	134.00	121.00	80.00
Single-keyed—no turnknob	L	126.00	134.00	121.00	80.00
Double-keyed	M	205.00	221.00	195.00	113.00

*Patented pricing shown is for CORMAX patented keying. Add \$18.00 for Best Preferred patented keying.

*Extra cost options	Option code	Add-On
Satin finishes (per lock)	606, 612, 613, 619	12.00
Bright finishes (per lock) (8T only)	605, 611, 618, 625	13.00
UltraShield antimicrobial finish (8T only)	626AM, 630AM	10.00
Concealed screws (8T only)	CS	27.00
Lead lined (8T only)	LL	101.00
High security strikes	S5	20.00
Security head screws (8T only)	SH	15.00
Thick door (8T only)	Specify thickness	22.00
Thin door (8T; M function only)	Specify thickness	22.00

Part Description	Part Number	Price
2-3/8" Deadbolt tube	82TDB	30.00
2-3/4" Deadbolt tube	83TDB	30.00
2-3/8" Drive-in bolt	82TD5	30.00
2-3/4" Drive-in bolt	83TD5	30.00
Std. deadbolt strike pkg.	8TSTK	4.85
ANSI deadbolt strike pkg.	8TS1	14.00
Deadbolt lip strike pkg.	8TS4	4.85
High security strike pkg. / deadbolt	8TS5	31.00

ATTENTION: Locksets that secure both sides of the door (e.g., L and M functions) are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.





SEDA – Stanley Emergency Door Alarm

How to Order

Product description	Product number	Price
Sensor – 36" to 42" wide door	SEDA-DSA-P1	752.00
Sensor – 42" to 48" wide door	SEDA-DSA-P2	809.00
12 Door controller/power supply	SEDA-CPS-1A52-12	2,340.00
24 Door controller/power supply	SEDA-CPS-1A52-24	4,113.00
36 Door controller/power supply	SEDA-CPS-1A52-36	5,885.00
48 Door controller/power supply	SEDA-CPS-1A52-48	Consult factory
Second console output	SEDA-CPS-MOD-CONS-2	270.00
12 Door LED console	SEDA-DCRS-12	1,489.00
24 Door LED console	SEDA-DCRS-24	2,482.00
36 Door LED console	SEDA-DCRS-36	3,474.00
48 Door LED console	SEDA-DCRS-48	Consult factory
Wall mounted keyswitch	SEDA-KS101	270.00
Strobe light ceiling mount	SEDA-SL1	128.00
Strobe light ceiling mount w/ steel mounting plate	SEDA-SL2	156.00
Full surface angled alum. hinge modified for new or existing hinges	SEDA-ECHFS-MH-AL-4	880.00
Splice box for room w/ multiple doors	SEDA-SPLB-1	156.00

SPECIAL NOTE

Normal discount structure does NOT apply to list prices on this page. Obtain net price quotes from your local Contract Construction Sales Representative.



W Series Electric Switch Locks

How To Order

1W	7	B1	626	SWR
Series	Core Housing	Function code	Finish	Optional Box**
1W	7 – 7-pin housing; accepts all BEST cores	See below	626 690 Satin* 606 612 613 619 Bright* 605 611 625	See below

*Indicates extra cost option; see below.

**Not all boxes are compatible with all switch locks. See the catalog for details.

Function Description	Switch type	Key position 2***	Key position 3***	Function Code	Complete with Combined Core			Less Core
					Patented*	Premium	Standard	
Maintained Switch Locks								
Low voltage	SPST	3 o'clock	NA	A1	164.00	172.00	159.00	118.00
Single switch	SPDT	2 o'clock	NA	B1	146.00	154.00	141.00	100.00
Single switch	SPDT	12 o'clock	NA	B2	146.00	154.00	141.00	100.00
Single switch	SPST	5 o'clock	12 o'clock	C2**	198.00	206.00	193.00	152.00
Toggle switch	DPST	2 o'clock	NA	D2	181.00	189.00	176.00	135.00
Toggle switch	TPDT	3 o'clock	9 o'clock	E2	184.00	192.00	179.00	138.00
Toggle switch	SPDT	2 o'clock	12 o'clock	L2	204.00	212.00	199.00	158.00
Dual switch	2 SPDT	3 o'clock	NA	J1	195.00	203.00	190.00	149.00
Dual switch	2 SPDT	12 o'clock	NA	J2	220.00	228.00	215.00	174.00
Momentary Switch Locks								
Single switch	SPDT	2 o'clock	12 o'clock	B3	164.00	172.00	159.00	118.00
Dual switch	2 SPDT	2 o'clock	12 o'clock	J3	195.00	203.00	190.00	149.00
Toggle switch	DPDT	2 o'clock	10 o'clock	K4	195.00	203.00	190.00	149.00
Dual switch	2 SPDT	2 o'clock	10 o'clock	P4	181.00	189.00	176.00	135.00
Quad switch	4 SPDT	2 o'clock	10 o'clock	R4	191.00	199.00	186.00	145.00



* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

**Supplied with OC1 box only (included in price).

***Key position 1 for all switch locks is 12 o'clock except for the C2 function which is at 7 o'clock and the L2 function which is at 10 o'clock. For all switch locks, the key is removable in the 12 o'clock position only.

*Extra Cost Options	Option code	Add-on
Satin finishes	606, 612, 613 etc.	2.70
Bright finishes	605, 611, 625 etc.	4.00
Deep weather resistant box	DWR	201.00
Interior box	INT	34.00
Standard octagon center mount	OC1	34.00
Deep octagon offset mount	OC2	57.00
Standard weather resistant box	SWR	188.00

Parts		
FUNCTION CODE	REPLACEMENT SWITCH #	Price
A1	S4A	27.00
B1, B2, B3, J1, J2, J3, P4, & R4	S4B	8.70
C2	S4C	53.00
D4	S4D	18.00
E2	S4E	44.00
K4	S4K	44.00
L2	S4L	40.00



45HW Series Electro-Mechanical Mortise Locks

How To Order

45HW	7	DEL	14	H	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HW – Lever	0** – Keyless 7 – 7-pin housing; accepts all BEST cores	Electrically-locked:*** DEL LEL NXEL TDEL TWEL WEL Electrically-unlocked: DEU LEU NXEU TDEU TWEU WEU	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Knobs: 4 – Round Decorative* 50–91	H – 2-3/4" dia. R – 2-3/4" dia. S – 3-1/2" dia J* – Wrought M* – Forged N* – Forged (concealed cylinder)	626 630**** 690 626AM* 630AM* Satin* 606 612 613 619 622 Bright* 605 611 625 629****	RH RHR LH LHR	DS* – Door status monitor IDH* – Integrated Door Hardware LL* – Lead lined LS* – Latch status monitor RQE* – Request to exit Thick door* – Specify thickness 7/8" LTC* – Flat lip strike VT* – Vandal Trim 12V – 12V Solenoid 24V – 24V Solenoid TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both VIN* – Visual Indicator

* Indicates extra cost; see below. ** Indicates cost deduction; see below.

*** Fail safe functions (EL) and fail secure functions (EU) include a Temperature Control Module (TCM) with the price of the lock.

****629 and 630 available only for H & J trim.

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
45HW Electro-mechanical:					
45HW Single key, latch, fail	DEU	1093.00	1101.00	1088.00	1,047.00
45HW Single key, latch, fail safe	DEL	1093.00	1101.00	1088.00	1,047.00
45HW Double key, latch, fail	WEU	1188.00	1204.00	1178.00	1,096.00
45HW Double key, latch, fail safe	WEL	1188.00	1204.00	1178.00	1,096.00
45HW Keyless, latch, fail secure	NXEU	N/A	N/A	N/A	999.00
45HW Keyless, latch, fail safe	NXEL	N/A	N/A	N/A	999.00
45HW Single key, deadbolt, fail	TDEU	1114.00	1122.00	1109.00	1,068.00
45HW Single key, deadbolt, fail	TDEL	1114.00	1122.00	1109.00	1,068.00
45HW Double key, deadbolt, fail	TWEU	1209.00	1225.00	1199.00	1,117.00
45HW Double key, deadbolt, fail	TWEL	1209.00	1225.00	1199.00	1,117.00
45HW Keyless, deadbolt, fail	LEU	N/A	N/A	N/A	1,019.00
45HW Keyless, deadbolt, fail	LEL	N/A	N/A	N/A	1,019.00

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

ATTENTION:
Locksets that secure both sides of the door (e.g., WEL & WEU) are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.

*Extra Cost Options	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613,619	23.00
Bright finishes (per lock)	605, 611, 625, etc.	45.00
UltraShield antimicrobial finish	626AM, 630AM	40.00
Wrought trim	J	7.35
Thick door	Specify thickness	59.00
Lead lined	LL	169.00
Forged trim	M, N	67.00
7/8" Lip-to-center strike	7/8 LTC	15.00
12, 17 Lever Design	12, 17	48.00
Vandal trim - 630 finish***	VT	97.00
Vandal trim - other finish***	VT	75.00
Visual Indicator	VIN	30.00



**Not available on #17 levers

***Available only with #14 and #15 levers.

Only #14 lever complies with California State Fire Marshal Code.

*Extra Cost Options	Option Code	Add-On
Request to exit	RQE	30.00
Integrated door hardware	IDH	98.00
Latch status monitor	LS	72.00
Door status monitor	DS	69.00
Tactile both levers/knobs**	TAC/B	88.00
Tactile outside lever/knob**	TAC/O	44.00
Tactile inside lever/knob**	TAC/I	44.00
Decorative Lever Design	50 to 91	152.00

**Cost Deductions	Option Code	Deduct
Less cylinder option (Deduct from complete price)	0	49.00
Less temperature control module	LTCM	122.00



47HW Series High Security Electro-Mechanical Mortise Locks

How To Order

47HW	7	DEL	14	H	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
47HW – Lever	0** – Keyless 7 – 7-pin housing; accepts all BEST cores	Electrically-locked:*** DEL LEL NXEL TDEL TWEL WEL Electrically-unlocked: DEU LEU NXEU TDEU TWEU WEU	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Knobs: 4 – Round Decorative* 50-91	M – forged H**** – 2-3/4" dia. R**** – 2-3/4" dia. S**** – 3-1/2" dia	626 630 690 626AM* 630AM* Satin* 606 612 613 619 622 Bright* 605 611 625 629	RH RHR LH LHR	DS* – Door status monitor IDH* – Integrated Door Hardware LS* – Latch status monitor RQE* – Request to exit Thick door* – (Specify thickness.) 7/8 LTC* – Flat lip strike VT* – Vandal Trim 12V – 12V Solenoid (24V is standard) K – Non-UL Cylinder TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both

* Indicates extra cost; see below.

** Indicates cost deduction; see below.

*** Fail safe functions (EL) and fail secure functions (EU) include a Temperature Control Module (TCM) with the price of the lock.

****To maintain the UL437 standard for high security locks, order only M trim. Using H, R or S trim does not meet the UL437 standard.

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
47HW Electro-mechanical:					
47HW Single key, latch, fail	DEU	1147.00	N/A	1,142.00	See note
47HW Single key, latch, fail safe	DEL	1147.00	N/A	1,142.00	
47HW Double key, latch, fail	WEU	1267.00	N/A	1,257.00	
47HW Double key, latch, fail safe	WEL	1267.00	N/A	1,257.00	See note
47HW Single key, deadbolt, fail	TDEU	1170.00	N/A	1,165.00	
47HW Single key, deadbolt, fail	TDEL	1170.00	N/A	1,165.00	
47HW Double key, deadbolt, fail	TWEU	1279.00	N/A	1,269.00	
47HW Double key, deadbolt, fail	TWEL	1279.00	N/A	1,269.00	

Note: The 47HW Series must be keyed at the factory unless the K option is ordered.

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

*Extra Cost Options	Option code	Add-on
Thick door	Specify thickness	59.00
7/8" Lip-to-center strike	7/8 LTC	15.00
12, 17 Lever Design	12, 17	48.00
UltraShield antimicrobial finish	626AM, 630AM	40.00
Decorative Lever Design	50-91	152.00
Vandal trim - 630 finish***	VT	97.00
Vandal trim - other finish***	VT	75.00
Request to exit	RQE	30.00
Integrated door hardware	IDH	98.00
Latch status monitor	LS	72.00
Door status monitor	DS	69.00

**Not available on #17 levers

***Available only with #14 and #15 levers.



Only #14 lever complies with California State Fire Marshall

*Extra Cost Options	Option Code	Add-On
Tactile both levers/knobs**	TAC/B	88.00
Tactile outside lever/knob**	TAC/O	44.00
Tactile inside lever/knob**	TAC/I	44.00

**Cost Deductions	Option code	Deduct
Less cylinder option (Deduct from complete price)	0	49.00
Less temperature control module	LTCM	122.00

Security Head screws provided standard on 47HW.

ATTENTION: Locksets that secure both sides of the door (e.g., WEL & WEU) are controlled by building codes and the Life Safety Code. Delay in unlocking for rapid emergency exit could be hazardous or even fatal.



8KW/9KW Series Electro-Mechanical Cylindrical Locks

How To Order

83KW	7	DEL	4	C	STK	626	
Backset	Core Housing	Function Code	Knob Style	Rose Style	Strike Package	Finish	Options
83KW – 2-3/4" 84KW* – 3-3/4" 85KW* – 5"	7 – 7-pin housing; accepts all BEST cores	DEL – Electrically locked DEU – Electrically unlocked	4 – Round 6 – Tulip	C – 3" convex D – 3-1/2" convex K – 3" convex L – 3-1/2" convex	STK – Standard S3 – ANSI	626 690 626AM* Satin* 606 612 613 619 622 Bright* 605 611 625	BRK – Break-away (keyed only) LL* – Lead lined SH* – Security head screws SPN – Spin free (D & W only) 3/4* – 3/4" throw RQE* – Request to Exit Thin Door* – 1-3/8" TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both



* Indicates extra cost; see below.

** Indicates cost deduction; see below.

*** Fail safe functions (EL) and fail secure functions (EU) include a Temperature Control Module (TCM) with the price of the lock.

93KW	7	DEL	15	C	S3	626	
Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options
93KW – 2-3/4" 94KW* – 3-3/4" 95KW* – 5"	7 – 7-pin housing; accepts all BEST cores	DEL – Electrically locked DEU – Electrically unlocked	14 – Curved with return 15 – Contour with angle return 16 – Curved with no return	C – 3" convex D – 3-1/3" convex K – 3" convex no ring L – 3-1/2" convex no ring	STK – Standard S3 – ANSI S3-7/8* – 7/8 Lip to Center strike LS – Less Strike	626 690 626AM* Satin* 606 612 613 619 622 Bright* 605 611 625	3/4* – 3/4" throw latch ATB – Alternate through-bolt mounting LL* – Lead lined LM – Lost motion RQE* – Request to Exit Thin Door* – 1-3/8" AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both 0B** – non-IC zero-bitted KA** – non-IC keyed alike KD** – non-IC keyed different COR*** – Non IC Corbin-Russwin MED*** – Non IC Medeco SAR*** – Non IC Sargent SCH*** – Non IC Schlage YAL*** – Non IC Yale SCHRC*** – Schlage RC (14 & 15 lever only)

* Indicates extra cost option.



8KW/9KW Series Electro-Mechanical Cylindrical Locks continued



Function Description	Function Code	Complete with Combinated Core			Less Core
		Patented*	Premium	Standard	
Electro-mechanical					
8KW Elect. locked / unlocked	DEL, DEU	768.00	776.00	763.00	722.00
9KW Elect. locked / unlocked	DEL, DEU	797.00	805.00	792.00	751.00

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

* Extra Cost Options	Option code	Add-on
Satin finishes (per lock)	606, 612, 613, etc.	13.00
Bright finishes (per lock)	605, 625, 629, etc.	36.00
UltraShield antimicrobial finish	626AM	30.00
Thin door 1-3/8"	1-3/8"	58.00
3/4" throw latch	3/4	21.00
Special backsets	84K / 85K / 94K / 95K	14.00
Lead lined	LL	169.00
Security head screws	SH	15.00
Tactile knob both sides	TAC/B	36.00
Tactile knob outside	TAC/O	18.00
Tactile knob inside	TAC/I	18.00
Abrasive lever both sides	AL/B	27.00
Abrasive lever outside	AL/O	14.00
Abrasive lever inside	AL/I	14.00
Tactile lever both sides	TL/B	53.00
Tactile lever outside	TL/O	27.00
Tactile lever inside	TL/I	27.00
7/8" Lip-to-center strike	S3 7/8	15.00
Request to exit	RQE	137.00

Part Description	Part Number	Price
2-3/4" deadlocking latch	8KL3	53.00
3-3/4" deadlocking latch	8KL4	66.00
5" deadlocking latch	8KL5	66.00
Standard strike package	8KS2	5.10
ANSI strike package	8KS3	14.00
Throw member 6-pin / 7-pin	B54210 / B54200	1.05
Breakaway knob driver	B54856	5.40

**Cost Deductions	Option code	Deduct
Less cylinder option (Deduct from complete price)	0	49.00
Less temperature control module	LTCM	122.00



Electro-Mechanical Lock Accessories

7/8" Lip-to-center strike	Catalog number	Price
Transformer	8W599	111.00
AC to DC converter	8WCON	42.00
Narrow plate (push button)	8WBU-1-N	75.00
Standard plate (push button)	8WBU-1-A	75.00
Temperature control module	8WTCM	122.00
Door transfer loop	8WDTL	33.00



Electronic Lock Software & Accessories

For Wi-Q™ Technology Wireless software, accessories and locks, see pages 83-90

Description	Part Number	Price	
Electronic Lock Software			
NT500 Software:			
NT510 Administration Software – offline (Includes NT500 software and NT510 license)	NT510	Call your local Contract Construction Sales Representative.	
NT520 16 Door online license only upgrade*	NT520		
NT520 Client license – up to 5**	NT500RC		
NT510 ID Badging license*	NT510ID		
NT520 CCTV license agreement	NT500V		
B.A.S.I.S. G Software:			
B.A.S.I.S. G – Administration software	BAS-SWS-G	Call for quote	
B.A.S.I.S. G – Client license	BAS-SWC-G		
B.A.S.I.S. V Software:			
B.A.S.I.S. V – Administration software	BAS-SWS-V	Call for quote	
B.A.S.I.S. V – Client license	BAS-SWC-V		

*Requires NT510
**Requires NT520



Two-Door Controllers			
AC512 Two-door controller with 12V power supply & enclosure (readers and locking devices not included)	NTAC512B	Call your local Contract Construction Sales Representative.	
AC512-IP-B Two-door controller with 12V power supply and enclosure. Ethernet connector. Non-UL.	NTAC512IPB		
AC512-D Two-door controller with DIN rail mounting plate. RS232 connector. UL***	NTAC512D		
AC512-IP-D Two-door controller with DIN rail mounting plate. Ethernet connector. UL rated.***	NTAC512IPD		

Readers			
Magnetic card access reader – 12VDC, track 2, weatherized (no keypad), black (MR-5)****	36012OWBK	Call your local Contract Construction Sales Representative.	
Dual validation (magnetic stripe & keypad) reader – 12VDC, track 2, weatherized (no keypad), black (MR-20), with tamper.	31012OWBKOT		
HID Proximity reader – MiniProx – Gray with pigtail leads (5–16 VDC).	5365EGP00		
Indala proximity reader – slim, graphite, 5 inch length.	FP4515A		
Mullion mount multi-frequency reader	XF1100D		

***Requires 74N-ENC-D enclosure and BAS-3PMCTX power supply separately.
****Tamper not available on this reader

Cards			
Magnetic Stripe cards non-encoded (Stanley branded):			
PVC (box of 500)	VPAPVC	Call your local Contract Construction Sales Rep.	
Polyester (box of 500)	VPAPOLY		
PVC (single card)	VPAPVC-SC		
Polyester (single card)	VPAPOLYSC		
Magnetic Stripe cards encoded (Stanley branded):			
PVC (single card)	VPAPVCSCEN	Call for quote.	
Polyester (single card)	VPAPOLYSCEN		
Proximity cards non-encoded (HID & Indala branded):			
HID® Clam shell (box of 100) HID® branded	1326LSSMV	Call for quote.	
Indala® Clam shell (box of 100) Indala® branded	FPCRDSSSMW0000		

B.A.S.I.S. G	B.A.S.I.S. V	NT500	Keypad EZ	IDH MAX	V Series
G	BV	N	Z	M	V
		X			
		X			
		X			
		X			
		X			
X					
X					
	X				
	X				
		X			
		X			
		X			
		X			
	X	X		X	X
	X	X		X	X



45HZ Keypad EZ Mortise Locks

How To Order

45HZ	7	TV	15	KP	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HZ – Lever	0** – Keyless 7 – 7-pin housing; accepts all BEST cores	DV – Latch with key TV – Deadbolt with key NV – Latch without key LV – Deadbolt without key	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing 4 – Round Knob Decorative* 50-91	KP – Keypad KPA – Keypad adaptation	626 690 626AM* – Antimicrobial Satin* 606 612 613 619 622 Bright* 605 611 618 625	RH RHR LH LHR	8CE* – 8-cell battery holder assy with batteries 4SW – 4-cell shrink wrap battery P2** – Phillips head screws Thick Door* – Specify thickness 7/8" LTC* – Flat lip strike TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both

* Indicates extra cost; see below.

**T15 Torx security screws are supplied standard.



Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
KEYPAD EZ MORTISE LOCKS:					
45HZ - Single Keyed Latch	DV	969.00	977.00	964.00	923.00
45HZ - Single Keyed Deadbolt	TV	988.00	996.00	983.00	942.00
45HZ - Non-keyed Latch	NV	N/A	N/A	N/A	874.00
45HZ - Non-keyed Deadbolt	LV	N/A	N/A	N/A	893.00

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

* Extra Cost Options	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, 619 etc.	55.00
Bright finishes (per lock)	605, 611, 625, etc.	109.00
UltraShield antimicrobial finish	626AM	40.00
Thick door	Specify thickness	59.00
Tactile both levers/knobs**	TAC/B	88.00
Tactile outside lever/knob**	TAC/O	44.00
Tactile inside lever/knob**	TAC/I	44.00
7/8" Lip-to-center strike	7/8 LTC	15.00
12, 17 Lever Design	12, 17	48.00
Decorative Lever Design	50-91	152.00
Extended Life Battery	8CE	55.00

**Not available on #17 levers.

**Cost Deductions	Option Code	Deduct
Less cylinder option (Deduct from complete price)	0	49.00



9KZ Keypad EZ Cylindrical Locks

How To Order

93KZ	7	DV	15	KP	STK	626	
Backset	Core Housing	Function Code	Lever Style	Trim Style	Strike Package	Finish	Options
93KZ – 2-3/4" 94KZ* – 3-3/4" 95KZ* – 5"	0*** – Keyless 6 – 6 pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	DV – With key	14 – Curved with return 15 – Contour angle return 16 – Curved with no return 4 – Round Knob	KP – Keypad	STK – Standard S3 – ANSI S3-7/8* – Lip to center strike	626 690 626AM* Satin* 606 612 613 619 622 Bright* 605 611 618 625	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2**** – Phillips head screws LM – Lost motion 3/4* – 3/4" throw latch 0B** – non-IC zero-bitted KA** – non-IC keyed alike KD** – non-IC keyed different COR*** – Non IC Corbin-Russwin MED*** – Non IC Medeco SAR*** – Non IC Sargent SCH*** – Non IC Schlage YAL*** – Non IC Yale SCHRC*** – Schlage RC (14 & 15 lever only) AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both

* Indicates extra cost option.

** Six-pin cylinder in Schlage "C" keyway included with 0B, KA, and KD options. Must specify "6" for core housing.

*** Cylinder not included with COR, MED, SAR, SCH, YAL, or SCHRC options. Must specify "0" for core housing.



****T15 Torx security screws are supplied standard.

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Keypad EZ Cylindrical Lock					
9KZ - Single keyed lock	DV	830.00	838.00	825.00	784.00

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

* Extra Cost Options	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, etc.	55.00
Bright finishes (per lock)	605, 625, 629, etc.	109.00
UltraShield antimicrobial finish	626AM	30.00
3/4" throw latch	3/4	21.00
Special backsets	94KZ / 95KZ	14.00
Abrasive lever both sides	AL/B	27.00
Abrasive lever outside	AL/O	14.00
Abrasive lever inside	AL/I	14.00
Tactile lever both sides	TL/B	53.00
Tactile lever outside	TL/O	27.00
Tactile lever inside	TL/I	27.00
7/8" Lip-to-center strike	S3-7/8	15.00
Extended Life Battery	8CE	55.00

Part Description	Part Number	Price
2-3/4" deadlocking latch	8KL3	53.00
3-3/4" deadlocking latch	8KL4	66.00
5" deadlocking latch	8KL5	66.00
Standard strike package	8KS2	5.10
ANSI strike package	8KS3	14.00
Throw member 6-pin / 7-pin	B54210 / B54200	1.05



EXZ Keypad EZ Exit Trim

How To Order

EXZ	7	EV	15	KP	626	RHR	PH1	RM	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Manf.	Locking Type	Options
EXZ – Keypad EZ	0** – Keyless 7 – 7-pin housing; accepts all BEST cores	EV – With key** NV – Without key	14 – Curved w/ return 15 – Contour w/ angle return	KP – Keypad	626 690 626AM* Satin* 606 613	RHR LHR	VD9 – Von Duprin 98/99 series PH2 – Precision Hardware 2000 series SA8 – Sargent 8000 Series***	RM – Rim*** MO – Mortise RD – Surface and concealed vertical rods	SH* – Security head screws

*Indicates extra cost option; see below.



**The EV function (key override) is not available on the Von Duprin mortise type, or Sargent rim type device.

*** SA8 Only available with rim type device.

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Keypad EZ Exit Trim Locks					
EXZ - Exit Trim - single keyed	EV	1265.00	1273.00	1260.00	1,219.00
EXZ - Exit Trim - non keyed	NV	N/A	N/A	N/A	1,170.00

* Patented pricing shown is for CORMAX patented keying. Add \$18.00 for Best Preferred patented keying.

* Extra cost options	Option code	Add-on
Satin finishes (per lock)	606, 613, etc.	59.00
UltraShield antimicrobial finish	626AM	25.00
Security head screws	SH	15.00



45HN NT500 Mortise Locks

How To Order

45HN	7	TV	14	MS	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HN – NT500	0** – Keyless 7 – 7-pin housing; accepts all BEST cores	DV – Latch w/key TV – Deadbolt w/key LV – Deadbolt w/o key NV – Latch w/o key	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing 4 – Round knob Decorative* 50-91	MS – Magnetic stripe DV – Dual validation (magstripe and keypad) PH – Proximity HID® PM – Proximity Indala® DVA – Dual Validation Adaptation MSA – Mag Stripe Adaptation PHA – Proximity HID Adaptation PMA – Proximity Motorola Adaptation	626 690 626AM* Satin* 606 612 613 619 622 Bright* 605 611 618 625	RH RHR LH LHR	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2*** – Phillips head screws KOS* – Key override sensor Thick door* – Specify thickness 7/8" LTC* – Flat lip strike TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both TRK1 – Track 1 TRK2 – Track 2 TRK3 – Track 3 MWEI – Motorola 26 bit Wiegand H26B – HID 26 bit Wiegand H37B – HID 37 bit Wiegand



*Indicates extra cost option.

**Indicates cost deduction.

***T15 Torx security screws are supplied standard.

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Magnetic stripe reader					
45HN - Single Keyed Latch	DV	Call your local Contract Construction Sales Representative.			
45HN - Single Keyed Deadbolt	TV				
45HN - Non-keyed Latch	NV				
45HN - Non-keyed Deadbolt	LV				
Magnetic stripe/Keypad Dual Validation reader					
45HN - Single Keyed Latch	DV	Call your local Contract Construction Sales Representative.			
45HN - Single Keyed Deadbolt	TV				
45HN - Non-keyed Latch	NV				
45HN - Non-keyed Deadbolt	LV				
HID® Proximity reader					
45HN - Single Keyed Latch	DV	Call your local Contract Construction Sales Representative.			
45HN - Single Keyed Deadbolt	TV				
45HN - Non-keyed Latch	NV				
45HN - Non-keyed Deadbolt	LV				
Indala® proximity reader					
45HN - Single Keyed Latch	DV	Call your local Contract Construction Sales Representative.			
45HN - Single Keyed Deadbolt	TV				
45HN - Non-keyed Latch	NV				
45HN - Non-keyed Deadbolt	LV				

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.





45HN NT500 Mortise Locks continued

* Extra cost options	Option code	Add-on
Satin finishes (per lock)	606, 612, 613,619 etc.	55.00
Bright finishes (per lock)	605, 611, 625, etc.	109.00
UltraShield antimicrobial finish	626AM	40.00
Thick door	Specify thickness	59.00
Tactile both levers/knobs**	TAC/B	88.00
Tactile outside lever/knob**	TAC/O	44.00
Tactile inside lever/knob**	TAC/I	44.00
7/8" Lip-to-center strike	7/8 LTC	15.00
12, 17 Lever Design	12, 17	48.00
Decorative Lever Design	50-91	152.00
Extended Life Battery	8CE	55.00
Key Override Sensor	KOS	28.00

**Not available on #17 levers.

**Cost deductions	Option code	Deduct
Less cylinder option (Deduct from complete price)	0	49.00

**Call your local Contract Construction Sales Representative.



9KN NT500 Cylindrical Locks

How To Order

93KN	7	DV	14	MS	STK	626	
Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options
93KN – 2-3/4" 94KN* – 3-3/4" 95KN* – 5"	0*** 6 – 6 pin non-IC cylinder housing; accepts all BEST cores	DV – with key	14 – Curved with return 15 – Contour with angle return 16 – Curved without return	MS – Magnetic stripe DV – Dual validation (magstripe and keypad) PH – Proximity HID® PM – Proximity Indala®	STK – Standard S3 – ANSI S3 7/8* – 7/8" lip-to-center strike	626 690 626AM* Satin* 606 612 Bright* 605 625	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2**** – Phillips head screws FM – Free Motion 3/4* – 3/4" throw latch 7/8" LTC* – Flat lip strike 0B** – non-IC zero-bitted KA** – non-IC keyed alike KD** – non-IC keyed different COR*** – Non IC Corbin-Russwin MED*** – Non IC Medeco SAR*** – Non IC Sargent SCH*** – Non IC Schlage YAL*** – Non IC Yale SCHRC*** – Schlage RC (14 & 15 lever only) AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both TRK1 – Track 1 TRK2 – Track 2 TRK3 – Track 3 MWEI – Motorola 26 bit Wiegand H26B – HID 26 bit Wiegand H37B – HID 37 bit Wiegand

* Indicates extra cost option.


** Six-pin cylinder in Schlage "C" keyway included with 0B, KA, KD options. Must specify "6" for core housing.

*** Cylinder not included with COR, MED, SAR, SCH, YAL, OR SCHRC options. Must specify "0" for core housing.

****T15 Torx security screws are supplied standard.

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Magnetic stripe reader					
9KN - Single keyed lock	DV	Call your local Contract Construction Sales Representative.			
Magnetic stripe/keypad dual validation reader					
9KN - Single keyed lock	DV	Call your local Contract Construction Sales Representative.			
HID Proximity reader					
9KN - Single keyed lock	DV	Call your local Contract Construction Sales Representative.			
Indala® Proximity reader					
9KN - Single keyed lock	DV	Call your local Contract Construction Sales Representative.			



* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.



9KN NT500 Cylindrical Locks continued

* Extra Cost Options	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, etc.	Call your local Contract Construction Sales Representative.
Bright finishes (per lock)	605, 625, 629, etc.	
UltraShield antimicrobial finish	626AM	
3/4" throw latch	3/4	
Special backsets	94KN / 95KN	
Abrasive lever both sides	AL/B	
Abrasive lever outside	AL/O	
Abrasive lever inside	AL/I	
Tactile lever both sides	TL/B	
Tactile lever outside	TL/O	
Tactile lever inside	TL/I	
7/8" Lip-to-center strike	S3 7/8 or STK 7/8	
Extended Life Battery	8CE	

Part Description	Part Number	Price
2-3/4" deadlocking latch	8KL3	Call your local
3-3/4" deadlocking latch	8KL4	
5" deadlocking latch	8KL5	Contract Construc- tion Sales Rep.
Standard strike package	8KS2	
ANSI strike package	8KS3	
Throw member 6-pin / 7-pin	B54210 / B54200	



EXN NT500 Exit Trim

How To Order

EXN	7	EV	15	MS	626	RHR	PH2	RM	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Manf.	Locking Type	Options
EXN – NT500	0** – Keyless 7 – 7-pin housing; accepts all BEST cores	EV – With key** NV – Without key	14 – Curved w/ return 15 – Contour w/ angle return	MS – Magnetic stripe DV – Dual validation (magstripe and keypad) PH – Proximity HID® PM – Proximity Indala®	626 690 626AM* Satin* 606 613	RHR LHR	VD9 – Von Duprin 98/99 series PH2 – Precision Hardware 2000 series SA8 – Sargent 8000 Series***	RM – Rim*** MO – Mortise RD – Surface and concealed vertical rods	SH* – Security head screws MT1 – Track 1 MT2 – Track 2 MT3 – Track 3 MWIE – Motorola Wiegand HWIE – HID Wiegand

*Indicates extra cost option; see below.



**The EV function (key override) is not available on the Von Duprin Mortise type, or Sargent Rim type device.

*** SA8 Only available with Rim Type device.

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Magnetic stripe reader					
EXN - Exit Trim - single keyed	EV	Call your local Contract Construction Sales Representative.			
EXN - Exit Trim - non keyed	NV				
Magnetic stripe/keypad dual validation reader					
EXN - Exit Trim - single keyed	EV	Call your local Contract Construction Sales Representative.			
EXN - Exit Trim - non keyed	NV				
HID® Proximity reader					
EXN - Exit Trim - single keyed	EV	Call your local Contract Construction Sales Representative.			
EXN - Exit Trim - non keyed	NV				
Indala® Proximity reader					
EXN - Exit Trim - single keyed	EV	Call your local Contract Construction Sales Representative.			
EXN - Exit Trim - non keyed	NV				

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

* Extra cost options	Option code	Add-on
Satin finishes (per lock)	606, 613, etc.	Call your local Contract Construction Sales Representative.
UltraShield antimicrobial finish	626AM	
Security head screws	SH	



NT500 Conversion Kits (converts B.A.S.I.S. 9K, 40H, and EX Platforms)

How To Order



NTDNKT	MS
Series	Trim style
NTDNKT	MS – Magnetic Stripe DV – Dual validation P – Proximity HID

Includes circuit board, 2 wiring harnesses, temporary card and replacement battery.

Function Description	Price
Magnetic Stripe Lock	
NTDNKT-MS	Call for quote*
Dual Validation	
NTDNKT-DV	Call for quote*
Proximity HID	
NTDNKT-P	Call for quote*

Upgrade kits must be installed by a Stanley Security Solutions technician for warranty purposes.

*Call your local Contract Construction Sales Representative for a quote.



45HG B.A.S.I.S.® G Mortise Locks

How To Order

45HG	7	TV	14	MS	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HG – B.A.S.I.S. G	0** – Keyless 7 – 7-pin housing; accepts all BEST cores	DV – Latch w/key TV – Deadbolt w/key LV – Deadbolt w/o key NV – Latch w/o key	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Knobs: 4 – Round Decorative* 50-91	MS – Magnetic stripe DV – Dual validation (magstripe and keypad) DVA – Other cylinder MSA – Other cylinder	626 690 626AM* Satin* 606 612 613 619 Bright* 605 611 625	RH RHR LH LHR	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2*** – Phillips head screws KOS* – Key override sensor Thick Door* – Specify thickness 7/8" LTC* – Flat lip strike TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both TRK1 – Track 1 TRK2 – Track 2 TRK3 – Track 3

*Indicates extra cost option.

**Indicates cost deduction.

***T15 Torx security screws are supplied standard.

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Magnetic stripe reader					
45HG - Single Keyed Latch	DV	Call your local Contract Construction Sales Representative.			
45HG - Single Keyed Deadbolt	TV				
45HG - Non-keyed Latch	NV				
45HG - Non-keyed Deadbolt	LV				
Magnetic stripe/keypad dual validation reader					
45HG - Single Keyed Latch	DV	Call your local Contract Construction Sales Representative.			
45HG - Single Keyed Deadbolt	TV				
45HG - Non-keyed Latch	NV				
45HG - Non-keyed Deadbolt	LV				



* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

* Extra cost options	Option code	Add-on
Satin finishes (per lock)	606, 612, 613, 619 etc.	Call your local Contract Construction Sales Representative.
Bright finishes (per lock)	605, 611, 625, etc.	
UltraShield antimicrobial finish	626AM	
Thick door	Specify thickness	
Tactile both levers/knobs**	TAC/B	
Tactile outside lever/knob**	TAC/O	
Tactile inside lever/knob**	TAC/I	
7/8" Lip-to-center strike	7/8 LTC	
12, 17 Lever Design	12, 17	
Decorative Lever Design	50-91	
Extended Life Battery	8CE	
Key Override Sensor	KOS	

**Not available on #17 levers.

**Cost deductions	Option code	Deduct
Less cylinder option (Deduct from complete price)	0	Call for quote*

*Call your local Contract Construction Sales Representative.



9KG B.A.S.I.S.® G Cylindrical Locks

How To Order

93KG	7	DV	14	MS	STK	626	
Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options
93KG – 2-3/4" 94KG * – 3-3/4" 95KG * – 5"	0 – Keyless 6 – 6 pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	DV – with key	4 – Round knob 14 – Curved with return 15 – Contour with angle return 16 – Curved without return	MS – Magnetic stripe DV – Dual validation (magstripe and keypad)	STK – Standard S3 – ANSI S3-7/8 * – Lip-to-center strike	626 690 626AM* Satin * 606 612 Bright * 605 625	8CE * – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2**** – Phillips head screws FM – Free Motion 3/4 * – 3/4" throw latch 0B** – non-IC zero-bitted KA** – non-IC keyed alike KD** – non-IC keyed different COR*** – Non IC Corbin-Russwin MED*** – Non IC Medeco SAR*** – Non IC Sargent SCH*** – Non IC Schlage YAL*** – Non IC Yale SCHRC*** – Schlage RC (14 & 15 lever only) AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both TRK1 – Track 1 TRK2 – Track 2 TRK3 – Track 3

* Indicates extra cost option.

** Six-pin cylinder in Schlage "C" keyway included with 0B, KA, KD options. Must specify "6" for core housing.

*** Cylinder not included with COR, MED, SAR, SCH, YAL, or SCHRC options. Must specify "0" for core housing.



****T15 Torx security screws are supplied standard.

Function Description	Function Code	Complete with Combinated Core			Less Core
		Patented*	Premium	Standard	
Magnetic Stripe Reader					
9KG - Single keyed lock	DV	Call your local Contract Construction Sales Representative.			
Mag Stripe/Keypad Dual Validation Reader					
9KG - Single keyed lock	DV	Call your local Contract Construction Sales Representative.			

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

* Extra Cost Options	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, etc.	Call your local Contract Construction Sales Representative.
Bright finishes (per lock)	605, 625, 629, etc.	
UltraShield antimicrobial finish	626AM	
3/4" throw latch	3/4	
Special backsets	94KG / 95KG	
Abrasive lever both sides	AL/B	
Abrasive lever outside	AL/O	
Abrasive lever inside	AL/I	
Tactile lever both sides	TL/B	
Tactile lever outside	TL/O	
Tactile lever inside	TL/I	
7/8" Lip-to-center strike	S3-7/8	
Extended Life Battery	8CE	

Part Description	Part Number	Price
2-3/4" deadlocking latch	8KL3	Call your local Contract Construction Sales Rep.
3-3/4" deadlocking latch	8KL4	
5" deadlocking latch	8KL5	
Standard strike package	8KS2	Contract Construction Sales Rep.
ANSI strike package	8KS3	
Throw member 6-pin / 7-pin	B54210 / B54200	



EXG B.A.S.I.S.® G Exit Trim

How To Order

EXG	7	EV	15	MS	626	RHR	PH2	RM	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Manf.	Locking Type	Options
EXG – B.A.S.I.S. G	0** – Keyless 7 – 7-pin housing; accepts all BEST cores	EV – With key** NV – Without key	14 – Curved w/ return 15 – Contour w/ angle return	MS – Magnetic stripe DV – Dual validation (magstripe and keypad)	626 690 626AM* Satin* 606 613	RHR LHR	VD9 – Von Duprin 98/99 series PH2 – Precision Hardware 2000 series SA8 – Sargent 8000 Series***	RM – Rim*** MO – Mortise RD – Surface and concealed vertical rods	SH* – Security head screws TRK1 – Track 1 TRK2 – Track 2 TRK3 – Track 3

*Indicates extra cost option; see below.

**The EV function (key override) is not available on the Von Duprin Mortise type, or Sargent Rim type device.



*** SA8 Only available with Rim Type device.

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Magnetic stripe reader					
EXG - Exit Trim - single keyed	EV	Call your local Contract Construction Sales Representative.			
EXG - Exit Trim - non keyed	NV				
Magnetic stripe/keypad dual validation reader					
EXG - Exit Trim - single keyed	EV	Call your local Contract Construction Sales Representative.			
EXG - Exit Trim - non keyed	NV				

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

* Extra Cost Options	Option Code	Add-On
Satin finishes (per lock)	606, 613, etc.	Call for quote**
UltraShield antimicrobial finish	626AM	
Security head screws	SH	

**Call your local Contract Construction Sales Representative.



45HBV B.A.S.I.S.® V Mortise Locks

How To Order

45HBV	7	TV	14	MS	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HBV – B.A.S.I.S. V	0** – Keyless 7 – 7-pin housing; accepts all BEST cores	DV – Latch w/key TV – Deadbolt w/key LV – Deadbolt w/o key NV – Latch w/o key	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Knobs: 4 – Round Decorative* 50-91	MS – Magnetic stripe DV – Dual validation (magstripe and keypad) PH – Proximity HID® PM – Proximity Indala® DVA – Dual Validation Adaptation MSA – Magstripe Adaptation PHA – Prox HID Adpatation PMA – Prox Motorola Adaptation	626 630 690 626AM* 630AM* Satin* 606 612 613 619 Bright* 605 611 625 629	RH RHR LH LHR	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2*** – Phillips head screws KOS* – Key override sensor Thick Door* – Specify thickness 7/8" LTC* – Flat lip strike TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both TRK1 – Track 1 TRK2 – Track 2 TRK3 – Track 3 MWEI – Motorola 26 bit Wiegand H26B – HID 26 bit Wiegand H37B – HID 37 bit Wiegand



*Indicates extra cost option.

**Indicates cost deduction.

***T15 Torx security screws are supplied standard.

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Magnetic stripe reader					
45HBV - Single Keyed Latch	DV	Call your local Contract Construction Sales Representative.			
45HBV - Single Keyed Deadbolt	TV				
45HBV - Non-keyed Latch	NV				
45HBV - Non-keyed Deadbolt	LV				
Magnetic stripe/keypad dual validation reader					
45HBV - Single Keyed Latch	DV	Call your local Contract Construction Sales Representative.			
45HBV - Single Keyed Deadbolt	TV				
45HBV - Non-keyed Latch	NV				
45HBV - Non-keyed Deadbolt	LV				
HID® Proximity reader					
45HBV - Single Keyed Latch	DV	Call your local Contract Construction Sales Representative.			
45HBV - Single Keyed Deadbolt	TV				
45HBV - Non-keyed Latch	NV				
45HBV - Non-keyed Deadbolt	LV				
Indala® proximity reader					
45HBV - Single Keyed Latch	DV	Call your local Contract Construction Sales Representative.			
45HBV - Single Keyed Deadbolt	TV				
45HBV - Non-keyed Latch	NV				
45HBV - Non-keyed Deadbolt	LV				

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.





45HBV B.A.S.I.S.® V Mortise Locks continued

* Extra Cost Options	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, 619 etc.	Call your local Contract Construction Sales Representative.
Bright finishes (per lock)	605, 611, 625, etc.	
UltraShield antimicrobial finish	626AM, 630AM	
Thick door	Specify thickness	
Tactile both levers/knobs**	TAC/B	
Tactile outside lever/knob**	TAC/O	
Tactile inside lever/knob**	TAC/I	
7/8" Lip-to-center strike	7/8 LTC	
12, 17 Lever Design	12, 17	
Decorative Lever Design	50-91	
Extended Life Battery	8CE	
Key Override Sensor	KOS	

**Not available on #17 levers.

**Cost Deductions	Option Code	Deduct
Less cylinder option (Deduct from complete price)	0	Call for quote.*

*Call your local Contract Construction Sales Representative.



9KBV B.A.S.I.S.® V Cylindrical Locks

How To Order

93KBV	7	DV	14	MS	STK	626	
Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options
93KBV – 2-3/4" 94KBV* – 3-3/4" 95KBV* – 5"	0 – Keyless 6 – 6 pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	DV – with key	4 – Round knob 14 – Curved with return 15 – Contour with angle return 16 – Curved without return	MS – Magnetic stripe DV – Dual validation (magstripe and keypad) PH – Proximity HID® PM – Proximity Indala®	STK – Standard S3 – ANSI S3-7/8* – Lip to center strike	626 690 626AM* Satin* 606 612 Bright* 605 625	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2**** – Phillips head screws FM – Free Motion 3/4* – 3/4" throw latch 0B** – non-IC zero-bitted KA** – non-IC keyed alike KD** – non-IC keyed different COR*** – Non IC Corbin-Russwin MED*** – Non IC Medeco SAR*** – Non IC Sargent SCH*** – Non IC Schlage YAL*** – Non IC Yale SCHRC*** – Schlage RC (14 & 15 lever only) AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both TRK1 – Track 1 TRK2 – Track 2 TRK3 – Track 3 MWEI – Motorola 26 bit Wiegand H26B – HID 26 bit Wiegand H37B – HID 37 bit Wiegand

* Indicates extra cost option.



** Six-pin cylinder in Schlage "C" keyway included with 0B, KA, KD options. Must specify "6" for core housing.

*** Cylinder not included with COR, MED, SAR, SCH, YAL, or SCHRC options. Must specify "0" for core housing.

****T15 Torx security screws are supplied standard.

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Magnetic Stripe Reader					
9KBV - Single keyed lock	DV	Call your local Contract Construction Sales Representative.			
Mag Stripe Keypad Dual Validation Reader					
9KBV - Single keyed lock	DV	Call your local Contract Construction Sales Representative.			
HID® Proximity Reader					
9KBV - Single keyed lock	DV	Call your local Contract Construction Sales Representative.			
Indala® Proximity Reader					
9KBV - Single keyed lock	DV	Call your local Contract Construction Sales Representative.			

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.





9KBV B.A.S.I.S.® V Cylindrical Locks continued

* Extra Cost Options	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, etc.	Call your local Contract Construction Sales Representative.
Bright finishes (per lock)	605, 625, 629, etc.	
UltraShield antimicrobial finish	626AM	
3/4" throw latch	3/4	
Special backsets	94KBV / 95KBV	
Abrasive lever both sides	AL/B	
Abrasive lever outside	AL/O	
Abrasive lever inside	AL/I	
Tactile lever both sides	TL/B	
Tactile lever outside	TL/O	
Tactile lever inside	TL/I	
7/8" Lip-to-center strike	S3~7/8	
Extended Life Battery	8CE	

Part Description	Part Number	Price
2-3/4" deadlocking latch	8KL3	Call for quote**
3-3/4" deadlocking latch	8KL4	
5" deadlocking latch	8KL5	
Standard strike package	8KS2	
ANSI strike package	8KS3	
Throw member 6-pin / 7-pin	B54210 / B54200	

**Call your local Contract Construction Sales Representative.



EXBV B.A.S.I.S.® V Exit Trim

How To Order

EXBV	7	EV	15	MS	626	RHR	PH1	RM	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Manf.	Locking Type	Options
EXBV – B.A.S.I.S. V	0** – Keyless 7 – 7-pin housing; accepts all BEST cores	EV – With key** NV – Without key	14 – Curved w/ return 15 – Contour w/ angle return	MS – Magnetic stripe DV – Dual validation (magstripe and keypad) PH – Proximity HID® PM – Proximity Indala®	626 690 626AM* Satin* 606 613	RHR LHR	VD9 – Von Duprin 98/99 series PH2 – Precision Hardware 2000 series SA8 – Sargent 8000 Series***	RM – Rim*** MO – Mortise RD – Surface and concealed vertical rods	SH* – Security head screws TRK1 – Track 1 TRK2 – Track 2 TRK3 – Track 3

*Indicates extra cost option; see below.

**The EV function (key override) is not available on the Von Duprin Mortise type, or Sargent Rim type device.



***SA8 Only available with Rim Type device.

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Magnetic Stripe Reader					
EXBV - Exit Trim - single keyed	EV	Call your local Contract Construction Sales Representative.			
EXBV - Exit Trim - non keyed	NV				
Mag Stripe Keypad Dual Validation Reader					
EXBV - Exit Trim - single keyed	EV	Call your local Contract Construction Sales Representative.			
EXBV - Exit Trim - non keyed	NV				
HID® Proximity Reader					
EXBV - Exit Trim - single keyed	EV	Call your local Contract Construction Sales Representative.			
EXBV - Exit Trim - non keyed	NV				
Indala® Proximity Reader					
EXBV - Exit Trim - single keyed	EV	Call your local Contract Construction Sales Representative.			
EXBV - Exit Trim - non keyed	NV				

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

* Extra cost options	Option code	Add-on
Satin finishes (per lock)	606, 613, etc.	Call for quote**
UltraShield antimicrobial finish	626AM	
Security head screws	SH	

**Call your local Contract Construction Sales Representative.



45HM IDH MAX™ Mortise Locks

How To Order

45HM	7	DEU	14	MS	626	RH	Options
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	
45HM – IDH MAX™	0** – Keyless 7 – 7-pin housing; accepts all BEST cores	DEU – Electrically unlocked DEL – Electrically locked NXEU – Electrically unlocked NXEL – Electrically Locked TDEU – Electrically Unlocked TDEL – Electrically Locked LEU – Electrically unlocked LEL – Electrically locked	Levers: 3 – Solid tube/return 4 – Round 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Decorative* 50-91	MS – Magnetic stripe PH – Proximity HID® PM – Proximity Indala® MSA – Magstripe Adaptation PHA – Proximity HID Adaptation PMA – Proximity Motorola Adaptation	626 630 690 626AM* 630AM* Satin* 606 612 613 Bright* 605 611 625 629	RH RHR LH LHR	ABA or Weigand – Proximity reader only P2**** – Phillips head screws Thick Door* – Specify thickness 7/8" LTC* – Flat lip strike 1300* – B.A.S.I.S. Direct Connect TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both MWEI – Motorola 26 bit Wiegand H26B – HID 26 bit Wiegand

* Indicates extra cost; see below.



** Indicates cost deduction; see below.

*** Fail safe functions (EL) and fail secure functions (EU) include a Temperature Control Module (TCM) with the price of the lock.

****T15 Torx security screws are supplied standard.

Function Description	Function Code	Complete with Combinated Core			Less Core
		Patented*	Premium	Standard	
Magnetic Stripe Reader					
45HM - Single Keyed Latch	DEU, DEL	1604.00	1612.00	1599.00	1,558.00
45HM - Non-keyed Latch	NXEU, NXEL	N/A	N/A	N/A	1,509.00
45HM - Single Keyed Deadbolt	TDEU, TDEL	1619.00	1627.00	1614.00	1,573.00
45HM - Non-keyed Deadbolt	LEU, LEL	N/A	N/A	N/A	1,524.00
HID® Proximity Reader					
45HM - Single Keyed Latch	DEU, DEL	2071.00	2079.00	2066.00	2,025.00
45HM - Non-keyed Latch	NXEU, NXEL	N/A	N/A	N/A	1,976.00
45HM - Single Keyed Deadbolt	TDEU, TDEL	2075.00	2083.00	2070.00	2,029.00
45HM - Non-keyed Deadbolt	LEU, LEL	N/A	N/A	N/A	1,980.00
Indala® Proximity Reader					
45HM - Single Keyed Latch	DEU, DEL	2212.00	2220.00	2207.00	2,166.00
45HM - Non-keyed Latch	NXEU, NXEL	N/A	N/A	N/A	2,114.00
45HM - Single Keyed Deadbolt	TDEU, TDEL	2217.00	2225.00	2212.00	2,171.00
45HM - Non-keyed Deadbolt	LEU, LEL	N/A	N/A	N/A	2,119.00

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.





45HM IDH MAX™ Mortise Locks continued

* Extra Cost Options	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, 619 etc.	55.00
Bright finishes (per lock)	605, 611, 625, etc.	109.00
UltraShield antimicrobial finish	626AM, 630AM	40.00
Thick door	Specify thickness	59.00
Tactile both levers/knobs**	TAC/B	88.00
Tactile outside lever/knob**	TAC/O	44.00
Tactile inside lever/knob**	TAC/I	44.00
7/8" Lip-to-center strike	7/8 LTC	15.00
12, 17 Lever Design	12, 17	48.00
Decorative Lever Design	50-91	152.00
Integrated BAS1300/LNL1300	1300	524.00

**Cost Deductions	Option Code	Deduct
Less cylinder option (Deduct from complete price)	0	49.00

**Not available on #17 levers.

1300 Option - Integrated BAS1300/LNL1300 reader electronics board or Intelligent System Controller (ISC) is embedded behind the escutcheon, secured and out of sight. This option functions with B.A.S.I.S./Mercury on-line equipment only.



9KM IDH MAX™ Cylindrical Locks

How To Order

93KM	7	DDEU	14	MS	STK	626	Options
Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	
93KM – 2-3/4"	0*** – Keyless 6 – 6 pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	DDEU – Electrically unlocked	14 – Curved with return	MS – Magnetic stripe	STK – Standard	626 690 626AM*	LM – Lost motion
94KM* – 3-3/4"		DDEL – Electrically locked	15 – Contour with angle return	PH – Proximity HID®	S3 – ANSI S3-7/8* – Lip to center strike	Satin* 606 612 613 619 622	P2***** – Phillips head screws 3/4* – 3/4" throw latch 1300* – B.A.S.I.S. Direct Connect
95KM* – 5"			16 – Curved without return	PM – Proximity Indala®	LS – Less Strike	Bright* 605 611 625	0B** – non-IC zero-bitted KA** – non-IC keyed alike KD** – non-IC keyed different COR*** – Non IC Corbin-Russwin MED*** – Non IC Medeco SAR*** – Non IC Sargent SCH*** – Non IC Schlage YAL*** – Non IC Yale SCHRC*** – Schlage RC (14 & 15 lever only) AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both MWEI – Motorola 26 bit Wiegand H26B – HID 26 bit Wiegand

* Indicates extra cost option.

** Six-pin cylinder in Schlage "C" keyway included with 0B, KA, KD options. Must specify "6" for core housing.

*** Cylinder not included with COR, MED, SAR, SCH, YAL, or SCHRC options. Must specify "0" for core housing.

**** Fail safe functions (EL) and fail secure functions (EU) include a Temperature Control Module (TCM) with the price of the lock.

*****T15 Torx security screws are supplied standard.

Function Description	Function Code	Complete with Combined			Less Core
		Patented*	Premium	Standard	
Magnetic Stripe Reader					
9KM - Single keyed lock	DDEU, DDEL	1532.00	1540.00	1527.00	1,486.00
HID Proximity Reader					
9KM - Single keyed lock	DDEU, DDEL	1992.00	2000.00	1987.00	1,946.00
Indala® Proximity Reader					
9KM - Single keyed lock	DDEU, DDEL	2128.00	2136.00	2123.00	2,082.00

* Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.

1300 Option – Integrated BAS1300/LNL1300 reader electronics board or Intelligent System Controller (ISC) is embedded behind the escutcheon, secured and out of sight. This option functions with B.A.S.I.S./Mercury on-line equipment only.

* Extra Cost Options	Option Code	Price
Satin finishes (per lock)	606, 612, 613, etc.	55.00
Bright finishes (per lock)	605, 625, 629, etc.	109.00
UltraShield antimicrobial finish	626AM	30.00
3/4" throw latch	3/4	21.00
Special backsets	94KM / 95KM	14.00
Abrasive lever both sides	AL/B	27.00
Abrasive lever outside	AL/O	14.00
Abrasive lever inside	AL/I	14.00
Tactile lever both sides	TL/B	53.00
Tactile lever outside	TL/O	27.00
Tactile lever inside	TL/I	27.00

* Extra Cost Options	Option Code	Price
7/8" Lip-to-center strike	S3-7/8	15.00
Integrated BAS1300/LNL1300	1300	524.00

Part Description	Part Number	Price
2-3/4" deadlocking latch	8KL3	53.00
3-3/4" deadlocking latch	8KL4	66.00
5" deadlocking latch	8KL5	66.00
Standard strike package	8KS2	5.10
ANSI strike package	8KS3	14.00
Throw member 6-pin / 7-pin	B54210 / B54200	1.05



Stanley ID Express Station™

Remote Card Encoding System

The Stanley ID Express Station™ system provides the ability for cardholders to conduct self-managed transactions via a simple and user-friendly interface at a kiosk station. Existing cards can be updated, or temporary cards can be issued. The Stanley ID Express Station™ is only compatible with the B.A.S.I.S. Access Control Software.

Part Number	Description	Price
SSK-IDEXPRESS-K	Stanley ID Express Station™ - Kiosk configuration with 17" Touchscreen monitor, magnetic stripe card dispenser/enrollment station, verification CCTV and Uninterruptible Power Supply, (see note regarding shipping/crating costs)*	Call your local Contract Construction Sales Representative.
SSK-IDEXPRESS-DC	Stanley ID Express Station™ - Desktop Complete Configuration configuration with Touchscreen monitor, magnetic stripe card dispenser/enrollment station and verification CCTV. Uninterruptible Power Supply is not included. An exterior placed UPS is recommended. (see note regarding shipping/crating costs)**	
SSK-IDEXPRESS-PROX	Additional Proximity card enrollment station for the K option Kiosk configuration	
SSK-IDEXPRESS-Logo	Placement of Customers LOGO on top of Kiosk. Customer must provide art-ready graphic in electronic format	
LE-SWG-1140***	OpenIT Software Module	
LE-SWG-1140- INT	OpenIT Software Module Integration Programming	

Shipping/crating charges:

*The above unit pricing does not include the crating charge of \$350 and the shipping cost of \$375 per Kiosk purchase. These amounts are in addition to the per unit pricing. (additional rates apply outside of Contiguous United States)

**The above unit pricing does not include the crating charge of \$250 and the shipping cost of \$275 per Desktop purchase. These amounts are in addition to the per unit pricing. (additional rates apply outside of Contiguous United States)

**** Applications utilizing dual validation locks (card and pin) will also require the OpenIT software module for the B.A.S.I.S. management system. Refer to the Technical Support Group section for installation pricing.

Installation Requirements: (Provided by Others) Electrical: Requires one (1) standard duplex 110 VAC 30 amp circuit located within 2' of equipment. Communications: Data Connection: Ethernet terminated with a RJ45 located within 2' of equipment.





Stanley DataLink Services

Part Number	Description	Price
Data integration solutions		
BASD-SDL	Stanley DataLink™ CD (Requires a Support Agreement listed below)	Call for quote*
BASD-INST	Hourly fee for Datalink related services	
BASD-TK	Turn-key installation for BASD-SDL	

Support agreements		
BASD-B	Bronze Support Plan – 1 yr	Call for quote*
BASD-S	Silver Support Plan – 1 yr	
BASD-G	Gold Support Plan – 1 yr	
BASD-P	Platinum Support Plan – 1 yr	
BASD-247	24/7 Emergency Pager Support – 1 yr	

*Call your local Contract Construction Sales Representative.

Stanley DataLink™ provides a generic API (Applications Programming Interface) for the B.A.S.I.S. security database to communicate with another ODBC compliant databases.
 Contact the technical support team for additional questions or pricing.



Stanley Wi-Q™ Technology Wireless Access Management Software & Accessories

Description	Part Number	Price
Software		
B.A.S.I.S. 32ES Server* (base support for 32 readers; can be upgraded to 64)	WQS-SWS-32ES	Call your local Contract Construction Sales Representative.
B.A.S.I.S. 32ES Client	WQS-SWC-32ES	
B.A.S.I.S. 32ES Server with Integrated Badging	WQS-SWS-32ESI	
B.A.S.I.S. ADV* (base support for 64 readers; can be upgraded to 256 readers)	WQS-SWS-ADV	
B.A.S.I.S. ADV & PRO Client	WQS-SWC-ADV	
B.A.S.I.S. ADV with Integrated Badging	WQS-SWS-ADVI	
B.A.S.I.S. PRO* (base support for 128 readers; can be upgraded to unlimited)	WQS-SWS-PRO	
Stanley Wi-Q™ Access Management Software (64 readers enabled)	WQS-SWAT	



*Requires Stanley Wi-Q™ Access Control Software (WQS-SWAT)
 ** Includes Stanley Wi-Q™ Access Control Software (WQS-SWAT)

B.A.S.I.S. 32 Reader Upgrade for 32ES System	WQS-32ES-W-32RUP-WQ	Call for quote*
B.A.S.I.S. ADV and PRO reader upgrade (blocks of 64 readers)	WQS-PRO-W-64RUP-WQ	

Note: Normal B.A.S.I.S. software upgrade licenses apply. (Base software and 64 reader blocks)

Stanley Wi-Q™ Software Reader Upgrades (These do not apply if B.A.S.I.S. is also purchased)		
Software reader upgrade per 64 readers (base software defaults to a 2 reader license, but does not apply if B.A.S.I.S. is sold.), per facility upgrade.	WQS-12845-64	Call your local Contract Construction Sales Representative.
Reader memory upgrade from 2,000 to 10,000 users (each reader defaults to 2,000 users), per reader upgrade.	WQS-12852-001	
Reader memory upgrade from 2,000 to 30,000 users (each reader defaults to 2,000 users), per reader upgrade.	WQS-12852-002	
Reader memory upgrade from 2,000 to 65,000 users (each reader defaults to 2,000 users), per reader upgrade	WQS-12852-003	
Portal Gateway upgrade per 64 readers. (Base software defaults to 64 readers. Each additional order adds 64 more reader capacity to the portal gateway.) - per Portal Gateway	WQS-12846-64	
Stanley Wi-Q™ Software Database Import		
Database Import Utility Software	WQS-12861	Call for quote*
Database Import Utility Software	WQS-12862	

*Call your local Contract Construction Sales Representative.



Stanley Wi-Q™ Technology Wireless Access Management Software & Accessories continued

Description	Part Number	Price
Portal Gateways (PG)		
Portal Gateway for up to 128 Readers/Locks* with half wave dipole omnidirectional antenna (should only be used where PG is mounted in an open area, not in a ceiling or restricted signal area)	WQX-PG	Call your local Contract Construction Sales Representative.
Portal Gateway for up to 128 Readers/Locks* with ceiling mount omnidirectional antenna.	WQX-PG-C	
Portal Gateway with enclosure, power supply and ceiling mount omnidirectional antenna.	WQX-PG-C-B	
Portal Gateway in a mounting enclosure, without Power Supply. This would be used with Power Over Ethernet (POE) devices (not included)	WQX-PG-BP	
Portal Gateway in a mounting enclosure, with ceiling mount omnidirectional antenna, without Power Supply. This would be used with Power Over Ethernet (POE) devices (not included)	WQX-PG-BP-C	
Portal Gateway for up to 128 Readers/Locks* with wall mount directional antenna.	WQX-PG-W	
Portal Gateway with enclosure, power supply and wall mount directional antenna.	WQX-PG-W-B	

* Does not imply that 128 readers/locks will be within distance/RF range to connect. Total number of portal gateways required is based on individual system survey and requirements.

Wireless Access Controllers (WAC)		
Wireless Access Controller with half wave dipole omnidirectional antenna (should only be used where WAC is mounted in an open area, not in a ceiling or restricted signal area).	WQX-WAC	Call your local Contract Construction Sales Representative.
Wireless Access Controller with ceiling mount omnidirectional antenna.	WQX-WAC-C	
Wireless Access Controller in enclosure with power supply and ceiling mount omnidirectional antenna.	WQX-WAC-C-B	
Wireless Access Controller with wall mount directional antenna.	WQX-WAC-W	
Wireless Access Controller in enclosure with power supply and wall mount directional antenna	WQX-WAC-W-B	
Wireless Access Controller in Nema enclosure with power supply and exterior directional antenna	WQX-WAC-D-BW	
Wireless Access Controller in Nema enclosure with power supply and exterior omni-directional antenna	WQX-WAC-O-BW	
Wireless Access Controller sign-on keypad	WQD-WACPAD	
Wireless Access Controller Survey Kit	WQD-Survey	



Power and adapters		
Sealed battery pack	2P-VDPBB	Call your local Contract Construction Sales Representative.
Plug-in Transformer (wall-mount) with 6' of cable	WQD-12827	
Power over Ethernet Power Supply/Inserter	WQD-12927-001	
Power over Ethernet Active Splitter with Isolation	WQD-12928-001	
Dial-up to Ethernet Modem	WQD-12873-001	

Stanley Wi-Q™ Antennas		
2.4 GHz Interior Ceiling Mount Omni-directional Antenna kit*	WQD-ACMO	Call your local Contract Construction Sales Representative.
2.4 GHz Interior Wall mount directional antenna kit*	WQD-AWMD	
2.4GHZ Exterior directional antenna**	WQD-AEMD	
2.4GHZ Exterior omnidirectional mast mount kit**	WQD-AEMO	
Exterior Antenna Grounding kit***	WQD-AGT	
Surge Protection Kit	WQD-SURG	
Cleaning cards (box of 50)	VPDCLN	

* Antenna Kit include antenna, standard mount and 20' cable to connect to PG or WAC.

** Antenna Kit includes antenna, wall and post mounts and 20' cable to connect to WAC or PG.

***Grounding kit includes coax grounding kit and lightning arrester.



BEST 45HQ Wireless Mortise Locks With Stanley Wi-Q™ Technology

How To Order

45HQ	7	TV	14	MS	626	RH	
Series	Core Housing	Function Code	Lever Style	Trim Style	Finish	Door Hand	Options
45HQ – Wireless mortise	0** – Keyless 7 – 7-pin housing; accepts all BEST cores	DV – Latch w/key TV – Deadbolt w/key	Levers: 3 – Solid tube/return 12* – Solid tube/no return 14 – Curved/return 15 – Contour/angle return 16 – Curved/no return 17* – Gull wing Knobs: 4 – Round Decorative* 50-91	MS – Magnetic stripe DV – Dual validation (magstripe and keypad) PH – Proximity HID® PM – Proximity Indala® DVA – Other cyl MSA – Other cyl PHA – Other cyl PMA – Other cyl	626 630 690 626AM* 630AM* Satin* 606 612 613 Bright* 605 611 625 629	RH RHR LH LHR	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2*** – Phillips head screws Thick Door* – Specify thickness 7/8" LTC* – Flat lip strike TAC/I* – Tactile Lever Inside TAC/O* – Tactile lever Outside TAC/B* – Tactile Lever Both TRK1 – Track 1 TRK2 – Track 2 TRK3 – Track 3

Note: Wireless locks come with Integrated Door Hardware (IDH) as standard -Request to Exit (RQE), door position switch (DS), latch bolt monitor switch (LS) and key-override switch (KOS) on DV Function.

Note: Wireless locks come with Integrated Door Hardware.



*Indicates extra cost option.

**Indicates cost deduction.

***T15 Torx security screws are supplied standard.

Function Description	Function Code	Complete with Combinated Core			Less Core
		Patented*	Premium	Standard	
Magnetic stripe reader					
45HQ- Single Keyed Latch	DV	Call your local Contract Construction Sales Representative.			
45HQ- Single Keyed Deadbolt	TV				
Magnetic stripe/keypad dual validation reader					
45HQ- Single Keyed Latch	DV	Call your local Contract Construction Sales Representative.			
45HQ- Single Keyed Deadbolt	TV				
HID® Proximity reader					
45HQ- Single Keyed Latch	DV	Call your local Contract Construction Sales Representative.			
45HQ- Single Keyed Deadbolt	TV				
Indala® proximity reader					
45HQ- Single Keyed Latch	DV	Call your local Contract Construction Sales Representative.			
45HQ- Single Keyed Deadbolt	TV				
iClass Smart Card reader					
45HQ- Single Keyed Latch	DV	Call your local Contract Construction Sales Representative.			
45HQ- Single Keyed Deadbolt	TV				

*Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.





BEST 45HQ Wireless Mortise Locks With Stanley Wi-Q™ Technology continued

* Extra Cost Options	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, 619 etc.	Call your local Contract Construction Sales Representative.
Bright finishes (per lock)	605, 611, 625, etc.	
UltraShield antimicrobial finish	626AM, 630AM	
Thick door	Specify thickness	
Tactile both levers/knobs**	TAC/B	
Tactile outside lever/knob**	TAC/O	
Tactile inside lever/knob**	TAC/I	
7/8" Lip-to-center strike	7/8 LTC	
12, 17 Lever Design	12, 17	
Decorative Lever Design	50-91	
Extended Life Battery	8CE	

**Not available on #17 levers.

**Cost Deductions	Option Code	Deduct
Less cylinder option (Deduct from complete price)	0	Call for quote*

*Call your local Contract Construction Sales Representative.



BEST 9KQ Wireless Cylindrical Locks With Stanley Wi-Q™ Technology

How To Order

93KQ	7	DV	14	MS	STK	626	
Backset	Core Housing	Function Code	Lever Style	Rose Style	Strike Package	Finish	Options
93KQ – 2-3/4" 94KQ* – 3-3/4" 95KQ* – 5" Wireless cylin	0 – Keyless 6 – 6 pin non-IC cylinder 7 – 7-pin housing; accepts all BEST cores	DV – with key	14 – Curved with return 15 – Contour with angle return 16 – Curved without return 4 – Round knob	MS – Magnetic stripe DV – Dual validation (magstripe and keypad) PH – Proximity HID® PM – Proximity Indala®	STK – Standard S3 – ANSI S3-7/8* – Lip to center strike	626 690 626AM* Satin* 606 612 Bright* 605 625	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery P2**** – Phillips head screws LM – Lost motion 3/4* – 3/4" throw latch 0B** – non-IC zero-bitted COR*** – non IC Corbin Russwin MED*** – non IC Medico SAR*** – non IC Sargent SCH*** – non IC Schlage YAL*** – non IC Yale SCHRC*** – Schlage RC (14 & 15 lever only) AL/O* – Abrasive Lever Outside AL/I* – Abrasive Lever Inside AL/B* – Abrasive Lever Both TL/O* – Tactile Lever Outside TL/I* – Tactile Lever Inside TL/B* – Tactile Lever Both TRK1 – Track 1 TRK2 – Track 2 TRK3 – Track 3

Note: Wireless locks come with Integrated Door Hardware (IDH) as standard -Request to Exit (RQE), Door Position Switch (DS)

* Indicates extra cost option.



** Six-pin cylinder in Schlage "C" keyway included with 0B, KA, KD options. Must specify "6" for core housing.

*** Cylinder not included with COR, MED, SAR, SCH, YAL, or SCHRC options. Must specify "0" for core housing.

****T15 Torx security screws are supplied standard.

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Magnetic Stripe Reader					
9KQ - Single keyed lock	DV	Call your local Contract Construction Sales Representative.			
Mag Stripe Keypad Dual Validation Reader					
9KQ - Single keyed lock	DV	Call your local Contract Construction Sales Representative.			
HID® Proximity Reader					
9KQ - Single keyed lock	DV	Call your local Contract Construction Sales Representative.			
Indala® Proximity Reader					
9KQ - Single keyed lock	DV	Call your local Contract Construction Sales Representative.			
iClass Smart Card Reader					
9KQ - Single keyed lock	DV	Call your local Contract Construction Sales Representative.			

*Patented pricing shown is for CORMAX patented keying system. Add \$18.00 for Best Preferred patented keying.





BEST 9KQ Wireless Cylindrical Locks With Stanley Wi-Q™ Technology continued

* Extra Cost Options	Option Code	Add-On
Satin finishes (per lock)	606, 612, 613, etc.	Call your local Contract Construction Sales Representative.
Bright finishes (per lock)	605, 625, 629, etc.	
UltraShield antimicrobial finish	626AM	
3/4" throw latch	3/4	
Special backsets	94KQ / 95KQ	
Abrasive lever both sides	AL/B	
Abrasive lever outside	AL/O	
Abrasive lever inside	AL/I	
Tactile lever both sides	TL/B	
Tactile lever outside	TL/O	
Tactile lever inside	TL/I	
7/8" Lip-to-center strike	7/8 LTC	
Extended Life Battery	8CE	

Part Description	Part Number	Price
2-3/4" deadlocking latch	8KL3	Call for quote*
3-3/4" deadlocking latch	8KL4	
5" deadlocking latch	8KL5	
Standard strike package	8KS2 / 9KS2	
ANSI strike package	8KS3 / 9KS3	
Throw member 6-pin / 7-pin	B54210 / B54200	

*Call your local Contract Construction Sales Representative.



BEST EXQ Wireless Exit Trim With Stanley Wi-Q™ Technology

How To Order

EXQ	7	EV	15	MS	626	RHR	PH2	RM	
Series	Core housing	Function code	Lever style	Trim style	Finish	Door hand	Mfg	Locking type	Options
EXQ – Wireless exit trim	0** – Keyless 7 – 7-pin housing; accepts all BEST cores	EV – With key**	14 – Curved w/ return 15 – Contour w/ angle return	MS – Magnetic stripe DV – Dual validation (magstripe and keypad) PH – Proximity HID® PM – Proximity Indala®	626 690 626AM* Satin* 606 612 613	RHR LHR	VD9 – Von Duprin 98/99 series PH2 – Precision Hardware 2000 series SA8 – Sargent 8000 Series***	RM – Rim*** MO – Mortise RD – Surface and concealed vertical rods	SH* – Security head screws MT1 – Track 1 MT2 – Track 2 MT3 – Track 3 MWIE – Motorola Wiegand HWIE – HID Wiegand

Note: Wireless locks come standard with door position switch (DS), connector/input to connect to a RQE switch inside exit device. (RQE switch must be purchased separately for exit device brand and model).

Note: Latch Switch connector is also included for use with a latch switch indicator only on Precision exit devices.

*Indicates extra cost option; see below.

**The EV function (key override) is not available on the Von Duprin Mortise type, or Sargent Rim type device.



***SA8 Only available with Rim Type device.

Function Description	Function Code	Complete with Combined Core			Less Core
		Patented*	Premium	Standard	
Magnetic Stripe Reader					
EXQ - Exit Trim - single keyed	EV	Call your local Contract Construction Sales Representative.			
Mag Stripe Keypad Dual Validation Reader					
EXQ - Exit Trim - single keyed	EV	Call your local Contract Construction Sales Representative.			
HID® Proximity Reader					
EXQ - Exit Trim - single keyed	EV	Call your local Contract Construction Sales Representative.			
Indala® Proximity Reader					
EXQ - Exit Trim - single keyed	EV	Call your local Contract Construction Sales Representative.			
iClass Smart Card Reader					
EXQ - Exit Trim - single keyed	EV	Call your local Contract Construction Sales Representative.			

*Patented pricing shown is for CORMAX patented keying. Add \$18.00 for Best Preferred patented keying.

* Extra cost options	Option code	Add-on
Satin finishes (per lock)	606, 612, 613	Call for quote*
UltraShield antimicrobial finish	626AM	
Security head screws	SH	

*Call your local Contract Construction Sales Representative.



BEST Wireless Conversion Kits With Stanley Wi-Q™ Technology

How To Order



Kit works on B.A.S.I.S. 9K and 40H Platforms

Works on Magnetic Stripe, Dual Validation, HID Proximity, and Indala Proximity

Kits will not work on 30H Mortise Platforms.

WQCNKT Wireless upgrade kits		
Series	Description	Price
WQCNKT-1 Cylindrical wireless upgrade kit	Kit to convert a B.A.S.I.S. 9K V/G standalone lockset to a Stanley Wi-Q™ Wireless Lockset. Notes: 1) Kit includes a new 9K chassis with new motor, RQE hub and door position switch. 2) If the conversion kit will be used on a standalone lock with a HID Proximity, it is highly recommended that a new HID Proximity current reader assembly is also purchased. The new style reader will provide approximately 50% better battery life. (Part # 3064905 --- B82399 45HQ HID PROX BEZEL SUB-ASSY (HID), List price \$291.00)	Call your local Contract Construction Sales Representative.
WQCNKT-2 Mortise DV function (without deadbolt) wireless upgrade kit with alarm functionality	Kit to convert a B.A.S.I.S. 45H V/G standalone lockset to a Stanley Wi-Q™ Wireless Lockset. Notes: 1) Kit also contains a new 45H DV mortise case which includes RQE, door position switch, latch position switch and key-override sensor to provide for full alarm functionality. 2) If the conversion kit will be used on a standalone lock with a HID Proximity, it is highly recommended that a new HID Proximity current reader assembly is also purchased. The new style reader will provide approximately 50% better battery life. (Part # 3064905 --- B82399 45HQ HID PROX BEZEL SUB-ASSY (HID), List price \$291.00)	
WQCNKT-3 Mortise TV function (with deadbolt) wireless upgrade kit with alarm functionality	Kit to convert a B.A.S.I.S. 45H V/G standalone lockset to a Stanley Wi-Q™ Wireless Lockset. Notes: 1) Kit also contains a new 45H TV mortise case which includes RQE, door position switch, deadbolt position switch, and key-override sensor to provide for full alarm functionality. 2) If the conversion kit will be used on a standalone lock with a HID Proximity, it is highly recommended that a new HID Proximity current reader assembly is also purchased. The new style reader will provide approximately 50% better battery life. (Part # 3064905 --- B82399 45HQ HID PROX BEZEL SUB-ASSY (HID), List price \$291.00)	

Upgrade kits must be installed by a Stanley Security Solutions technician for warranty purposes.



Electronic Lock Inside Escutcheon Conversion Kits

How To Order

Kit works on Keypad EZ, B.A.S.I.S. G, B.A.S.I.S. V, NT500, and Wi-Q products.

Kits do not work on IDH Max products.

Cylindrical conversion kits

9KEKT		DV	626	
Series	Wireless or non-wireless	Function Code	Finish	Options
9KEKT – Cylindrical conversion kit	Q – Wi-Q Wireless Blank – Non-wireless	DV – Latch w/key	626 626AM* Satin* 606 612 613 Bright* 605 625 629	8CE* – 8 cell battery holder assy with batteries 4SW – 4 cell shrink wrap battery pack P2** – Phillips head screws

* Indicates extra cost option.

**T15 Torx security screws are supplied standard.

Mortise conversion kits

45HEKT	Q	TV	606	
Series	Wireless or non-wireless	Function Code	Finish	Options
45HEKT – Mortise conversion kit	Q – Wi-Q Wireless Blank – Non-wireless	DV – Latch w/key TV – Deadbolt w/key LV – Deadbolt w/o key NV – Latch w/o key	626 626AM* Satin* 606 612 613 Bright* 605 625 629	8CE* – 8 cell battery holder assy with batteries Thick Door* – Specify thickness P2** – Phillips head screws

**T15 Torx security screws are supplied standard.

Conversion kit	Price
9KEKT Cylindrical conversion kit	
Wi-Q Wireless	Call for quote*
Non-wireless	
45HEKT Mortise conversion kit	
Wi-Q Wireless	Call for quote*
Non-wireless	

*Call your local Contract Construction Sales Representative.

* Extra cost options	Option code	Add-on
Satin finish	606 612 613	Call your local Contract Construction Sales Representative.
Bright finish	605 625 629	
UltraShield antimicrobial finish	626AM	
Thick door	Specify thickness	
Extended Life Battery	8CE	

Customer number

Stanley Security Solutions
6161 E 75th Street
Indianapolis, IN 46250
Phone: 800-329-5209
www.stanleysecuritysolutions.com



Contract Construction Order Fulfillment Cover Form

Must be submitted with complete information with your PO and hardware schedule, *but only if factory keying is required.*

Price book number(s)

Complete all of the following information:

Quote number

Distributor

Distributor name _____
Your PO number _____ Distributor account number _____
Contact person _____
Street Address _____
City _____ State _____ Zip/Postal _____
Phone _____ Fax _____
Mobile phone _____ E-mail _____

Contractor

Contractor name _____
Job name _____
Contact person _____
Contractor address _____
City _____ State _____ Zip/Postal _____
Phone _____ Fax _____
Mobile phone _____ E-mail _____

End user

End user company _____
School name _____
if applicable
School district _____
if applicable
Bldg turnover date _____ Keying system _____
Permanent core due date REQUIRED Patented, Premium or standard (if known)
Contact person _____
Contractor address _____
City _____ State _____ Zip/Postal _____
Phone _____ Fax _____
Mobile phone _____ E-mail _____

For Stanley Security Solution use only

End user customer # _____ Keying system _____ Factory order # _____
Patented, Premium or standard

Notes _____

