



Buy American Act (BAA) American Recovery and Reinvestment Act (ARRA)

Compliant Product Guide

January 2012

 **Ingersoll Rand**
Security Technologies

Ingersoll Rand Security Technologies

11819 North Pennsylvania Street
Carmel, Indiana 46032
877-671-7011
www.securitytechnologies.ingersollrand.com
st-govtservices@irco.com

Government Sales Contact:

Terry Collins
678-906-2108 Office
404-429-7556 Cell

Chuck Sarkis
561-478-7950 Office
561-379-6679 Cell

Information On Government Requirements 4-6
Government Supply Definitions 6
Additional Cost & Order Requirements 31
BAA Order Transmittal Cover 32

LOCKS

Schlage
A Series 7
AL Series 7
B250 Series 7
B500 Series 7
B600/700/800 Series 7
D Series 7
ND Series 7
H Series 7
L Series 7
S Series 7
S200 Series 7

Falcon
Y Series 8
B Series 8
W Series 8
MA Series 8

CYLINDERS

Schlage 9

ELECTRONIC ACCESS CONTROL

Schlage
Door Position Switch 16
Power Supplies 16
Electronic Locks 17
Networked Reader 17

Von Duprin
Electric Strike 18
Electric Power Transfer 18
Power Supplies 19

ACCESS CONTROL AND VIDEO SYSTEMS

bright blue Panels 20
bright blue Demo Kit 20
bright blue video 20
SMS Software 20
SMS Software/Servers 21
SMS Control Panels 21
SMS Custom Enclosures 21
SMS Video 21
SMS Video Software Only 21
SMS Video Accessories 21

CLOSERS

LCN
Door Closers 22
Automatic Operators 22
Actuator Switch 22

Falcon
Automatic Operators 23
Actuator Switches 23

EXIT DEVICES

Von Duprin 24
Exit Device 24
Mullion 24
Falcon 24
Exit Device 24

AUXILIARY HARDWARE

Glynn Johnson
Overhead Holders & Stops 25
Push/Pull Latch 26

Ives
Hinges 26
Continuous Hinges 26
Pivots 26
Kickplates & Push/Pull Plates 27
Carry Bars 27
Invisible Latches 27
Coordinators 27
Dust Proof Strikes 27
Flush Bolts 28
Filler Bars 28
Floor/Door Stops & Holders 28
Lock Guards 28
Mounting Brackets 28
Roller Latches 29
Locking Bolts 29
Silencers 29
Wall Stops/ Holders 29

DOORS AND FRAMES

Steelcraft
Metal Doors 30
Metal Frames 30
Architectural Stick 30

Falcon
Metal Door Series 30

Your request for a BAA/ARRA Certification letter should include the following:

1. Project Name: _____
2. Solicitation # (if applicable): _____
3. Total Project Size (dollar amount): \$_____
4. Does the above project total size exceed the \$7.8 M threshold for BAA/WTO? Yes No
5. Does the above project total size exceed the \$9.1 M threshold for NAFTA? Yes No
6. Federal Project: Yes No
7. State Project: Yes - ST _____ No
8. City Project: Yes No
9. HUD Project: Yes No
10. US EPA Project: Yes No
11. ARRA Funded Project: Yes No

12. List of Specified Products (Attach separate sheet if required. Project take-offs and quote request forms are acceptable for product descriptions)

Submit Completed form to: ST-GOVTSERVICES@IRCO.COM

Please note this is only a worksheet to help provide and gather all necessary information for Buy American Act certification.

This catalog contains products that currently comply with Buy American requirements imposed by the federal government through the Buy American Act (“BAA”) and the American Recovery and Reinvestment Act (“ARRA”) or meet a clear exception to these Buy American requirements. The catalog is reviewed and updated on a quarterly basis, to verify continued compliance. Please be sure to visit IR PartnerLink for the most current catalog revision.

It is our goal to make it as easy as possible to supply Ingersoll Rand Security Technologies products for projects subject to Buy American requirements. A brief description of some of the federal requirements can be found below. Please keep in mind that there are exceptions, exemptions and waivers to many of these requirements. Understanding all the factors that can affect a particular product or project can be confusing, which is why Ingersoll Rand Security Technologies has a Government Services team to assist you. We are often able to provide product solutions based on these factors. Please direct product or project related inquiries by contacting us at st-govtservices@irco.com

To obtain product certification forms, e-mail your request to st-govtservices@irco.com, and your request will be forwarded to the proper location.

All items in this catalog are subject to the prices, terms and conditions listed in the respective current product pricebooks.

What is the BAA?

The Buy American Act (BAA) establishes a preference for the federal government, when purchasing supplies for use in the United States, to purchase products mined, produced, or manufactured in the United States. For most products, the federal government has created a two-part test examining manufacturing and the cost of domestic components. First, under the basic standard established by the Comptroller General of the United States, manufacturing necessitates that the “completion of the [end product] in the form required for use by the Government be carried out domestically.” As an example, kits assembled and packaged in the United States can be considered manufactured in the United States even where individual components are manufactured in foreign countries. Second, more than 50% of the cost of the components of the end product must be mined produced or manufactured in the United States. However, where an end product being sold to the federal government is a commercially available off-the-shelf (COTS) item, meaning no modifications are made to the product for sale to the federal government, the components test is waived. Most Ingersoll Rand Security Technologies products are COTS items and exempt from the components test, products must be manufactured and assembled in the United States.

When could BAA apply?

The BAA applies to federal purchases exceeding \$3,000. However, established trade agreements with numerous countries set maximum thresholds for the application of the BAA when products from qualifying designated WTO countries are offered. When the construction project exceeds \$7,804,000, the federal government must give equal consideration to products substantially transformed in qualifying designated WTO countries. BAA does not apply to purchases made through U.S. General Services Administration Schedule contracts

What is the ARRA?

The American Recovery and Reinvestment Act of 2009 (ARRA) is an economic stimulus package that prohibits the use of funds for any project involving the construction, alteration, maintenance, or repair of a public building or public work (i.e. a dam or wastewater treatment facility) unless all of the iron, steel and manufactured goods used in the project are produced in the United States. Unlike the BAA, the ARRA is a one part test, “was the iron, steel or manufactured good” produced in the United States?” While the meaning of “produced” is not defined by statute or regulation, it is expected to be applied in a manner similar to the test for manufacturing under the BAA.

When Could the ARRA Apply?

Federal Contracts

The ARRA Buy American requirements apply to all federal contracts for construction, alteration, maintenance, or repair of a building. However, when the federal contract exceeds \$7,804,000 WTO-GPA and \$9,110,318 NAFTA products substantially transformed in qualifying designated countries must receive equal consideration. For example, Falcon Brand lock series B, Y, and W products are substantially transformed in Taiwan (a qualifying designated WTO country) and are, therefore, eligible for use on federal construction contracts exceeding \$7,804,000.

State Contracts

The ARRA Buy American provisions apply without limitation to contracts with the following thirteen states, when the state entity uses federal ARRA dollars to fund a construction project for a public building or public work:

Alabama	Indiana	New Mexico	Ohio	West Virginia
Alaska	Nevada	North Carolina	South Carolina	
Georgia	New Jersey	North Dakota	Virginia	

For contracts with the other 37 states, when ARRA dollars are used to fund the construction project, these states have agreed give equal consideration to products substantially transformed in qualifying designated countries, which includes Taiwan. Qualifying contract value must be \$7,804,000 or over.

At this time none of the 50 states recognize or have agreed to participate in the NAFTA Trade Agreement, which includes Mexican products.

Local Governments and Other Governing Entities

The ARRA Buy American requirements apply to cities and municipalities that contract using ARRA funds. For contracts the following entities, when ARRA dollars are used to fund the construction project, the entities must give equal consideration to products substantially transformed in qualifying designated countries, when the contract value exceeds \$7,804,000:

Boston, MA	Indianapolis, IN	Massachusetts Port Authority
Chicago, IL	Nashville, TN	Port Authority of New York and New Jersey
Dallas, TX	San Antonio, TX	Port of Baltimore
Detroit	Puerto Rico	

TAA - Trade Agreements Act establishes an exception to the Buy American Act (BAA) for end products produced or manufactured in the United States, or substantially transformed in the U.S. or designated end country into a new and different article of commerce with a different name, character, or use; distinct from which it was transformed, per Federal Acquisition Regulations (FARS). As with BAA, there are many exceptions to TAA that may apply.

What is World Trade Organization (WTO) Government Procurement Act? - WTO is an established trade agreement with numerous countries setting maximum thresholds for the application of the BAA when products from qualifying designated WTO countries are offered.

When could World Trade Organization (WTO) apply? - When contract value exceeds \$7,804,000, the federal government must give equal consideration to products substantially transformed in qualifying designated WTO countries. Established trade agreements with numerous countries set maximum thresholds for the application of the BAA when products from qualifying designated WTO countries are offered.

NAFTA - The North American Free Trade Agreement is a trade agreement in effect between the United States, Canada & Mexico. The NAFTA agreement provides for preferential tariff treatment for "originating" goods traded within the NAFTA region. Products originating in NAFTA countries may be eligible under the Trade Agreements Act (TAA) as an exception to BAA, based on specific dollar thresholds of \$9,110,310.00, and applies to Federal construction projects.

SPPA - Steel Product Procurement Act - (SPPA) is a Commonwealth of Pennsylvania requirement to aid and promote the U.S. steel industry. It gives preference to domestic products for Pennsylvania public works projects/buildings. Any construction project in Pennsylvania that uses state funding is subject to SPPA requirements.

Domestic End Product - A product that is 1) manufactured in the U.S. and 2) whose cost of components mined, produced or manufactured in the U.S. exceed 50% of the total cost of all components.

FARS - Federal Acquisition Regulations - A section of the U.S. Code of Federal Regulations detailing purchasing / procurement policies for the federal government.

DFARS - Defense Federal Acquisition Regulations - A section of the U.S. Code of Federal Regulations detailing purchasing / procurement policies for the Department of Defense (DoD).

Construction Project - Any federally funded new construction or renovation work involving a General Contractor is generally considered a construction contract. Often, the word "construction" is noted in the contract.

COTS - Commercially available Off The Shelf - Any item, other than real property, that is of a type customarily used by the general public or non-governmental purposes, and that 1) Has been sold, leased or licensed to the general public; or 2) Has been offered for sale, lease or license to the general public. Does not apply to Mexico end-products, as assembly and packaging is required in the United States.

February 16, 2010 - Canada and the United States have signed an agreement under which the United States has waived the Buy American provisions. Canadian companies can now participate in a number of infrastructure projects being funded under the Recovery Act. The agreement enjoys the full support of Canadian provinces and territories.

Schlage

Product	Description	Function	Trim	Finish	COO
A Series	Grade 2, Cylindrical	ALL	ALL	ALL	Mexico
AL Series [▲]	Grade 2, Cylindrical	ALL	ALL	ALL	USA*/Mexico
B250 Series	Grade 2, Deadbolt	ALL	ALL	ALL	Mexico
B500 Series	Grade 2, Deadbolt	ALL	ALL	ALL	Mexico
B600/700/800 Series	Grade 1, Deadbolt	ALL	ALL	ALL	Mexico
D Series	Grade 1, Cylindrical	ALL	ALL	ALL	Mexico
ND Series [▲]	Grade 1, Cylindrical	ALL	ALL	ALL	USA*/Mexico
H Series	Interconnected Lock	ALL	ALL	ALL	Mexico
L Series [▲]	Grade 1, Mortise	ALL	ALL	ALL	USA*/Mexico
S Series	Grade 2, Cylindrical	ALL	ALL	ALL	Mexico
S200 Series	Interconnected Lock	ALL	ALL	ALL	Mexico

* Complete Locks Only

▲ See page 31 for additional cost and order requirements

The products listed meet the requirements of BAA on the published date of this catalog.
Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

LOCKS

Falcon

Product	Description	Trim	Finish	COO
Y Series	Grade 2, Standard Duty, Tubular	ALL	ALL	Taiwan
B Series	Grade 2, Standard Duty, Cylindrical	ALL	ALL	Taiwan
W Series	Grade 2, Medium Duty, Cylindrical	ALL	ALL	Taiwan
MA Series	Grade 1, Mortise	ALL	ALL	Taiwan

Falcon locks listed on this page qualify for BAA/ARRA projects above the qualifying designated country threshold.
Other Falcon locks not listed here may qualify for BAA/ARRA projects above the qualifying designated country threshold.
See "When could BAA/ARRA apply?" on page 5 for more details.

The products listed meet the requirements of BAA on the published date of this catalog.
Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

Schlage

Product Number	Description	Function	COO
09-409	Classic Conventional Bulk Pack Cylinder Kit	Key in Knob	USA
09-410	Classic Conventional Bulk Pack Cylinder Kit	Rim	USA
09-411	Classic Conventional Bulk Pack Cylinder Kit	Full size interchangeable core	USA
09-412	Classic Conventional Bulk Pack Cylinder Kit	Mortise (specify length)	USA
09-416	Conventional Bulk Pack AL series	Conventional	USA
09-418	Conventional Bulk Pack D series knobs	Conventional	USA
09-484	Bulk Pack of 20-001 Mortise Cylinders	Mortise	USA
09-485	Bulk Pack of 30-001 Mortise Cylinders	Mortise	USA
09-751	Everest Conventional Bulk Pack Cylinder Kit	Key-in-knob / lever	USA
09-752	Everest Conventional Bulk Pack Cylinder Kit	Rim	USA
09-753	Everest Conventional Bulk Pack Cylinder Kit	Full size interchangeable core	USA
09-754	Everest Conventional Bulk Pack Cylinder Kit	Mortise (specify length)	USA
09-756	Everest Conventional and Primus Bulk Pack Tailpieces A series except orbit	Primus	USA
09-757	Everest Conventional and Primus Bulk Pack Tailpieces A series orbit	Primus	USA
09-764	Primus Bulk Pack Cylinder Kit	Key-in-knob / lever	USA
09-764-XP	Primus Bulk Pack Cylinder Kit	Key n Knob	USA
09-765	Primus Bulk Pack Cylinder Kit	Rim	USA
09-765-XP	Primus Bulk Pack Cylinder Kit	Rim	USA
09-766	Primus Bulk Pack Cylinder Kit	Full size interchangeable core	USA
09-766-XP	Primus Bulk Pack Cylinder Kit	Full size interchangeable core	USA
09-767	Primus Everest Bulk Pack Cylinder Kit	Mortise (specify length)	USA
09-767-XP	Primus Everest Bulk Pack Cylinder Kit	Mortise (specify length)	USA
09-833	Primus Classic Bulk Pack Cylinder kit	Key n Knob	USA
09-833-XP	Primus Classic Bulk Pack Cylinder kit	Key n Knob	USA
09-834	Primus Classic Bulk Pack Cylinder kit	Rim	USA
09-834-XP	Primus Classic Bulk Pack Cylinder kit	Rim	USA
09-835	Primus Classic Bulk Pack Cylinder kit	Mortise	USA
09-835-XP	Primus Classic Bulk Pack Cylinder kit	Mortise	USA
09-836	Primus Classic Bulk Pack Cylinder kit	Full size interchangeable core	USA
09-836-XP	Primus Classic Bulk Pack Cylinder kit	Full size interchangeable core	USA
20-001	L series Sectional Trim Conventional L9060 outside	Conventional	USA
20-002	Mortise Cyl Conventional L9060	Conventional	USA
20-009	Conventional Mortise cyl for Corbin Russwin Master Ring	Conventional	USA
20-013	Cylinders for Adams Rite MS, 4500 and 4700 Series , Lori 4500, CR DL3000 Conventional	Conventional	USA
20-021	Exit Devices and Alum Doors Conventional cylinder vertical	Conventional	USA
20-022	Exit Devices and Alum Doors Conventional cylinder horizontal	Conventional	USA
20-030	Letter / Mail Box cyl Classic and Everest	Classic Everest Letter/ Mail Box	USA
20-033	Letter / Mail Box cyl Classic and Everest	Classic Everest Letter/ Mail Box	USA
20-057	Interchangeable Core Rim Cylinders for Exit Devices Conventional	Conventional Rim	USA
20-059	Mortise Cylinders with Straight Cam for Exit Devices Housing Less Core	FSIC Housing	USA
20-060	L series Full Size IC core Adams Rite 4500,4700 series housing less core	FSIC Adams Rite	USA
20-061	Mortise Cylinders with Straight Cam for Exit Devices Conventional	Conventional	USA

The above cylinders are BAA compliant when ordered using any restricted, Everest or Primus keyways and including most open keyways. Please consult your sales representative for compliance when using the C or E open keyways.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

CYLINDERS

Schlage

Product Number	Description	Function	COO
20-062	Exit Device Full Size IC Conventional core for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Adams Rite	USA
20-066	Exit Device Full Size IC Housing less core for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Adams Rite	USA
20-069	Letter / Mail Box cyl Classic and Everest	Letter / Mail Box	USA
20-079	Exit Device Rim cyl IC core Conventional Housing less core	Conventional	USA
20-090	L series cyl only Adams rite 4070 series housing less core	Adams Rite	USA
20-091	L series Conventional Core Adams rite 4070 series	Conventional	USA
20-172	Cabinet Locks and Padlocks Conventional	Door	USA
20-174	Cabinet Locks and Padlocks Conventional	Drawer	USA
20-500	L series Sectional Trim Primus UL437 L9060 outside	Primus	USA
20-500-XP	L series Sectional Trim Primus UL437 L9060 outside	Primus	USA
20-501	L series L&N Primus UL 437	Door	USA
20-501-XP	L series L&N Primus UL 437	Drawer	USA
20-505	Primus XP UL 437 Mortise cyl for Corbin Russwin Master Ring	Primus	USA
20-506	Primus UL437 cyl for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Primus	USA
20-506-XP	Primus UL437 cyl for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Primus	USA
20-508	Primus XP UL 437 Mortise cyl for Adams Rite 4070 series	Primus	USA
20-509	Exit device and Alum door Primus UL437 Listed cylinder with Vertical	Primus	USA
20-509-XP	Exit device and Alum door Primus UL437 Listed cylinder with Vertical	Primus	USA
20-510	Exit device and Alum Door Primus UL437 Listed cylinder Horizontal	Primus	USA
20-510-XP	Exit device and Alum Door Primus UL437 Listed cylinder Horizontal	Primus	USA
20-515	L series L&N escutcheon Primus UL437 Lockout	Primus	USA
20-516	Exit device and Alum Doors Primus UL437 Listed lockout cylinder Horizontal	Primus	USA
20-516-XP	Exit device and Alum Doors Primus UL437 Listed lockout cylinder Horizontal	Primus	USA
20-517	L series L& N escutcheon Primus UL437 Lockout	Primus	USA
20-517-XP	L series L&N escutcheon Primus UL 437 Lockout	Primus	USA
20-517	L Sectional Trim Primus UL437 Lockout	Primus	USA
20-518	Primus UL437 Lockout cyl for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Primus	USA
20-518-XP	Primus UL437 Lockout cyl for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Primus	USA
20-519	Primus UL 437 for Sargent 7L,10,65 line levers	Primus	USA
20-520	Primus UL 437 for Sargent 7,8,9 line knobs	Primus	USA
20-523	Primus UL 437 for Yale 5300,5400,6200 knobs	Primus	USA
20-524	A series 20-524 Primus UL437 Listed high security cylinder, non-Orbit	Primus	USA
20-524	D knobs Primus UL437 Listed high security cylinder, 2 1/2 inch thick door	Primus	USA
20-524-XP	D knobs Primus UL437 Listed high security cylinder, 2 1/2 inch thick door	Primus	USA
20-526	Primus UL437 for Sargent 6 line	Primus	USA
20-527	Primus UL 437 for Corbin Russwin CK4200, UT5200	Primus	USA
20-527-XP	Primus UL 437 for Corbin Russwin CK4200, UT5200	Primus	USA
20-528	AL series Primus UL 437 High Security Cyl	Primus	USA
20-528-XP	AL series Primus UL 437 High Security Cyl	Primus	USA
20-529	B250 series Primus UL437 High Security Cyl	Primus	USA

The above cylinders are BAA compliant when ordered using any restricted, Everest or Primus keyways and including most open keyways. Please consult your sales representative for compliance when using the C or E open keyways.

The products listed meet the requirements of BAA on the published date of this catalog.

Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

Schlage

Product Number	Description	Function	COO
20-529	B100 20-529 Primus UL437 Listed high security cylinder only	Primus	USA
20-531	Primus UL 437 complete cyl and housing	Primus	USA
20-539	Primus UL437 for Corbin Russwin CL3400, CL3600	Primus	USA
20-542	B861, B864 Primus UL 437	Primus	USA
20-542-XP	B861, B864 Primus UL 437	Primus	USA
20-543	B861, B864 Primus UL 437	Primus	USA
20-544	B860, B863 Primus UL 437	Primus	USA
20-544-XP	B860, B863 Primus UL 437	Primus	USA
20-545	B862 Primus UL 437	Primus	USA
20-545-XP	B862 Primus UL 437	Primus	USA
20-546	B862 Primus UL 437	Primus	USA
20-547	Primus UL 437 for Yale 5300LN, 5400LN, 6400LN levers	Primus	USA
20-548	D knobs Primus UL437 Listed high security cylinder	Primus	USA
20-548-XP	D knobs Primus UL437 Listed high security cylinder	Primus	USA
20-550	D Levers Primus UL437 Listed high security cylinder	Primus	USA
20-550-XP	D Levers Primus UL437 Listed high security cylinder	Primus	USA
20-552	S Lever Primus UL437 Listed high security cylinder only	Primus	USA
20-552-XP	S Lever Primus UL437 Listed high security cylinder only	Primus	USA
20-565	Cylinders for ND-Series Locksets Primus UL437	Primus	USA
20-565-XP	Cylinders for ND-Series Locksets Primus UL437	Primus	USA
20-572	Cabinet Locks and Padlocks Primus UL	Door/ Primus	USA
20-574	Cabinet Locks and Padlocks Primus UL	Drawer/ Primus	USA
20-587	L series Sectional Trim Primus UL437	Primus	USA
20-587-XP	L series Sectional Trim Primus UL437	Primus	USA
20-589	L Escutcheon with concealed shell cylinder Primus UL437	Primus	USA
20-589-XP	L Escutcheon with concealed shell cylinder Primus UL437	Primus	USA
20-593	L series L& N escutcheon Primus UL437	Primus	USA
20-593-XP	L series L& N escutcheon Primus UL437	Primus	USA
20-700	L series Sectional Trim Primus Lockout L9060 outside	Primus	USA
20-700-XP	L series Sectional Trim Primus Lockout L9060 outside	Primus	USA
20-701	L9060 Outside L&N Primus	Primus	USA
20-701-XP	L9060 Outside L&N Primus	Primus	USA
20-705	Primus Mortise cyl for Corbin Russwin Master Ring	Primus	USA
20-705-XP	Primus Mortise cyl for Corbin Russwin Master Ring	Primus	USA
20-706	Primus cyl for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Primus	USA
20-706-XP	Primus cyl for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Primus	USA
20-708	Primus cyl Mortise Adams Rite 4070 series	Primus	USA
20-708-XP	Primus cyl Mortise Adams Rite 4070 series	Primus	USA
20-709	Exit Device and Alum Door Primus cylinder Vertical	Primus	USA
20-709-XP	Exit Device and Alum Door Primus cylinder Vertical	Primus	USA
20-710	Exit Device and Alum Door Primus cylinder Horizontal	Primus	USA
20-710-XP	Exit Device and Alum Door Primus cylinder Horizontal	Primus	USA
20-715	L series L&N escutcheon Primus Lockout	Primus	USA
20-715-XP	L series L&N escutcheon Primus Lockout	Primus	USA

The above cylinders are BAA compliant when ordered using any restricted, Everest or Primus keyways and including most open keyways. Please consult your sales representative for compliance when using the C or E open keyways.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

CYLINDERS

Schlage

Product Number	Description	Function	COO
20-716	Exit device and Alum Door Primus lockout cylinder Horizontal	Primus	USA
20-716-XP	Exit device and Alum Door Primus lockout cylinder Horizontal	Primus	USA
20-717	L series Sectional Trim Primus Lockout	Primus	USA
20-717	L series Sectional Trim Primus Lockout	Primus	USA
20-718	Primus Lockout Mortise cyl Adams Rite MS 4500,4700,Lori 4500, and CR DL3000	Primus	USA
20-718-XP	Primus Lockout Mortise cyl Adams Rite MS 4500,4700,Lori 4500, and CR DL3000	Primus	USA
20-719	Primus cyl for Sargent 7L,10, 65 line levers	Primus	USA
20-719-XP	Primus cyl for Sargent 7L,10, 65 line levers	Primus	USA
20-720	Primus cyl for Sargent 7,8,9 line levers	Primus	USA
20-720-XP	Primus cyl for Sargent 7,8,9 line levers	Primus	USA
20-722	L series Primus Core Adams rite 4070 series	Primus	USA
20-722-XP	L series Primus Core Adams rite 4070 series	Primus	USA
20-723	Primus cyl for Yale 5300,5400,6200 knobs	Primus	USA
20-723-XP	Primus cyl for Yale 5300,5400,6200 knobs	Primus	USA
20-724	A series 20-724 Primus cylinder, non-Orbit	Primus	USA
20-724	D knobs 6-Pin conventional cylinder, 2 1/2 thick door	Primus	USA
20-724-XP	D knobs 6-Pin conventional cylinder, 2 1/2 thick door	Primus	USA
20-726	Primus for Sargent 6 line	Primus	USA
20-726-XP	Primus for Sargent 6 line	Primus	USA
20-727	Primus cyl for Corbin Russwin CL3400,cl3600	Primus	USA
20-727-XP	Primus cyl for Corbin Russwin CL3400,cl3600	Primus	USA
20-728	AL series Primus Cylinder	Primus	USA
20-728-XP	AL series 20-728 Primus cylinder	Primus	USA
20-729	B250 series Primus Cyl Only	Primus	USA
20-729	B100 series 20-729 Primus cylinder only	Primus	USA
20-729-XP	B100 series 20-729 Primus cylinder only	Primus	USA
20-731	B250, B400, Primus cyl less housing	Primus	USA
20-739	Primus for Corbin Russwin CL3400, CL3600	Primus	USA
20-739-XP	Primus for Corbin Russwin CL3400, CL3600	Primus	USA
20-740	Primus Full Size IC core	Primus	USA
20-740-XP	Primus Full Size IC core	Primus	USA
20-741	Primus Full Size IC core less logo	Primus	USA
20-741-XP	Primus Full Size IC core less logo	Primus	USA
20-742	B761, B764 Primus	Primus	USA
20-742-XP	B761, B764 Primus	Primus	USA
20-743	B761, B764 Primus	Primus	USA
20-744	B760, B763 Primus	Primus	USA
20-744-XP	B760, B763 Primus	Primus	USA
20-745	B762 Primus	Primus	USA
20-745-XP	B762 Primus	Primus	USA
20-746	B762 Primus	Primus	USA
20-747	Primus cyl for Yale 5300LN,5400LN, 6400LN levers	Primus	USA
20-747-XP	Primus cyl for Yale 5300LN,5400LN, 6400LN levers	Primus	USA
20-748	D knobs Primus cylinder	Primus	USA

The above cylinders are BAA compliant when ordered using any restricted, Everest or Primus keyways and including most open keyways. Please consult your sales representative for compliance when using the C or E open keyways.

The products listed meet the requirements of BAA on the published date of this catalog.

Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

Schlage

Product Number	Description	Function	COO
20-748-XP	D knobs Primus cylinder	Primus	USA
20-750	D Lever Primus cylinder	Primus	USA
20-750-XP	D Lever Primus cylinder	Primus	USA
20-752	S Lever Primus cylinder	Primus	USA
20-752-XP	S Lever Primus cylinder	Primus	USA
20-757	Exit device Interchangeable Core Rim Cylinders Primus	Primus	USA
20-757-XP	Exit device Interchangeable Core Rim Cylinders Primus	Primus	USA
20-763	Mortise Cylinders with Straight Cam for Exit Devices Primus	Primus	USA
20-763-XP	Mortise Cylinders with Straight Cam for Exit Devices Primus	Primus	USA
20-765	ND-Series Locksets Primus	Primus	USA
20-765-XP	ND-Series Locksets Primus	Primus	USA
20-766	Exit Device Full Size IC Primus core for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Primus	USA
20-766-XP	Exit Device Full Size IC Primus core for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Primus	USA
20-771	Mortise Cylinders with Straight Cam for Exit Devices Primus	Primus	USA
20-771-XP	Mortise Cylinders with Straight Cam for Exit Devices Primus	Primus	USA
20-772	Cabinet Locks and Padlocks Primus	Primus	USA
20-772-XP	Cabinet Locks and Padlocks Primus	Primus	USA
20-774	Cabinet Locks and Padlocks	Primus	USA
20-774-XP	Cabinet Locks and Padlocks	Primus	USA
20-776	Primus L series core Full size IC	Primus	USA
20-776-XP	Primus L series core Full size IC	Primus	USA
20-782	L & N escutcheon L9060 Outside primus core	Primus	USA
20-782-XP	L & N escutcheon L9060 Outside primus core	Primus	USA
20-783	L9060 Primus core rose trim	Primus	USA
20-783-XP	L9060 Primus core rose trim	Primus	USA
20-787	L series Sectional Trim Primus	Primus	USA
20-787-XP	L series Sectional Trim Primus	Primus	USA
20-789	L Escutcheon with concealed shell cylinder Primus	Primus	USA
20-789-XP	L Escutcheon with concealed shell cylinder Primus	Primus	USA
20-793	L series L& N escutcheon Primus	Primus	USA
20-793-XP	L series L& N escutcheon Primus	Primus	USA
20-798	Primus core L series mortise Full Size IC	Primus	USA
20-798-XP	Primus core L series mortise Full Size IC	Primus	USA
21-002	B series knobs 6 pin conventional	Conventional	USA
21-003	A series 21-003 Conventional hotel function (A85) with indicator, non-Orbit	Conventional	USA
21-020	AL series Six Pin Conventional Cyl Standard	Conventional	USA
21-021	AL series Conventional Hotel Function AL85 with Occupancy Indicator	Conventional	USA
22-001	B100,B250,B400, 5 pin cyl only	Conventional	USA
22-002	B250 series Six Pin Conventional Cyl Only	Conventional	USA
22-003	B500 Conventional Single Cyl	Conventional	USA
22-004	B500 Conventional Single Cyl	Conventional	USA
22-017	5 pin cylinder outside housing	Conventional	USA

The above cylinders are BAA compliant when ordered using any restricted, Everest or Primus keyways and including most open keyways. Please consult your sales representative for compliance when using the C or E open keyways.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

CYLINDERS

Schlage

Product Number	Description	Function	COO
22-018	5 pin cylinder inside housing	Conventional	USA
22-019	B250 6 pin Conventional cylinder outside housing	Conventional	USA
22-020	6 pin cylinder inside housing	Conventional	USA
22-062	B250 IC core housing less core	Conventional	USA
22-642	B600,700,800 Conventional Cyl Housing not included	Conventional	USA
22-643	B600,700,800 Conventional Cyl Housing not included	Conventional	USA
22-644	B600,700,800 Conventional Cyl Housing not included	Conventional	USA
22-645	B600,700,800 Conventional Cyl Housing not included	Conventional	USA
22-646	B600,700,800 Conventional Cyl Housing not included	Conventional	USA
23-000	ND-Series Locksets Hotel function (conventional cylinder)	Conventional	USA
23-001	D knobs 6-Pin conventional cylinder (standard)	Conventional	USA
23-003	D knobs Conventional hotel function (D85) with occupancy indicator	Conventional	USA
23-003 -098	D knobs Conventional hotel function (D85) w/indicator, 2 1/2 door	Conventional	USA
23-013	D Levers 6-Pin conventional cylinder (standard)	Conventional	USA
23-014	D Levers Conventional hotel function (D85) with occupancy indicator	Conventional	USA
23-030	Full Size IC core Conventional	Conventional	USA
23-031	Full Size IC core Conventional less logo	Conventional	USA
23-065	ND-Series Locksets 6-Pin conventional cylinder (standard)	Conventional	USA
24-119	Conventional cyl for Sargent 7L,10, 65 line levers	Conventional	USA
24-120	Conventional cyl for Sargent 7,8,9 line knobs	Conventional	USA
24-123	Conventional cyl for Yale 5300,5400,6200 knobs	Conventional	USA
24-126	Conventional cylinders for Sargent 6 Line	Conventional	USA
24-127	Conventional cyl for Corbin Russwin CK4200, UT5200	Conventional	USA
24-139	Conventional cylinders for Corbin Russwin CL3400, CL3600	Conventional	USA
24-147	Conventional cyl for Yale 5300LN,5400LN, 6400LN levers	Conventional	USA
26-021	L9060P L&N Outside Conventional	Conventional	USA
26-023	L9080P Outside L escutcheon Conventional	Conventional	USA
26-072	Conventional cyl for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Conventional	USA
26-073	Conventional Mortise cyl Adams Rite 4070 series	Conventional	USA
26-091	Exit Device Conventional mortise cylinders straight cam	Conventional	USA
26-094	Exit Device Conventional mortise cylinders straight cam housing less core	Conventional	USA
26-098	Exit Device Full Size IC Conventional core for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Conventional	USA
30-001	L series Sectional Trim Conventional	Conventional	USA
30-002	L series Sectional Trim Conventional L9485, L9486 Hotel function	Conventional	USA
30-004	L escutcheon with concealed shell cylinder Conventional	Conventional	USA
30-005	L9485, L9486 Hotel Function L&N Conventional L escutcheon	Conventional	USA
30-007	L & N escutcheon L series Mortise locks Housing less core Full size IC	Conventional	USA
30-008	L series Full Size IC core L&N escutcheon Conventional	Conventional	USA
30-010	L9485, L9486 Hotel Function L&N escutcheon Conventional	Conventional	USA
30-016	L series Mortise cyl only housing less core Full Size IC	Conventional	USA
30-021	L series L & N escutcheon Conventional	Conventional	USA
30-022	L9485, L9486 Hotel Function L&N Conventional	Conventional	USA
30-030	L9060P Outside L&N escutcheon Conventional	Conventional	USA

The above cylinders are BAA compliant when ordered using any restricted, Everest or Primus keyways and including most open keyways. Please consult your sales representative for compliance when using the C or E open keyways.

The products listed meet the requirements of BAA on the published date of this catalog.

Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

Schlage

Product Number	Description	Function	COO
30-032	L9060 outside housing less core mortise cyl	Conventional	USA
30-120	Full Size IC core Conventional core for hotel function (specify hand)	Conventional	USA
30-121	Full Size IC core less log for L9485, L9486 hotel	Conventional	USA
30-137	L series Sectional Trim L9485,L9486 Housing less core	Conventional	USA
30-138	L series Sectional trim Conventional	Conventional	USA
30-140	L series Sectional Trim L9485,L9486 Hotel Function Conventional	Conventional	USA
40-500	UL 437 Primus / Primus XP Multiple Tail piece key in knob/ lever	Primus	USA
40-500-XP	UL 437 Primus / Primus XP Multiple Tail piece key in knob/ lever	Primus	USA
40-700	Primus / Primus XP Multiple Tail piece key in knob/ lever	Primus	USA
40-700-XP	Primus / Primus XP Multiple Tail piece key in knob/ lever	Primus	USA
80-035	Small format IC construction core	Construction	USA
80-036	Small format IC core for Schlage locks 7 pin Everest Restricted	Everest B	USA
80-043	Small format IC core for Schlage locks 6 pin Best keyway	Falcon/ Best Keyways	USA
80-101	L series Sectional Trim SFIC Housing less core	SFIC	USA
80-102	Exit device SFIC Mortise Cyl Housing less core	SFIC	USA
80-103	Exit Device Housing less core for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Adams Rite	USA
80-104	L & N escutcheon L9060 outside Mortise locks SFIC Housing less core	SFIC	USA
80-105	Exit device SFIC Housing less core for Adams Rite 4070 series deadlocks	SFIC	USA
80-108	L & N escutcheon L9060 outside Mortise locks SFIC Housing less core	SFIC	USA
80-109	L series Sectional Trim SFIC Const keyed Disposable	SFIC	USA
80-110	Exit device Mortise Cyl Disposable	Disposable Const. Core	USA
80-111	Exit Device Disposable Const. core for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Adams Rite	USA
80-112	L series Sectional Trim SFIC Const keyed Disposable	SFIC	USA
80-113	Exit device SFIC Disposable Const core for Adams Rite 4070 series deadlocks	SFIC	USA
80-115	L & N escutcheon L9060 outside Mortise locks SFIC Const Keyed Disposable	SFIC	USA
80-116	Exit Device SFIC Disposable Const core	SFIC	USA
80-129	Exit Device SFIC less core	SFIC	USA
80-131	L & N escutcheon L series Sectional Trim SFIC Const keyed	SFIC	USA
80-132	Exit device SFIC Mortise Cyl Keyed Cont core	SFIC	USA
80-133	Exit Device Keyed Const. core for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Construction Core	USA
80-134	L & N escutcheon L series Sectional Trim SFIC Const keyed	SFIC	USA
80-135	Exit device SFIC Keyed Const core for Adams Rite 4070 series deadlocks	SFIC	USA
80-138	L & N escutcheon L9060 outside Mortise locks SFIC Const Keyed	SFIC	USA
80-159	Exit Device SFIC keyed const core	SFIC	USA
80-301	L series Sectional Trim SFIC Everest Restricted	Everest	USA
80-302	Exit device Mortise Cyl Everest Restricted	Everest	USA
80-303	Exit Device Everest restricted core for Adams Rite MS4500, 4700 Lori 4500 and Corbin DL3000	Everest	USA
80-304	L & N escutcheon L9060 outside Mortise locks SFIC Everest Restricted	Everest	USA
80-305	Exit device SFIC Everest Restricted for Adams Rite 4070 series deadlocks	Everest	USA
80-308	L & N eschutcheon L series Mortise locks SFIC Everest Restricted	Everest	USA
80-329	Exit device SFIC core Everest Restricted	Everest	USA

The above cylinders are BAA compliant when ordered using any restricted, Everest or Primus keyways and including most open keyways. Please consult your sales representative for compliance when using the C or E open keyways.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

ELECTRONIC ACCESS CONTROL

Schlage

Door Position Switch	Description	Finish	COO
674-OH	Overhead Door Floor Mount	-	USA
679-05	Wood Door and Frame	-	USA
679-05HM	Hollow Metal Door and Frame	-	USA
679-05WD	Wood Door and Metal Frame	-	USA
7764	Concealed/Flush Mount - UL	-	USA
7766	Surface Mount - UL	-	USA

Power Supplies ▲	Description	Finish	COO
PS902BAA	Power Supply, 1 Amp	-	USA
PS904BAA	Power Supply, 4 Amp	-	USA
PS906BAA	Power Supply, 6 Amp	-	USA

Related PS900 Option Boards listed below **MUST** be ordered with Power Supply in order to meet BAA compliance

900-4R-4	4 independently controlled relays	-	-
900-4R FA-4	4 independently controlled relays with FA	-	-
900-2Q-2	2 relay board specifically for controlling VonDuprin quiet exit device	-	-
900-2Q FA-2	2 relay board specifically for controlling VonDuprin quiet exit device with FA	-	-
900-4RL-4	4 relay board with integrated logic for controlling security interlocks, auto operators, and time delays	-	-
900-4RL FA-4	4 relay board with integrated logic for controlling security interlocks, auto operators, and time delays with FA	-	-
900-8F	8 fuse protected outputs	-	-
900-8F FA	8 fuse protected outputs with FA	-	-
900-8P	8 PTC protected outputs	-	-
900-8P FA	8 PTC protected outputs with FA	-	-
900-BBK	Battery Backup Kit (includes two 7A/hr batteries)	-	-
900-BB	Battery Backup Board only	-	-
900-BAT	Backup Battery Pack Two (2) 7A/hr batteries	-	-
900-FA	Fire Alarm Relay (EIR) module	-	-
900-KL	Key Lock	-	-

▲ See page 31 for additional cost and order requirements

The products listed meet the requirements of BAA on the published date of this catalog.
Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

Schlage

Electronic Locks	Description	Function	Finish	COO
AD-200 [▲]	Offline - Rights on Lock	ALL	ALL	USA [†] /Mexico
AD-250 [▲]	Offline - Rights on Cards	ALL	ALL	USA [†] /Mexico
AD-300 [▲]	Networked Hardwired - Direct RS-485 connection or Wiegand or Clock & Data	ALL	ALL	USA [†] /Mexico
AD-400	Networked Wireless - 900 MHz, Secure encrypted data transmission	ALL	ALL	USA [†] /Mexico
AD-301 (FIPS 201) ^{*▲}	Networked Hardwired - Wiegand connection via PIB301-2D required.	ALL	ALL	USA [†]
AD-401 (FIPS 201) ^{*▲}	Networked Wireless - Wiegand connection via PIM401-TD2 required.	ALL	ALL	USA [†]
CO-100	Offline; keypad only, manually programmable only	ALL	ALL	Mexico
CO-200	Offline; user access rights stored in lock	ALL	ALL	Mexico
CO-250	Offline; user access rights stored on magnetic stripe card	ALL	ALL	Mexico
PIM400 [▲]	Panel Interface Module for AD-400 Wireless Locks	ALL	-	USA [†] /Mexico
PIM401-TD2 [▲]	Panel Interface Module for AD-401 Wireless Locks; required for FIPS201 compliance.	ALL	-	USA [†]
PIB300-TD2 [▲]	Panel Interface Board for AD-300 Hardwired Locks	ALL	-	USA [†] /Mexico
PIB301-TD2 [▲]	Panel Interface Board for AD-301 Hardwired Locks; required for FIPS201 compliance.	ALL	-	USA [†]
RLBD	Dry contact board for either PIM400-TD2 or PIB300-2D	ALL	-	USA [†] /Mexico

† Complete Locks Only

* FIPS201 compliant systems do not have to be BAA unless specified as BAA

▲ See page 31 for additional cost and order requirements

Networked Reader	Description	Finish	COO
SXF1100**	Multi-Technology Reader - Mullion	All	USA
SXF1500**	Multi-Technology Reader - Wall Mount	All	Mexico
SXF2100**	Multi-Technology Reader - Mid-Range	All	USA
SXF2110**	Multi-Technology Reader with Keypad - Mid-Range with keypad	All	USA
SXF1200**	Contactless Smart Card Reader - Mid-Range	All	USA
SXF1560**	Contactless Smart Card Reader - Mid-Range with Keypad	All	Mexico
SXF2200**	Contactless Smart Card Reader - Mid-Range	All	USA
SXF2210**	Contactless Smart Card Reader - Mid-Range with Keypad	All	USA

** By default, readers are configured with 75 bit format. Configuration to other approved output formats is available.

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

ELECTRONIC ACCESS CONTROL

Von Duprin

Electric Strike	Description	Finish	COO
6111	Rim Strike 6"	All	USA
6112	Rim Strike 9"	All	USA
6113	Rim Strike 6"	All	USA
6114	Rim Night Latch Strike 7-1/2"	All	USA
6121	Rim Night Latch Strike 9-1/8"	All	USA
6210	Mortise Lock Strike 4-7/8"	All	USA
6211	Mortise/Cylindrical Lock Strike 4-7/8"	All	USA
6211AL	Mortise/Cylindrical Lock Strike 4-7/8"	All	USA
6211WF	Mortise/Cylindrical Lock Strike 4-7/8"	All	USA
6212	Mortise/Cylindrical Lock Strike 4-7/8"	All	USA
6212WF	Mortise/Cylindrical Lock Strike 4-7/8"	All	USA
6213	Mortise/Cylindrical Lock Strike 6"	All	USA
6214	Mortise/Cylindrical Lock Strike 9"	All	USA
6215	Mortise/Cylindrical Lock Strike 9"	All	USA
6216	Mortise Lock Strike 9"	All	USA
6221	Mortise/Cylindrical Lock Strike 6"	All	USA
6222	Mortise/Cylindrical Lock Strike 9"	All	USA
6223	Mortise/Cylindrical Lock Strike 6"	All	USA
6224	Mortise/Cylindrical Lock Strike 9"	All	USA
6224AL	Mortise/Cylindrical Lock Strike 9"	All	USA
6225	Mortise/Cylindrical Lock Strike 9"	All	USA
6226	Mortise/Cylindrical Lock Strike 9"	All	USA
6300	Rim Strike	All	USA

Electric Power Transfer ▲	Description	Finish	COO
EPT-2BAA	Two 18 Gauge Wires	SP28, SP313	USA
EPT-10BAA	Ten 24 Gauge Wires	SP28, SP313	USA

▲ See page 31 for additional cost and order requirements

The products listed meet the requirements of BAA on the published date of this catalog.
Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

Von Duprin

Power Supplies ▲	Description	Finish	COO
PS914BAA	Power Supply, 4 Amp	-	USA

Related PS900 Option Boards listed below **MUST** be ordered with Power Supply in order to meet BAA compliance

900-4R-4	4 independently controlled relays	-	-
900-4R FA-4	4 independently controlled relays with FA	-	-
900-2Q-2	2 relay board specifically for controlling VonDuprin quiet exit device	-	-
900-2Q FA-2	2 relay board specifically for controlling VonDuprin quiet exit device with FA	-	-
900-4RL-4	4 relay board with integrated logic for controlling security interlocks, auto operators, and time delays	-	-
900-4RL FA-4	4 relay board with integrated logic for controlling security interlocks, auto operators, and time delays with FA	-	-
900-8F	8 fuse protected outputs	-	-
900-8F FA	8 fuse protected outputs with FA	-	-
900-8P	8 PTC protected outputs	-	-
900-8P FA	8 PTC protected outputs with FA	-	-
900-BBK	Battery Backup Kit (includes two 7A/hr batteries)	-	-
900-BB	Battery Backup Board only	-	-
900-BAT	Backup Battery Pack Two (2) 7A/hr batteries	-	-
900-FA	Fire Alarm Relay (EIR) module	-	-
900-KL	Key Lock	-	-

▲ See page 31 for additional cost and order requirements

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

ACCESS CONTROL AND VIDEO SYSTEMS

bright blue Panels		COO
SBB	bright blue Reader Controller	USA
SBB-RI	bright blue Reader Interface	USA
SBB-NRI	bright blue Network Reader Interface	USA
SBB-NRIUL	bright blue Network Reader Interface with UL approved Ethernet Data Suppressor	USA
bright blue Demo Kit		COO
SBBDEMOKT	bright blue Demonstration/Training Kit	USA
bright blue video		COO
SEVMS-SBB	4 Channel NVR, 500 GB	USA
SEVMS-ANX	4 Channel Analog Capture Card	USA
SEVMS-IPX	Additional 4 IP Channels (for total of 8 IP Cameras)	USA
SIPCAM100	High-resolution, Indoor Mini Dome IP Camera	USA
SMS Software		COO
E-SENT-SFT-1	Enterprise Single User Software	USA
E-SENT-SFT-5	Enterprise 5 Client Software	USA
E-SENT-SFT-10	Enterprise 10 Client Software	USA
E-SENTSFT10NSQL	Enterprise 10 Client Software (No MS SQL)	USA
E-SENT-SFT-25	Enterprise 25 Client Software	USA
E-SENTSFT25NSQL	Enterprise 25 Client Software (No MS SQL)	USA
E-SENT-SFT-EXP	Enterprise Client Expansion License Software	USA
E-SENTSFTEXPNSQL	Enterprise Client Expansion License Software (no MS SQL)	USA
SPRE-SFT-1	Premier Single User Software	USA
SPRE-SFT-5	Premier 5 Client Software	USA
SPRE-SFT-10	Premier 10 Client Software	USA
SPRE-SFT-10NSQL	Premier 10 Client Software	USA
SSEL-SFT-1	Select Offline Lock Single User Software	USA
SSEL-SFT-5	Select Offline Lock 5 Client Software	USA
SXPR-SFT-1	Express Offline Lock Software	USA
SRR	Redundant Recovery Solution (ENTERPRISE only)	USA
SGUEST-LIC	Additional Guest Pass License	USA
SGUESTWEB	Guest Pass Web Interface	USA
SMSUP	Software Version Upgrade	USA
SENT1-5	Enterprise Single User Software to Enterprise 5 Client Software Upgrade.	USA
SENT1-10	Enterprise Single User Software to Enterprise 10 Client Software Upgrade.	USA
SENT1-25	Enterprise Single User Software to Enterprise 25 Client Software Upgrade.	USA
SENT5-10	Enterprise 5 Client Software to Enterprise 10 Client Software Upgrade.	USA
SENT5-25	Enterprise 5 Client Software to Enterprise 25 Client Software Upgrade.	USA
SENT10-25	Enterprise 10 Client Software to Enterprise 25 Client Software Upgrade.	USA
SPRE1-5	Premier Single User Software to Premier 5 Client Software Upgrade.	USA
SPRE1-10	Premier Single User Software to Premier 10 Client Software Upgrade.	USA
SPRE5-10	Premier 5 Client Software to Premier 10 Client Software Upgrade.	USA
SSEL1-5	Select Offline Lock Single User Software to Select Offline Lock - 5 Client Software Upgrade.	USA
PRE-ENT	Premier Software to Enterprise Software Upgrade.	USA
SEL-PRE	Select Software to Premier Software Upgrade.	USA
SEL-ENT	Select Software to Enterprise Software Upgrade.	USA
SCSTMRT	Custom Report	USA

The products listed meet the requirements of BAA on the published date of this catalog.
Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

SMS Software/Servers		COO
E-SENT-SVR-1	Enterprise Single User Software and Server	USA
E-SENT-SVR-5	Enterprise 5 Client Software and Server	USA
E-SENT-SVR-10	Enterprise 10 Client Software and Server	USA
E-SENT-SVR-25	Enterprise 25 Client Software and Server	USA
SPRE-SVR-1	Premier Single User Software and Server	USA
SPRE-SVR-5	Premier 5 Client Software and Server	USA
SPRE-SVR-10	Premier 10 Client Software and Server	USA
SSEL-SVR-1	Select Offline Lock Single User Software and Server	USA
SSEL-SVR-5	Select Offline Lock 5 Client Software and Server	USA
SCWS	Client Workstation	USA

SMS Control Panels		COO
SSRC	Single Reader Controller	USA
SSRC-NB	Smart Reader Controller (no box)	USA
SRCNX-R	Reader Controller	USA
SRCNX-RNB	Reader Controller (no box)	USA
SIONX-8	I/O Expansion Board	USA
SIONX-8NB	I/O Expansion Board (no box)	USA
SRINX	Reader Interface	USA
SRINX-NB	Reader Interface (no box)	USA
SURI	Universal Reader Interface	USA
PIM400-485-SMS	Panel Interface Module for AD-400 Series w/SMS	USA

SMS Custom Enclosures		COO
SRCNX-ENCL	Custom Enclosure (Factory Pre-wired & Tested)	USA
SRINX-ENCL	SRINX-ENCL-UL Custom Enclosure Expansion (Factory Pre-wired & Tested)	USA

SMS Video		COO
SEVMS-16H2	16 Channel Hybrid DVR/NVR	USA
SEVMS-16N2	16 Channel NVR	USA
SEVMS-32N2	32 Channel NVR	USA
SEVMS-16H4	16 Channel Hybrid DVR/NVR	USA
SEVMS-32H4	32 Channel Hybrid DVR/NVR	USA
SEVMS-16N4	16 Channel NVR	USA
SEVMS-32N4	32 Channel NVR	USA

SMS Video Software Only		COO
SNVRSFT16	Schlage NVR Software Only	USA
SNVRSFT32	Schlage NVR Software Only	USA

SMS Video Accessories		COO
SVE-16	16 Channel Analog-to-IP Encoder	USA
SEVMS-TB-1	(1) 750 GB Hard Drive Storage Expansion	USA
SEVMS-TB-2	(2) 750 GB Hard Drive Expansion	USA
SEVMS-AUD	16-ch Analog Audio Input Option (for hybrid units only)	S. Korea
SEVMS-MIC	Microphone	S. Korea
SEVMS-I/O	16-ch Input/Output Board (for hybrid units only)	S. Korea
SEVMS-KY16	16-ch IP Camera Key Expansion	USA
SEVMS-CKT	16-ch Analog Camera Capture Card and Camera Key Expansion (to 32 channels) (4U case only)	USA
SEVMS-RAID	RAID5 Configuration with Hot Swap & (2) 750GB hard drives (4U case only)	USA

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

CLOSERS

LCN

Door Closers	Description	Arm	Screw Pack	Finish	COO
1261	Mounts hinge side, top jamb and parallel arm - Non-size	ALL	ALL	ALL	USA
1461	Mounts hinge side, top jamb and parallel arm - Non-sized	ALL	ALL	ALL	USA
2030 Series	Concealed (in header) mount, sized cylinder	ALL	ALL	ALL	USA
3130 Series	Concealed (in door) mount, sized cylinder	ALL	ALL	ALL	USA
4010 Series	Hinge side mount, size 6 or non-size cylinders	ALL	ALL	ALL	USA
4020 Series	Top jamb mount, size 6 or non-size cylinders	ALL	ALL	ALL	USA
4031	Mounts hinge side, top jamb and parallel arm - Non-sized	ALL	ALL	ALL	USA
4040XP	Mounts hinge side, top jamb and parallel arm - Non-sized	ALL	ALL	ALL	USA
4040SE	Hinge side mount, non-size cylinders	ALL	ALL	ALL	USA
4110 Series	Parallel arm mount, size 6 or non-size cylinders	ALL	ALL	ALL	USA
5030 Series	Concealed (in header) mount, sized cylinder	ALL	ALL	ALL	USA

Automatic Operators	Description	Arm	Screw Pack	Finish	COO
2610 Series	Pneumatic Auto Equalizer, concealed mount, sized cylinder	ALL	ALL	ALL	USA
2810 Series	Senior Swing - Single door, overhead concealed mount	ALL	ALL	ALL	USA
2850 Series	Senior Swing - Simultaneous pair, overhead concealed mount	ALL	ALL	ALL	USA
2860 Series	Senior Swing - Independent pair, overhead concealed mount	ALL	ALL	ALL	USA
4630 Series	Electric Auto Equalizer - Top jamb (pull side) mount, non-sized	ALL	ALL	ALL	USA
4640 Series	Electric Auto Equalizer - Top jamb (push side) mount, non-sized	ALL	ALL	ALL	USA
4810 Series	Pneumatic Auto Equalizer - Top jamb (pull side) mount, non-sized	ALL	ALL	ALL	USA
4820 Series	Pneumatic Auto Equalizer - Top jamb (push side) mount, non-sized	ALL	ALL	ALL	USA
4840 Series	Pneumatic Auto Equalizer - Parallel arm (pull side) mount, non-sized	ALL	ALL	ALL	USA
9130 Series	Benchmark - Single door, surface (pull side) mount	ALL	ALL	ALL	USA
9140 Series	Benchmark - Single door, surface (push side) mount	ALL	ALL	ALL	USA
9150 Series	Benchmark - Pair door, surface (push side) mount	ALL	ALL	ALL	USA
9530 Series	Senior Swing - Single door, surface (pull side) mount	ALL	ALL	ALL	USA
9540 Series	Senior Swing - Single door, surface (push side) mount	ALL	ALL	ALL	USA
9550 Series	Senior Swing - Simultaneous pair, surface (pull, push or double egress) mount	ALL	ALL	ALL	USA
9560 Series	Senior Swing - Independent pair, surface (pull, push or double egress) mount	ALL	ALL	ALL	USA

Actuator Switch	Description	Arm	Screw Pack	Finish	COO
8310-852	Actuator Switch, wall mounted	-	-	-	USA

The products listed meet the requirements of BAA on the published date of this catalog.
Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

Falcon

Automatic Operators	Description	Arm	Screw Pack	Finish	COO
8230 Series	Electro Mechanical - flush or surface (pull side) mount	ALL	ALL	ALL	Taiwan
8240 Series	Electro Mechanical - flush or surface (push side) mount	ALL	ALL	ALL	Taiwan

Actuator Switches	Description	Arm	Screw Pack	Finish	COO
See LCN	-	-	-	-	-

Falcon closers listed on this page qualify for BAA/ARRA projects above the qualifying designated country threshold.
 Other Falcon locks not listed here may qualify for BAA/ARRA projects above the qualifying designated country threshold.

The products listed meet the requirements of BAA on the published date of this catalog.
 Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

EXIT DEVICES

Von Duprin

Exit Device	Description	Type	Function	Trim	Finish	COO
22 Series	Rim, Surface Vertical Rod	Exit, Fire	ALL	ALL	ALL*	USA
33A/35A Series	Rim, Surface Vertical Rod, Concealed Vertical Rod	Exit, Fire	ALL	ALL	ALL*	USA
55 Series	Rim, Concealed Vertical Rod, Wood Door Concealed Vertical Rod, Mortise Lock	Exit, Fire	ALL	ALL	ALL*	USA
88 Series	Rim, Surface Vertical Rod, Concealed Vertical Rod, Mortise Lock	Exit, Fire	ALL	ALL	ALL*	USA
98/99 Series	Rim, Surface Vertical Rod, Concealed Vertical Rod, Wood Door Concealed Vertical Rod, Surface Three Point Latch, Mortise Lock	Exit, Fire	ALL	ALL	ALL*	USA
XP98/99 Series	Rim	Exit, Fire	ALL	ALL	ALL*	USA

* All available Von Duprin Finishes

Mullion	Description	Finish	COO
4954	Steel - prepped for (2) 299 strikes	SP28, SP313	USA
KR4954	Steel w/Keyed Removable Option - prepped for (2) 299 strikes	SP28, SP313	USA
9954	Steel - prepped for (2) 499F or 268 strikes	SP28, SP313	USA
KR9954	Steel w/Keyed Removable Option - prepped for (2) 499F or 268 strikes	SP28, SP313	USA

Falcon

Exit Device	Type	Function	Trim	Finish	COO
19-R Series	Exit, Fire	ALL	ALL	ALL Available Falcon Finishes	USA
19-V Series	Exit, Fire	ALL	ALL	ALL Available Falcon Finishes	USA
24-R Series	Exit, Fire	ALL	ALL	ALL Available Falcon Finishes	USA
24-V Series	Exit, Fire	ALL	ALL	ALL Available Falcon Finishes	USA
24-C Series	Exit, Fire	ALL	ALL	ALL Available Falcon Finishes	USA
24-CWDC Series	Exit, Fire	ALL	ALL	ALL Available Falcon Finishes	USA
25-R Series	Exit, Fire	ALL	ALL	ALL Available Falcon Finishes	USA
25-V Series	Exit, Fire	ALL	ALL	ALL Available Falcon Finishes	USA
25-M Series	Exit, Fire	ALL	ALL	ALL Available Falcon Finishes	USA
25-C Series	Exit, Fire	ALL	ALL	ALL Available Falcon Finishes	USA
25-CWDC Series	Exit, Fire	ALL	ALL	ALL Available Falcon Finishes	USA
1690 Series	Exit	ALL	ALL	ALL Available Falcon Finishes	USA
1790 Series	Exit	ALL	ALL	ALL Available Falcon Finishes	USA

The products listed meet the requirements of BAA on the published date of this catalog.

Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

**Glynn Johnson
Overhead Holders & Stops**

70 Series	Description	Finish	COO
704H	70 Series, Size 4, Hold-Open - Heavy-Duty Surface	US26D	USA
704S	70 Series, Size 4, Stop-Only - Heavy-Duty Surface	US26D	USA

81 Series Heavy-Duty Surface	Description	Finish	COO
814H	81 Series, Size 4, Hold-Open - Heavy-Duty Surface	US32D	USA
814S	81 Series, Size 4, Stop-Only - Heavy-Duty Surface	US32D	USA

90 Series	Description	Finish	COO
903H	90 Series, Size 3, Hold-Open - Heavy-Duty Surface	US32D	USA
904H	90 Series, Size 4, Hold-Open - Heavy-Duty Surface	US32D	USA
905H	90 Series, Size 5, Hold-Open - Heavy-Duty Surface	US32D	USA
906H	90 Series, Size 6, Hold-Open - Heavy-Duty Surface	US32D	USA
903S	90 Series, Size 3, Stop-Only - Heavy-Duty Surface	US32D	USA
904S	90 Series, Size 4, Stop-Only - Heavy-Duty Surface	US32D	USA
905S	90 Series, Size 5, Stop-Only - Heavy-Duty Surface	US32D	USA
906S	90 Series, Size 6, Stop-Only - Heavy-Duty Surface	US32D	USA

100 Series	Description	Finish	COO
103H, 104H	70 Series, Size 4, Hold-Open - Heavy-Duty Surface	US32D	USA
105H, 106H	100 Series, Size 5 or 6, Hold-Open - Heavy-Duty Concealed	US32D	USA
103S, 104S	100 Series, Size 3 or 4, Stop-Only - Heavy-Duty Concealed	US32D	USA
105S, 106S	100 Series, Size 5 or 6, Stop-Only - Heavy-Duty Concealed	US32D	USA
106F	100 Series, Size 5 or 6, Friction Hold-Open - Heavy-Duty Concealed	US32D	USA
106HP	100 Series, Size 5 or 6, Internal Hold-Open - Heavy-Duty Concealed	US32D	USA

410 Series	Description	Finish	COO
413H	410 Series, Size 3, Hold-Open - Medium-Duty Concealed	US32D	USA
414H	410 Series, Size 4, Hold-Open - Medium-Duty Concealed	US32D	USA
413S	410 Series, Size 3, Stop-Only - Medium-Duty Concealed	US32D	USA
414S	410 Series, Size 4, Stop-Only - Medium-Duty Concealed	US32D	USA

450 Series	Description	Finish	COO
451H	450 Series, Size 1, Hold-Open- Medium-Duty Surface	US32D	USA
452H	450 Series, Size 2, Hold-Open- Medium-Duty Surface	US32D	USA
453H	450 Series, Size 3, Hold-Open- Medium-Duty Surface	US32D, 652	USA
454H	450 Series, Size 4, Hold-Open- Medium-Duty Surface	US32D, 652	USA
455H	450 Series, Size 5, Hold-Open- Medium-Duty Surface	US32D, 652	USA
451S	450 Series, Size 1, Stop-Only- Medium-Duty Surface	US32D, 652	USA
452S	450 Series, Size 2, Stop-Only- Medium-Duty Surface	US32D, 652	USA
453S	450 Series, Size 3, Stop-Only- Medium-Duty Surface	US32D, 652	USA
454S	450 Series, Size 4, Stop-Only- Medium-Duty Surface	US32D, 652	USA
455S	450 Series, Size 5, Stop-Only- Medium-Duty Surface	US32D, 652	USA

The products listed meet the requirements of BAA on the published date of this catalog.
Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

AUXILIARY HARDWARE

Glynn Johnson

Push/Pull Latch	Description	Finish	COO
HL6-2	Push/Pull Latch	US26D	USA
HL6-5	Push/Pull Latch - 5" Backset	US26D	USA

Ives

Hinges	Description	Finish	COO
5BB1 4.5 x 4.5	Five Knuckle, Ball Bearing, Standard Weight	652, 630	Taiwan
5BB1 4.5 x 4.5 NRP	Five Knuckle, Ball Bearing, Standard Weight - Non-Removable Pin	652, 630	Taiwan
5BB1HW 4.5 x 4.5	Five Knuckle, Plain Bearing, Standard Weight	652, 630	Taiwan
5BB1HW 4.5 x 4.5 NRP	Five Knuckle, Plain Bearing, Standard Weight - Non-Removable Pin	652, 630	Taiwan
5BB1HW 5 x 4.5	Five Knuckle, Plain Bearing, Standard Weight	652, 630	Taiwan
5BB1HW 5 x 4.5 NRP	Five Knuckle, Plain Bearing, Standard Weight - Non-Removable Pin	652, 630	Taiwan

Continuous Hinges	Description	Finish	COO
600*	Concealed Hinge - Pin and Barrel	USP	Canada
602*	Full Surface, Flush Mount - Pin and Barrel	USP	Canada
611*	Swing Clear - Pin and Barrel	USP	Canada
700*	Concealed Hinge - Pin and Barrel	US32D	Canada
702*	Full Surface, Flush Mount - Pin and Barrel	US32D	Canada
705*	Concealed Hinge - Pin and Barrel	US32D	Canada
711*	Swing Clear, Flush Mount, Surface Hinge - Pin and Barrel	US32D	Canada
715*	Concealed Hinge, Flush Mounted, Half Wrap - Pin and Barrel	US32D	Canada
045HD*	Heavy Duty, Half Surface - Geared	US28, 313AN	USA
046HD*	Heavy Duty, Half Surface - Geared	US28, 313AN	USA
053HD*	Heavy Duty, Half Surface - Geared	US28, 313AN	USA
054HD*	Heavy Duty, Half Surface - Geared	US28, 313AN	USA
122HD*	Heavy Duty, Full Mortise - Geared	US28, 313AN	USA
157HD*	Heavy Duty, Full Mortise - Geared	US28, 313AN	USA
210HD*	Heavy Duty, Full Surface, Swing Clear - Geared	US28, 313AN	USA
224HD*	Heavy Duty, Full Mortise - Geared	US28, 313AN	USA

* Available lengths: 83", 85", 95" and 120"

Pivots	Description	Finish	COO
7212-7212V-7222 INT	Intermediate Pivot for 7212, 7212V and 7222	SP28, SP313, US26D	Taiwan
7215 Pivot Set	3/4" Offset Pivots, Jamb-Mounted Bottom	SP28, SP313, US26D	Taiwan
7215-7226-7227 INT	Intermediate Pivot for 7215, 7226 and 7227	SP28, SP313, US26D	Taiwan
7222 Pivot Set	3/4" Offset Pivots, Floor-Mounted Bottom	SP28, SP313, US26D	Taiwan
7253 Pivot Set	Center-Hung Pivot Set	SP28, SP313, US26D	Taiwan
7255 Pivot Set	Center-Hung Pivot Set	SP28, SP313, US26D	Taiwan
7259 BTM	Bottom Pivot for 7259	US26D	USA

NOTE: Ives hinges listed on this page qualify for BAA/ARRA projects above the qualifying designated country threshold. Other Ives hinges not listed here may qualify for BAA/ARRA projects above the qualifying designated country threshold. See "When could BAA/ARRA apply?" on page 5 for more details.

The products listed meet the requirements of BAA on the published date of this catalog.

Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

Ives

Kickplates & Push/Pull Plates	Description	Finish	COO
8200	Push Plate	US3, US32D	USA
8302-10	Pull Plate - 10" Grip	US3, US32D	USA
8302-8	Pull Plate - 8" Grip	US3, US32D	USA
8311-5	Pull Plate - 5" Grip	US3, US32D	USA
8400	Kickplate 10" x 34"	US3, US32D	USA
8400	Kickplate 8" x 34"	US3, US32D	USA

Carry Bars	Description	Finish	COO
CB1	Carry Bar	USP	USA

Invisible Latches	Description	Finish	COO
CL11	Invisible Latch, 7/16" x 1-1/4" x 1-7/8"	US26D	Taiwan
CL12	Invisible Latch, 9/16" x 1-1/4" x 2-1/4"	US26D	Taiwan
CL14	Auxiliary Pusher for Invisible Latches	US26D	USA
CL21A	Four-Way Catch — Full Size Doors w/ Hook Plate	US26D	Taiwan
CL22	Three-Way Catch	US26D	Taiwan

Coordinators	Description	Finish	COO
COR32	Coordinator - 32" Overall Length	US28	USA
COR52	Coordinator - 52" Overall Length	US28	USA
COR7G	Gravity Arm Coordinator - 7" Projection	US26D	Taiwan

Dust Proof Strikes	Description	Finish	COO
DP1	Dust-Proof Strike - Threshold Only	US26D	Taiwan
DP2	Dust-Proof Strike	US28	Taiwan

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

AUXILIARY HARDWARE

Ives

Flush Bolts	Description	Finish	COO
FB31P	Automatic Flush Bolt — Pair Metal	US32D	USA
FB32	Automatic Flush Bolt w/ Aux. Fire Latch Metal	US32D	USA
FB41P	Automatic Flush Bolt — Pair Wood	US32D	USA
FB42	Automatic Flush Bolt w/ Aux. Fire Latch Wood	US32D	USA
FB51P	Constant Latching Top Flush Bolt — Pair Metal	US32D	USA
FB52	Constant Latching Top Flush Bolt w/ Aux. Fire Latch Metal	US32D	USA
FB61P	Constant Latching Top Flush Bolt — Pair Wood	US32D	USA
FB62	Constant Latching Top Flush Bolt w/ Aux. Fire Latch Wood	US32D	USA

Filler Bars	Description	Finish	COO
FL20	Filler Bar — 20" Overall Length	US28	USA
FL32	Filler Bar — 32" Overall Length	US28	USA
FL44	Filler Bar — 44" Overall Length	US28	USA

Floor/Door Stops & Holders	Description	Finish	COO
FS1153	Plunger-Type Door Holder — 1-5/8" Throw	US28	Taiwan
FS1154	Plunger-Type Door Holder — 1-1/4" Throw	US10, US26D, US3	Taiwan
FS18L	Security Floor Stop — 3-1/2" Bumper		Taiwan
FS18S	Security Floor Stop		Taiwan
FS40	Automatic Floor Type Holder — 1/2" Door to Floor Clearance	US26D	Taiwan
FS441	Floor Door Stop	US26D	India
FS444	Heavy-Duty Door Stop	US26D	India
FS446	Heavy-Duty Door Stop and Holder	US26D	India
FS452-4"	Kick Down Door Holder	US10, US26D	India
FS452-5"	Kick Down Door Holder	US10, US26D	India
FS544-4"	Kick Down Door Holder — Iron	SP10, SP28, SP4	Taiwan
FS555-5"	Kick Down Door Holder — Iron	SP10, SP28, SP4	Taiwan

Lock Guards	Description	Finish	COO
LG1	Lock Guard with Security Pin	US2G, US32D	USA
LG10	Lock Guard	US32D	USA
LG13	Lock Guard	US32D	USA
LG14	Lock Guard	US32D	USA

Mounting Brackets	Description	Finish	COO
MB1	Mounting Bracket — Stops over 2-1/2"	USP	USA
MB2	Mounting Bracket — Stops up to 2-1/2"	USP	USA
RL1152	Combination Roller Latch/Applied Stop	US26, US26D	Taiwan

The products listed meet the requirements of BAA on the published date of this catalog.
Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

Ives

Roller Latches	Description	Finish	COO
RL30	Roller Latch	US10B, US26, US26D, US3	Taiwan
RL36	Roller Latch, Light-Duty, Mortise	US32D	Taiwan
RL38	Roller Latch, Light-Duty, Surface Mounted	US32D	Taiwan

Locking Bolts	Description	Finish	COO
SB1630B	8" Steel Bottom Bolt	US2G	Taiwan
SB1630BL-1289	8" Locking Bottom Bolt	US2G	USA
SB1630BL-1360	8" Locking Bottom Bolt	US2G	USA
SB1630T	8" Steel Top Bolt	US2G	Taiwan
SB1630TB	8" Steel Bolt with Top and Bottom Strikes	US2G	Taiwan
SB1630TL-1289	8" Locking Top Bolt	US2G	USA
SB1630TL-1360	8" Locking Top Bolt	US2G	USA
SB453-8"-TB	8" Steel Surface Bolt, Top-and-Bottom Strikes	US2C	India

Silencers	Description	Finish	COO
SR64	Door Silencers for Metal Frames	GRAY / TAN	USA
SR65	Door Silencers for Wood Frames	GRAY	USA

Wall Stops/holders	Description	Finish	COO
WS11	Wall Stop for Drywall Mounting Drywall	US26D	Taiwan
WS40	Automatic Holder and Stop Universal	US26D	Taiwan
WS445	Heavy-Duty Wall Stop and Holder Drywall	US26D	India
WS45	Automatic Holder and Stop Universal	US26D	Taiwan

The products listed meet the requirements of BAA on the published date of this catalog. Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

DOORS AND FRAMES

Steelcraft

Metal Doors	Description	Gauge	COO
L Series	Laminated Core	14, 16, 18 & 20	USA
SL Series	Square Edge Laminated Core	18 & 20	USA
B Series	Steel Stiffened Core	14, 16 & 18	USA
T Series	Temperature Rise	14, 16, 18 & 20	USA
CE Series	Embossed Panel	14, 16 & 18	USA
A14 Series	Full Glass	14	USA
H Series	Hurricane Rated	14 & 16	USA
Paladin™ Series	Tornado Resistant	14	USA
GrainTech™ Series	Integrated Door System	16 & 18	USA

Metal Frames	Description	Gauge	COO
F Series	Flush Frame	12, 14 & 16	USA
FN Series	Flush Frame	14 & 16	USA
MU Series	Multi Use Frame	14 & 16	USA
T Series	Temperature Rise Frame	14 & 16	USA
FE & DE Series	Double Egress Frame	14 & 16	USA
DW Series	Drywall Frame	14 & 16	USA
K Series	Drywall Frame	14 & 16	USA
Paladin™ Series	Tornado Resistant	14	USA

Architectural Stick	Description	Gauge	COO
F Series	Flush Frame	14 & 16	USA
DW Series	Drywall Frame	14 & 16	USA
MU Series	Multi Use Frame	14 & 16	USA
FN Series	Flush Frame	14 & 16	USA

Falcon

Metal Door Series	Description	Gauge	COO
SZ	Flush Door	18	USA

The products listed meet the requirements of BAA on the published date of this catalog.
Please check www.securitytechnologies.ingersollrand.com/government to verify that you are using the most current information.

ADDITIONAL COSTS AND ORDER REQUIREMENTS

Locks

Schlage	Up Charge	BAA Transmittal Required	Note On Order
AL Series*	\$25 per lock	x	Clearly mark order "Products requested with BAA compliance"
ND Series*	\$25 per lock	x	Clearly mark order "Products requested with BAA compliance"
L Series*	\$25 per lock	x	Clearly mark order "Products requested with BAA compliance"

Electronic Locks, Readers & Accessories

Schlage	Up Charge	BAA Transmittal Required	Note On Order
AD-Series*	\$100 per lock	x	Clearly mark order "Products requested with BAA compliance"
Power Supplies (Pg 16)	\$32 per PS	x	Must be clearly ordered with BAA suffix to ensure BAA compliance
PIM*	\$25 per PIM	x	Clearly mark order "Products requested with BAA compliance"
PIB*	\$25 per PIB	x	Clearly mark order "Products requested with BAA compliance"

Von Duprin	Note On Order		
Power Supplies (Pg 19)			Must be clearly ordered with BAA suffix to ensure BAA compliance
Power Transfers (EPT)			Must be clearly ordered with BAA suffix to ensure BAA compliance

* Up charges only apply when products that require BAA compliance fall UNDER the designated Trade Agreement Act (TAA) thresholds - \$9.1 million (Mexico) and \$7.8 million (Taiwan). See pg 5 & 6 for more details or contact st-govtservices@irco.com for more information.

Failure to include a BAA Transmittal Cover Sheet or properly marking the order PRODUCTS REQUESTED WITH BAA COMPLIANCE or include the BA/BAA suffix when required could result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund.



BAA Order Transmittal Cover Letter



Buy America Act and American Recovery and Reinvestment Act (BAA/ARRA)

*Note that orders requiring BAA compliant products MUST include this cover letter to
be properly identified.*



Ingersoll Rand's Security Technologies Sector is a leading global provider of products and services that make environments safe, secure and productive. The sector's market-leading products include electronic and biometric access-control systems; time-and-attendance and personnel scheduling systems; mechanical locks; portable security; door closers, exit devices, architectural hardware, and steel doors and frames; and other technologies and services for global security markets.

st-govtservices@irco.com

www.securitytechnologies.ingersollrand.com